KEY WORD INDEX

Five key words have been identified for the review paper and for each of the articles and communications published in this issue of the *Journal*. They are listed at the ends of the abstracts of the papers. The first of the five key words is considered the primary key word. The primary key words identified for the papers in this issue are listed below and are followed by the other four key words and the beginning page numbers of the papers in which they appear. Also listed below are the other four individual key words for the papers, followed by the appropriate primary key words and the beginning page numbers. Key words are computer sorted and may not be listed in strict alphabetical order—capitalized words will appear before lower-case words.

R curve, cements—2295
Weibull statistics, capacitors—2223
X-ray diffraction, superconductors—2351
additives, glass—2334
alumina, composites—2381
  gels—2354
antimony, electrical properties—2378
barium, superconductors—2351; 2386
barium titanate, capacitors—2258
barium titanate, electrical properties, lasers, semiconductors, electrical resistivity—2367
bismuth, superconductors—2346
cadmium, electrical properties—2378
calcium, ferrites—2304
  superconductors—2346
capacitors, electrical properties, stress, multilayer, modeling—2246
  ferroelectrics—2276
capacitors, fracture, defects, barium titanate, failure—2258
capacitors, multilayer, cracks, mechanical properties, indentation—2292
capacitors, multilayer, electrical properties, thermal expansion, dielectric properties—2287
capacitors, multilayer, lead, magnesium, niobates—2279
capacitors, multilayer, mechanical properties, electrical properties, thermal shock—2264
capacitors, multilayer, thermal shock, cracks, fractography—2241
capacitors, multilayer, ultrasonics, electrical properties, lasers—2271
capacitors, nondestructive testing, multilayer, mechanical properties, electrical properties—2282
capacitors, semiconductors, failure, testing, Weibull statistics—2223
capacitors, titanates, grain boundaries, dielectrics, electrical conductivity—2234
cements, cracking, fracture, microstructure, R curve—2295
coatings, sol-gel—2388
combustion, kinetics—2318
composites, mechanical properties, cracks, interfaces, fibers—2300
composites, silicon carbide, whiskers, sintering, alumina—2381
corrosion, refractories—2325
cracking, cements—2295
cracks, capacitors—2241; 2292
  composites—2300
crystallization, glass—2361
defects, capacitors—2258
  electrical properties—2378
  ferroelectrics—2276
densification, silicon nitride—2314
density, glass—2361
dielectric properties, capacitors—2287
dielectrics, capacitors—2234
differential thermal analysis, superconductors—2351
diffusion, kinetics—2318
dopants, superconductors—2386
electrical conductivity, capacitors—2234
  electrical properties—2378
electrical properties, barium titanate—2367
  capacitors—2246; 2264; 2271; 2282; 2287
electrical properties, electrical conductivity, cadmium, antimony, defects—2378
  ferrites—2304
  ferroelectrics—2276
electrical resistivity, barium titanate—2367
failure, capacitors—2223; 2258
ferrites, electrical properties, lanthanides, calcium, formation—2304
ferroelectrics, electrical properties, defects, capacitors, perovskites—2276
fibers, composites—2300
films, superconductivity—2310
firing, sintering—2359
formation, ferrites—2304
fractography, capacitors—2241
fracture, capacitors—2258
  cements—2295
fracture toughness, mechanical properties—2369
furnaces, refractories—2325
gels, alumina, silica, surface area, processing—2354
glass, sintering, crystallization, heating, density—2361
glass, titania, tantalum oxide, additives, lithium—2334
grain boundaries, capacitors—2234
grain size, titanates—2364
hardness, sol-gel—2388
heat transfer, refractories—2325
heating, glass—2361
indentation, capacitors—2292
interfaces, composites—2300
kinetics, titanium carbide, nickel, combustion, diffusion—2318
  zirconia: partially stabilized (PSZ)—2372
lanthanides, ferrites—2304
lasers, barium titanate—2367
  capacitors—2271
lead, capacitors—2279
lithium, glass—2334
magnesium, capacitors—2279
  zirconia: partially stabilized (PSZ)—2372
mechanical properties, capacitors—2264; 2282; 2292
  composites—2300
  sol-gel—2388
mechanical properties, zirconia, mullite, microstructure, fracture toughness—2369
microcracking, titanates—2364
microstructure, cements—2295
  mechanical properties—2369
modeling, capacitors—2246
  refractories—2325
molybdenum, superconductivity—2310
mullite, mechanical properties—2369
multilayer, capacitors—2241; 2246; 2264; 2271; 2279; 2282; 2287; 2292
neodymium oxide, sintering—2359
nickel, kinetics—2318
niobates, capacitors—2279
niobium, superconductivity—2310
nitridation, silicon nitride—2314
nitrides, superconductivity—2310
nondestructive testing, capacitors—2282
perovskites, ferroelectrics—2276
phase equilibria, silicon nitride—2314
phases, superconductors—2351
  zirconia: partially stabilized (PSZ)—2372
processing, gels—2354
  superconductors—2346
refractories, corrosion, furnaces, modeling, heat transfer—2325
semiconductors, barium titanate—2367
  capacitors—2223
silica, gels—2354
  sol-gel—2388
silicon carbide, composites—2381
silicon nitride, phase equilibria, sintering, nitridation, densification—2314
  sintering—2359
sintering, composites—2381
  glass—2361
  silicon nitride—2314
  superconductors—2386
sintering, yttria, neodymium oxide, silicon nitride, firing—2359
sol-gel, coatings, mechanical properties, silica, hardness—2383
stress, capacitors—2246
strontium, superconductors—2346
superconductivity, molybdenum, films, nitrides, niobium—2310
superconductors, barium, phases, X-ray diffraction, differential thermal analysis—2351
superconductors, bismuth, strontium, calcium, processing—2346
superconductors, yttrium, barium, sintering, dopants—2386
surface area, gels—2354
tantalum oxide, glass—2334
testing, capacitors—2223
thermal expansion, capacitors—2287
  titanates—2364
thermal shock, capacitors—2241; 2264
titanates, capacitors—2234
titanates, thermal expansion, grain size, microcracking—2364
titania, glass—2334
titanium carbide, kinetics—2318
transmission electron microscopy, zirconia: partially stabilized (PSZ)—2372
ultrasonics, capacitors—2271
whiskers, composites—2381
yttria, sintering—2359
yttrium, superconductors—2386
zirconia, mechanical properties—2369
zirconia: partially stabilized (PSZ), phases, kinetics, magnesium, transmission electron microscopy—2372

INDEXES TO THE JOURNAL AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 72, 1989

AUTHOR INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications;* numbers following are *page* numbers.

Abe, Yoshihiro See Hosono, Hideo; Watanabe, Akira

Abouelleil, Mahmoud M.; and Leonberger, Fred J.
Waveguides in lithium niobate. (8) 1311

Adachi, Seiji; Wada, Takahiro; Mihara, Toshihiro; Miyamoto, Yoshinari; Koizumi, Mitsuo; and Yamada, Osamu
Fabrication of titanium carbide ceramics by high-pressure self-combustion sintering of titanium powder and carbon fiber. (5) 805

Aggarwal, Ishwar D. See Ewing, Kenneth J.; Pureza, Pablo C.

Agrawal, Dinesh C.; Gopalakrishnan, R.; and Chakravorty, Dipankar
Phases and microstructures in zirconia-calcia-titania multiphase ceramics. (6) 912

Agrawal, Dinesh C.; Raj, Rishi; and Cohen, Claude
Nucleation of flocs in dilute colloidal suspensions. (11) 2148

Agrawal, Dinesh K. See Takahashi, Tatsuhito

Ahlf, Dierk; and Frischat, Guenther H.
Extension of glass-forming region in a ZrF_4-based system by rapid melt quenching. (8) 1506

Akimune, Yoshio; Katano, Yasushi; and Matoba, Kazuo
Spherical-impact damage and strength degradation in silicon carbide whisker/silicon nitride composites. (5) 791; Spherical-impact damage and strength degradation in silicon nitrides for automobile turbocharger rotors. (8) 1422

Akinc, Mufit See O'Brien, Michael H.

Aksay, Ilhan A. See Halverson, Danny C.; Thomson, William J.

Aksay, Ilhan A.; Sarikaya, Mehmet; and Sonuparlak, Birol
Spinel phase formation during 980°C exothermic reaction in the kaolinite-to-mullite reaction series—reply. (8) 1571

Alarcon, J. See Carda, J.

Alford, Neil McN. See Clegg, William J.

Alim, Mohammad A.
Admittance-frequency response in zinc oxide varistor ceramics. (1) 28

Allaire, Claude; Rigaud, Michel A.; and Dallaire, Serge
Basic phosphate-bonded castables from dolomitic-magnesite clinkers. (9) 1698

Allard, Lawrence F. See Rawlins, Mary H.

Alles, Aldo Bologna; Amarakoon, Vasantha R. W.; and Burdick, Vernon L.
Positive temperature coefficient of resistivity effect in undoped, atmospherically reduced barium titanate. (1) 148

Almeida, Rui M.; and Santos, Luis F.
Structure and properties of long-wavelength-transmitting halide glasses. (11) 2065

Amarakoon, Vasantha R. W. See Alles, Aldo Bologna

Amin, Ahmed
Piezoresistivity in semiconducting positive temperature coefficient ceramics. (3) 369

Anderson, Harlan U. See Huang, Rong-Fong

Anderson, Marc A. See Gieselmann, Mary J.

Anderson, Michael P. See Fischer, Travgott E.

Ando, Ken See Sakka, Yoshio

Angelini, Peter See Bamberger, Carlos E.

Antrim, Robert F. See Whalen, Philip J.

Arai, Hiromichi See Shimizu, Yasuhiro

Armstrong, Timothy R.; Morgens, Laurie E.; Maurice, Alena K.; and Buchanan, Relva C.
Effects of zirconia on microstructure and dielectric properties of barium titanate ceramics. (4) 605

Asada, Satoshi See Hirano, Shin-ichi

Asami, Mitsuaki See Makishima, Akio

Avitzur, Betzalel See Oh, Min-Seok

Baaklini, George Y.; Generazio, Edward R.; and Kiser, James D.
High-frequency ultrasonic characterization of sintered silicon carbide. (3) 383

Badwal, Sukhvinder P. S. See Drennan, John

Balazs, G. Bryan See Schreiber, Henry D.

Balewick, Laura Ann; and Shelby, James E.
Mixed intermediate effect in calcium alumino/galliosilicate glasses. (9) 1751

Ball, Clifford J.; Buykx, William J.; Dickson, Fiona J.; Hawkins, Kate; Levins, Desmond M.; Smart, Roger St. C.; Smith, Katherine L.; Stevens, Geoffrey T.; Watson, Kenneth G.; Weedom, David; and White, Timothy J.
Titanate ceramics for the stabilization of partially reprocessed nuclear fuel elements. (3) 404

Balter, Aliza See Leister, Daniel B.

Bamberger, Carlos E.; Angelini, Peter; and Nolan, Theodore A.
Formation of titanium nitride whiskers by reaction of sodium titanium bronze with molten sodium cyanide. (4) 587

Bamberger, Carlos E.
Synthesis and crystallography of sodium titanium bronze. (3) 510

Bandyopadhyay, Siddhartha; Mukerji, Joydeb; and Roychoudhury, Kalpana
Sintering and properties of β'-sialon with a nitrogen-rich Y_2O_3 sintering aid. (6) 1061

Bannister, Michael J.
Phase relations and ordering in the system ZrO_2-MgO—comment. (1) 166

Bar, Kai See Chu, Cha-Yang

Basu, R. N. See Maiti, H. S.

Bateman, Charles A.; Bennison, Stephen J.; and Harmer, Martin P.
Mechanism for the role of magnesia in the sintering of alumina containing small amounts of a liquid phase. (7) 1241

Bateman, Charles A.; Notis, Michael R.; and Williams, David B.
Coarsening kinetics of the tetragonal phase in a magnesia-partially-stabilized zirconia. (12) 2372

Bauer, Robert A.; Smulders, Robert; Becht, Johanna G. M.; van de Put, Paul J.; and Schoonman, Joop
Laser-chemical vapor precipitation of submicrometer silicon and silicon nitride powders from chlorinated silanes. (7) 1301

Baum, Laura See Chaim, Rachman

Baumgartner, Charles E.
Adhesion of electrolessly deposited nickel on lead zirconate titanate ceramic. (6) 890

Beauchamp, Edwin K.; and Monroe, S. L.
Effect of crack-interface bridging on subcritical crack growth in ferrites. (7) 1179

Becht, Johanna G. M. See Bauer, Robert A.

Behm, Doug A.; Feltz, Carol J.; Haynes, Richard; and Pinault, Steven C.
Statistical determination of plating process variables for multilayer ceramic chip capacitors. (12) 2279

Bender, Barry A. See Osendi, M. Isabel

Benedetti, Alvise; Fagherazzi, Giuliano; and Pinna, Francesco
Preparation and structural characterization of ultrafine zirconia powders. (3) 467

Benesi, Alan See Grutzeck, Michael W.

Bennison, Stephen J. See Bateman, Charles A.; Cho, Seong-Jai

Bennison, Stephen J.; Chan, Helen M.; and Lawn, Brian R.
Effect of heat treatment on crack-resistance curves in a liquid-phase-sintered alumina. (4) 677

Berg, Gunnary; and Grau, Peter
Estimating the viscosity of viscoelastic solids based on a three-parameter model. (11) 2187

Bergman, Bill; and Song, Chengyi
Microstructural study of phase equilibria in the Fe-Ca-O system involving $CaFe_2O_4$. (8) 1364

Bergstrom, Lennart; and Pugh, Robert J.
Interfacial characterization of silicon nitride powders. (1) 103

Beruto, Dario; Botter, Rodolfo; and Searcy, Alan W.
Influence of temperature gradients on sintering—experimental tests of a theory. (2) 232

Bhalla, Amar S. See Pan, Wuyi; Swartz, Scott L.; Takenaka, Tadashi; Yamamoto, Joyce K.; Zhang, Qiming

Bhatt, Rhan T. See Laughner, James W.

Bhattacharja, Sankar; D'Orazio, F.; Tarczon, J. C.; Halperin, W. P.; and Gerthardt, Rosario
Internal structure of porous silica: A model system for characterization by nuclear magnetic resonance. (11) 2126

Bieniacki, J. J.; and Wotzak, G. P.
Stoichiometry of the $C+SiO_2$ reaction. (1) 122

Bihuniak, Peter P. See Jain, Vijay

Billone, Michael C. See Chu, Cha-Yang

Birchall, James D. See Clegg, William J.

Birnie, Dunbar P., III
Criteria for diffusion by a site-interchange mechanism. (7) 1277

Bischoff, Ewald; Ruhle, Manfred; Sbaizero, Orfeo; and Evans, Anthony G.
Microstructural studies of the interfacial zone of a SiC-fiber-reinforced lithium aluminum silicate glass-ceramic. (5) 741

Bjork, Lennart; and Hermansson, Leif A. G.
Hot isostatically pressed alumina-silicon carbide-whisker composites. (8) 1436

Blitzer, Lawrence D. See Seibles, Lawrence

Blumenthal, Robert N. See Park, Jong-Hee

Bollot, Jean-Pierre See Chaput, Frederic

Borland, William See Pepin, John G.

Borom, Marcus P. See Brun, Milivoj K.

Boser, Otmar; Kellawon, Paulette; and Geyer, Richard
Electromechanical resonances in ceramic capacitors and their use for rapid nondestructive testing. (12) 2282

Botter, Rodolfo See Beruto, Dario

Bow, Jong-Shing See Lu, Hong-Yang

Bowen, H. Kent See Dong, Chun; Haile, Sossina M.; Jang, Hyun M.; Riman, Richard E.

Bradley, Steven A. See Karasek, Keith R.
Bradley, Steven A.; Karasek, Keith R.; Martin, Michael R.; Yeh, Harry C.; and Schienle, James L.
Silicon carbide whisker stability during processing of silicon nitride matrix composites. (4) 628
Bradt, Richard C. See Eckel, Andrew J.; Ghosh, Asish; Li, Zhuang; Salem, Jonathan A.
Brandon, David G. See Chaim, Rachman
Brewer, Kathy M. See Hunter, R. Todd
Brezny, Rasto; Green, David J.; and Dam, Chuong Quang
Evaluation of strut strength in open-cell ceramics. (6) 885
Brezny, Rasto; and Green, David J.
Fracture behavior of open-cell ceramics. (7) 1145
Bright, Jeffrey D.; Shetty, Dinesh K.; Griffin, Curtis W.; and Limaye, Santosh Y.
Interfacial bonding and friction in silicon carbide (filament)-reinforced ceramic- and glass-matrix composites. (10) 1891
Brinker, C. Jeffrey See Hietala, Susan L.
Brock, Nancy A. See Hunter, R. Todd
Broer, Matthijs M.
Melting apparatus for the synthesis of bulk ZrF_4-based fluoride glass. (3) 492
Brook, Richard J. See Okada, Kiyoshi; Xue, Liang An
Brower, Daniel T. See Pureza, Pablo C.
Brown, Jesse J., Jr. See Xu, Ming-Wei Paul
Brown, Paul Wencil
Effects of particle size distribution on the kinetics of hydration of tricalcium silicate. (10) 1829
Brownlow, Darryl L.; and Iyenger, Rama
Alternative proof tester for high-strength optical fibers. (4) 702
Brun, Milivoj K.; and Borom, Marcus P.
Thermomechanical properties of chemically vapor deposited silicon carbide filaments. (10) 1993
Brynestad, Jorulf See Lindemer, Terrence B.
Buchanan, Reiva C. See Armstrong, Timothy R.
Buljan, Sergej-Tomislav See Wayne, Steven F.
Burdick, Vernon L. See Alles, Aldo Bologna; Fitch, Lawrence D.
Burger, Joseph L. See Rossetti, George A., Jr.
Burlew, Joan V. See Fanelli, Anthony J.
Burns, Gary T.; and Chandra, Grish
Pyrolysis of preceramic polymers in ammonia—preparation of silicon nitride powders. (2) 333
Burton, Benjamin P. See Roth, Robert S.
Busca, G.; and Lorenzelli, V. See Ramis, G.
Bussod, Gilles; Pechenik, Alexander; Chu, Chung-tse; and Dunn, Bruce
Effects of temperature and strain rate on the plastic deformation of fully dense polycrystalline $Y_1Ba_2Cu_3O_{7-\delta}$ superconductor. (1) 137
Butt, Darryl P.; Mecholsky, John J., Jr.; and Goldfarb, Victor
Effects of sodium silicate exposure at high temperature on sintered α-silicon carbide and siliconized silicon carbide. (9) 1628
Buykx, William J. See Ball, Clifford J.
Cagnoux, J. See Longy, F.
Campbell, G. H.; Dalgleish, Brian J.; and Evans, Anthony G.
Brittle-to-ductile transition in silicon carbide. (8) 1402
Caneiro, Alberto See Pasquevich, Daniel M.
Cann, C. Dennis See Hayward, Peter J.
Cannon, Rowland M.; and Carter, W. Craig
Interplay of sintering microstructures, driving forces, and mass transportation mechanisms. (8) 1550
Cannon, W. Roger See Rydzak, James W.; Wilfinger, Keith R.
Caporaso, Anthony J. See O'Bryan, Henry M.
Cardа, J.; Monros, G.; Escribano, P.; and Alarcon, J.
Synthesis of uvarovite garnet. (1) 160
Carlsson, Roger See Lindqvist, Karin
Carlstrom, Elis See Lindqvist, Karin
Carroll, Daniel F.; and Tressler, Richard E.
Effect of creep damage on the tensile creep behavior of a siliconized silicon carbide. (1) 49
Carroll, Daniel F.; Weiderhorn, Sheldon M.; and Roberts, D. E.
Technique for tensile creep testing of ceramics. (9) 1610
Carter, Barry C. See McArdle, James
Carter, W. Craig See Cannon, Rowland M.
Carturan, Giovanni See Dal Maschio, Robert
Catlow, C. Richard See Grimes, Robin W.
Cauchetier, M. See Ramis, G.
Chaim, Rachman; Baum, Laura; and Brandon, David G.
Mechanical properties and microstructure of whisker-reinforced alumina-30 vol% glass matrix composite. (9) 1636
Chakraborty, Akshoy Kumar; and Ghosh, Dilip Kumar
Spinel phase formation during 980°C exothermic reaction in the kaolinite-to-mullite reaction series—comment. (8) 1569
Chakravorty, Dipankar See Agrawal, Dinesh C.
Chambers, R. S.; Gerstle, Frank P., Jr.; and Monroe, S. L.
Viscoelastic effects in a phosphate glass-metal seal. (6) 929
Chan, Helen M. See Bennison, Stephen J.; Chen, Jie; Zhang, Lijie
Chan, Hing Wah; Howitt, David G.; and Harker, Alan B.
Microstructures of simulated nuclear waste. (6) 1040
Chandra, Grish See Burns, Gary T.
Chandrasekar, Srinivasan See Samuel, Robert
Chang, Deh-An See Yeh, Yuan-Chang
Chang, Edward See Wu, Bo-Chen
Chang, Peng-Heng See Chiou, Bi-Shiou
Chang, Shih-Feng See Wu, Bo-Chen
Chaput, Frederic; Bollot, Jean-Pierre; and Lejeune, Martine; Papiernik, Renee; and Hubert-Pfalzgraf, Lilian G.
Low-temperature route to lead magnesium niobate. (8) 1355
Charalambides, P. G.; and Evans, Anthony G.
Debonding properties of residually stressed brittle-matrix composites. (5) 746
Chen, Chiahong; Ryder, Daniel F., Jr.; and Spurgeon, William A.
Synthesis and microstructure of highly oriented lead titanate thin films prepared by a sol-gel method. (8) 1495
Chen, Jie See Zhang, Lijie
Chen, Jie; Chan, Helen M.; and Harmer, Martin P.
Ordering structure and dielectric properties of undoped and La/Na-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$. (4) 593
Cheng, Tsungnan; and Raj, Rishi
Flaw generation during constrained sintering of metal-ceramic and metal-glass multilayer films. (9) 1649
Chiang, C. K. See Roth, Robert S.
Chiang, Yet-Ming; and Kingery, W. David
Grain-boundary migration in nonstoichiometric solid solutions of magnesium aluminate spinel: I, Grain growth studies. (2) 271
Chien, Yung-Tsen; Pan, Hong-Chih; and Ko, Yung-Chao
Preparation and properties of barium ferrite using hot-rolled mill scale. (8) 1328
Chiou, Bi-Shiou; Lin, Sin-Tah; Duh, Jenq-Gong; and Chang, Peng-Heng
Equivalent circuit model in grain-boundary barrier layer capacitors. (10) 1967
Cho, Seog-Hyun; Kim, Doh-Yeon; and Khim, Zheong-G.
Effect of materials transfer by liquid and vapor on the structure of sintered Y-Ba-Cu-O superconductors. (8) 1516
Cho, Seong-Jai; Hockey, Bernard J.; Lawn, Brian R.; and Bennison, Stephen J.
Grain-size and *R*-curve effects in the abrasive wear of alumina. (7) 1249
Cho, Young-Rae See Na, Jong-Gab
Choi, Doo J.; Fischbach, David B.; and Scott, William D.
Oxidation of chemically vapor-deposited silicon nitride and single-crystal silicon. (7) 1118
Chou, Kan-Sen; and Lee, Li-Jun
Effect of dispersants on the rheological properties and slip casting of concentrated alumina slurry. (9) 1622
Chou, Tsu-Wei See Tai, Nyan-Hwa
Choudhary, Manoj K.
Analysis of heat transfer in the corroding sidewall of a furnace. (12) 2325
Chu, Cha-Yang; Bar, Kai; and Singh, Jitendra P.; Goretta, Kenneth C.; Billone, Michael C.; Poeppel, Roger B.; and Routbort, Jules L.
Mechanical properties of polycrystalline lithium orthosilicate. (9) 1643
Chu, Chung-tse See Bussod, Gilles
Chung, Hun-Tsog; Shin, Byoung-Chul; and Kim, Ho-Gi
Grain-size dependence of electrically induced microcracking in ferroelectric ceramics. (2) 327
Churchward, Rex See Leiser, Daniel B.
Cima, Michael J. See Holm, Elizabeth A.; Kim, Mun Gyu
Cima, Michael J.; Dudziak, Mark; and Lewis, Jennifer A.
Observation of poly(vinyl butyral)-dibutyl phthalate binder capillary migration. (6) 1087
Cima, Michael J.; Lewis, Jennifer A.; and Devoe, Alan D.
Binder distribution in ceramic greenware during thermolysis. (7) 1192
Clarke, David R.
High-temperature microstructure of a hot-pressed silicon nitride. (9) 1604
Clarke, David R.; Shaw, Thomas M.; and Dimos, Duane
Issues in the processing of cuprate ceramic superconductors. (7) 1103
Claussen, Nils E. See Heussner, Karl-Heinz
Clearfield, Abraham; Gadalla, Ahmed M.; Marlow, William H.; and Livingston, Terry W.
Synthesis of ultrafine grain ferrites. (10) 1789
Clegg, William J.; Alford, Neil McN.; Birchall, James D.; and Kendall, Kevin
Improved process for making dense vitreous silica from submicrometer particles by sintering near 1000°C. (3) 432
Coble, Robert L. See Handwerker, Carol A.; Song, Huesup
Cohen, Claude See Agrawal, Dinesh C.
Condit, David A. See Veltri, Richard D.
Connolly, Derry
Fracture analysis of chemically strengthened glass disks. (7) 1162
Connolly, Derry; Stockton, Allen C.; and O'Sullivan, Timothy C.
Large-deformation strength analysis of chemically strengthened glass disks. (5) 859
Conway, Joseph C., Jr.; and Mecholsky, John J., Jr.
Use of crack branching data for measuring near-surface residual stresses in tempered glass. (9) 1584
Coon, Dennis N.
Effect of silicon carbide additions on the crystallization behavior of a magnesia-lithia-alumina-silica glass. (7) 1270
Cormack, Alastair N.
Intrinsic disorder in aluminum nitride. (9) 1730
Cot, Louis See Larbot, Andre
Cross, L. Eric See Haun, Michael J.; Oliver, John R.; Pan, Wuyi; Takenaka, Tadashi; Yamamoto, Joyce K.; Zhang, Qiming
Cutler, Raymond A. See Virkar, Anil V.
Daire, Marc See Lihrmann, Jean Marc
Dalgleish, Brian J. See Campbell, G. H.
Dallaire, Serge See Allaire, Claude
Dal Maschio, Roberto; Pegoretti, Alessandro; Rizzo, Caterina; Soraru, Gian D.; and Carturan, Giovanni
Vickers crack nucleation of glass sheets coated by thin silica-gel layers. (12) 2388
Dam, Chuong Quang See Brezny, Rasto
Damodaran, Alathur D. See Umadevi, Pottail
Damodaran, K. V.; and Rao, K. J.
Elastic properties of alkali phosphomolybdate glasses. (4) 553
Dando, Neal R. See Perrotta, Anthony J.
Datta, S. See Maiti, H. S.
Dauskardt, Reinhold H.; Veirs, D. Kirk; and Ritchie, Robert O.
Spatially resolved Raman spectroscopy study of transformed zones in magnesia-partially-stabilized zirconia. (7) 1124
Day, Delbert E. See Lei, Xingye
de Dios Solier, Juan; Perez-Jubindo, Miguel A.; Dominguez-Rodriguez, A.; and Heuer, Arthur H.
Low-temperature ionic conductivity of 9.4-mol%-yttria-stabilized zirconia single crystals. (8) 1500
Deguchi, Takenori See Izumi, Keiji
de Leede, Gerard; de Waal, Henk; and Hakkens, Frank
Nucleation in ZBLAN glasses. (10) 1991
DeMatos, Henry V. See Koripella, Chowdary R.
Desu, Seshu B.
Decomposition chemistry of tetraethoxysilane. (9) 1615; See also Taylor, J. Ashley
Devoe, Alan D. See Cima, Michael J.
de Waal, Henk See de Leede, Gerard
de With, Gijsbertus
Small-specimen double-cantilever-beam test applicable to monoliths and joints. (4) 710
de With, Gijsbertus; and Wagemans, Harrie H. M.
Ball-on-ring test revisited. (8) 1538
DiCarlo, James A. See Jaskowiak, Martha H.
Dickson, Fiona J. See Ball, Clifford J.
Dickson, Fiona J.; Mitamura, Hisayoshi; and White, Timothy J.
Radiophase development in hot-pressed alkoxide-derived titanate ceramics for nuclear waste stabilization. (6) 1055
DiMilia, Robert A. See Venkataraman, Kollengode
Dimos, Duane See Clarke, David R.
Divakar, Ramesh; Seshadri, Srinivasa G.; and Srinivasan, Makuteswarna
Electrochemical techniques for corrosion rate determination in ceramics. (5) 780
Doeru, Diane C. See Hayward, Peter J.
Dokiya, Masayuki See Yokokawa, Harumi
Dole, Stephen L.; Prochazka, Svante; and Doremus, Robert H.
Microstructural coarsening during sintering of boron carbide. (6) 958
Dominguez-Rodriguez, A. See de Dios Solier, Juan
Dong, Chun; and Bowen, H. Kent
Hot-stage study of bubble formation during binder burnout. (6) 1082
Donner, Jeffry T. See Karasek, Keith R.
D'Orazio, F. See Bhattacharja, Sankar
Doremus, Robert H. See Dole, Stephen L.
Dou, Shixue; Masson, Charles R.; and Pacey, Philip D.
Induction period for oxygen permeation through calcia-stabilized zirconia ceramic. (7) 1114
Doukhan, Jean-Claude See Stoto, Tiziana
Drennan, John See Goodman, Peter
Drennan, John; Swain, Michael V.; and Badwal, Sukhvinder P. S.
Anisotropic ionic conductivity observed in superplastically deformed yttria-stabilized zirconia/alumina composite. (7) 1279
Drew, Robin A. L. See Zarnon, Linda C.
Drummond, James L.
In vitro aging of yttria-stabilized zirconia. (4) 675
Druschitz, Alan P. See Schroth, James G.
Druschitz, Alan P.; and Schroth, James G.
Hot isostatic pressing of a presintered yttria-stabilized zirconia ceramic. (9) 1591
Dube, Dinesh C. See Lanagan, Michael T.
Dubois, Bertrand; Ruffier, Daniel; and Odier, Philippe
Preparation of fine, spherical yttria-stabilized zirconia by the spray-pyrolysis method. (4) 713
Ducamp, Veronique C.; and Raj, Rishi
Shear and densification of glass powder compacts. (5) 798
Dudziak, Mark See Cima, Michael J.
Duffy, John A.
Optical basicity of titanium(IV) oxide and zirconium(IV) oxide. (10) 2012
Dufrane, Keith F.
Wear performance of ceramics in ring/cylinder applications. (4) 691
Duh, Jenq-Gong See Chiou, Bi-Shiou
Dunmead, Stephen D.; Readey, Dennis W.; Semler, Charles E.; and Holt, J. Birch
Kinetics of combustion synthesis in the Ti-C and Ti-C-Ni systems. (12) 2318
Dunn, Bruce See Bussod, Gilles
Duran, Pedro; Recio, Paloma; Jurado, Jose R.; Pascual, Carmen; and Moure, Carlos
Preparation, sintering, and properties of translucent Er_2O_3-doped tetragonal zirconia. (11) 2088
Durand, Jean-Paul See Fantozzi, Gilbert
Eagar, Thomas W. See Kapoor, Rakesh R.

Easterling, Kenneth See Niska, John
Eckel, Andrew J.; and Bradt, Richard C.
Strength distribution of reinforcing fibers in a Nicalon fiber/chemically vapor infiltrated silicon carbide matrix composite. (3) 455
Eckert, Hellmut See Luong, Tim
Edge, Mark See Hunter, R. Todd
Edirisinghe, Mohan J. See Wright, Judith K.
Ekstrom, Thommy; and Olsson, Per-Olof
β-Sialon ceramics prepared at 1700 °C by hot isostatic pressing. (9) 1722
Emura, Shuichi See Tochi, Kunio
Endo, Tadashi See Sato, Tsugio
Eppler, Richard A. See Trappen, Karen M.
Erdogan, Fazil; and Joseph, Paul F.
Toughening of ceramics through crack bridging by ductile particles. (2) 262
Escribano, P. See Carda, J.
Evans, Anthony G. See Campbell, G. H.; Charalambides, P. G.; Bischoff, Ewald; Thouless, Michael D.
Evans, Anthony G.; He, Ming Y.; and Hutchinson, John W.
Interface debonding and fiber cracking in brittle matrix composites. (12) 2300
Evans, Julian R. G. See Wright, Judith K.
Ewing, Kenneth J.; Sanghera, Jasbinder S.; Miklos, Robert E.; Sachon, Maria G.; Petitersen, Laura; Hart, Patricia; and Aggarwal, Ishwar D.
Reaction of zirconium fluoride monohydrate and ammonium bifluoride—its effect on fluoride glass preparation and quality. (8) 1441
Fabre, Jean-Paul See Larbot, Andre
Fagherazzi, Giuliano See Benedetti, Alvise
Faman, Ian See Stebbins, Jonathan F.
Fanelli, Anthony J.; Silvers, Robert D.; Frei, William S.; Burlew, Joan V.; and Marsh, Gary B.
New aqueous injection molding process for ceramic powders. (10) 1833
Fang, Ho. T. See Karasek, Keith R.
Fang, Tsang-Tse See Hsieh, Huey-Lin
Fang, Tsang-Tse; and Lee, Kuo-Tong
Formation, defect structure, and electrical properties of La^{3+}-doped M-type calcium ferrite prepared by coprecipitation. (12) 2304
Fang, Tsang-tse; and Lin, Horng-bin
Factors affecting the preparation of barium titanyl oxalate tetrahydrate. (10) 1899
Fanning, Barry See Grutzeck, Michael W.
Fanning, James C. See Hunter, R. Todd
Fantozzi, Gilbert; Orange, Gilles; Liang, Kaiming; Gautier, Martine; Durand, Jean-Paul; Maire, Philippe; Le Gressus, Claude; and Gillet, E.
Effect of nonstoichiometry on fracture toughness and hardness of yttrium oxide ceramics. (8) 1562
Farris, Thomas N. See Samuel, Robert
Feinberg-Ringel, K. S. See Mecholsky, John J., Jr.
Feltz, Carol J. See Behm, Doug A.
Feng, Chude; and Schulze, Walter A.
Characterization of lead scandium tantalate ceramics prepared by precipitation method. (10) 2008
Ferrazzoli, Thomas A. See Kelso, John F.
Fischbach, David B. See Choi, Doo J.
Fischer, Travgott E.; Anderson, Michael P.; and Jahanmir, Said
Influence of fracture toughness on the wear resistance of yttria-doped zirconium oxide. (2) 252
Fitch, Lawrence D.; and Burdick, Vernon L.
Water corrosion of $YBa_2Cu_3O_{7-d}$ superconductors. (10) 2020
Fleming, Debra A. See Simpkins, Peter G.
Fletcher, Joseph P.; Hudson, Guy F.; Raghavan, Srini; and Risbud, Subhash H.
Flow microcalorimetric estimation of energy changes during surface reactions of glass powders with aqueous media. (9) 1744
Frechette, Van Derck See Holden, Mary Kay Clark
Frechette, Van Derck; and Yates, Sharon L.
Fragmentation of glass bottles by impact. (6) 1060
Frei, William S. See Fanelli, Anthony J.
Freiman, Stephen W. See White, Grady S.
Freiman, Stephen W.; and Pohanka, Robert C.
Review of mechanically related failures of ceramic capacitors and capacitor materials. (12) 2258
French, Roger H. See Song, Huesup
Frischat, Guenther H. See Ahlf, Dierk
Fritchmann, Ann L. See Schreiber, Henry D.
Fu, Hengzhi See Zhou, Wancheng
Fueki, Kenji See Miyazaki, Tetsuo
Fujioka, Tomoo See Igarashi, Kaoru
Fujita, Michihiko See Noguchi, Kenichi
Fujita, Yoshiaki See Kimura, Tashio
Fujitsu, Satoru See Igarashi, Kaoru
Fujiura, Kazuo; Ohishi, Yasutake; Sakaguchi, Shigeki; and Teranuma, Yukio
Synthesis of high-purity zirconium fluoride for fluoride glass fibers by chemical vapor deposition. (8) 1368
Fukuda, Koichiro; and Maki, Iwao
Transitional phase of Ca_2SiO_4 solid solution with incommensurate superstructure. (11) 2204
Fukuhara, Mikio
Properties of $(Y)ZrO_2$–Al_2O_3 and $(Y)ZrO_2$–Al_2O_3–(Ti or Si)C composites. (2) 236
Fukuoka, Nobuo See Nakahigashi, Kiyotaka
Fuller, Edwin R., Jr. See Struble, Leslie J.; Wiederhorn, Sheldon M.
Furman, E. See Haun, Michael J.
Gadalla, Ahmed M. See Clearfield, Abraham
Gadalla, Ahmed M.; and Sommer, Michael E.
Synthesis and characterization of catalysts in the system Al_2O_3-MgO-NiO-Ni for methane reforming with CO_2. (4) 683
Gadalla, Ahmed M.; and Tsai, W.
Electrical discharge machining of tungsten carbide-cobalt composites. (8) 1396
Galasso, Francis S. See Hwan, Luchen; Kmetz, Michael; Veltri, Richard D.
Gali, Salvador See Sandiumenge, Felip
Gallagher, Patrick K. See Lindemer, Terrence B.; O'Bryan, Henry M.; Rabinovich, Eliezer M.
Gambino, Jeffrey P.; Kingery, W. David; Pike, Gordon E.; Levinson, Lionel M.; and Philipp, Herbert R.
Effect of heat treatments on the wetting behavior of bismuth-rich intergranular phases in ZnO:Bi:Co varistors. (4) 642
Gao, Suhua See Gui, Zhilun
Garvey, Garry J. See Okuyama, Masahiko
Gates, Jacques E. See Lindemer, Terrence B.
Gautier, Martine See Fantozzi, Gilbert
Generazio, Edward R. See Baaklini, George Y.
Generazio, Edward R.; Roth, Don J.; and Stang, David B.
Ultrasonic imaging of porosity variations produced during sintering. (7) 1282
Gennari, Paul A See Haggerty, John S.
Gerhardt, Rosario See Bhattacharja, Sankar
Gerstle, Frank P., Jr. See Chambers, R. S.; Loehman, Ronald E.
Geyer, Richard See Boser, Otmar
Ghosh, Asish See Li, Zhuang
Ghosh, Asish; Jenkins, Michael G.; White, Kenneth W.; Kobayashi, Albert S.; and Bradt, Richard C.
Elevated-temperature fracture resistance of a sintered α-silicon carbide. (2) 242
Ghosh, Dilip Kumar See Chakraborty, Akshoy Kumar
Gieselmann, Mary J.; and Anderson, Marc A.
Effect of ionic strength on boehmite hydrogel formation. (6) 980
Gillet, E. See Fantozzi, Gilbert
Gillot, Jacques See Larbot, Andre
Giori, D. Camillo See Montenero, Angelo
Glasser, Fred P. See Macphee, Donald E.
Gleisner, Robert P. See Messier, Donald R.
Gnappi, Guglielmina See Montenero, Angelo
Goela, Jitendra S.; and Taylor, Raymond L.
Chemical vapor deposition for silicon cladding on advanced ceramics. (9) 1747
Golden, Johnny L. See Hietala, Susan L.
Goldfarb, Victor See Butt, Darryl P.
Goodman, Peter; Grigg, Mark; Opat, Geoffrey; Peele, Andrew; Drennan, John; and Rohan, Patrick
Dependence of YBaCuO superconductor properties on constituent oxide preparation: I, CuO and $BaCO_3$ pretreatment. (5) 856
Gopalakrishnan, R. See Agrawal, Dinesh C.
Goretta, Kenneth C. See Chu, Cha-Yang; Pysher, Douglas J.
Goto, Akira See Hirayama, Hideo
Goto, Takashi See Narushima, Takayuki
Grant, K. J. See O'Neill, J. A.
Grathwohl, Georg; and Liu, Tianshun
Strengthening of zirconia-alumina during cyclic fatigue testing. (10) 1988
Grau, Peter See Berg, Gunnar
Green, David J. See Brezny, Rasto; Marple, Basil R.; Tojek, Monica M.
Grell, Peter See Hoffmann, Michael J.; Kang, Suk-Joong L.
Grellner, Wolfgang See Pennings, Erik C. M.
Griffin, Curtis W. See Bright, Jeffrey D.
Grigg, Mark See Goodman, Peter
Grimes, Robin W.; Catlow, C. Richard A.; and Stoneham, A. Marshall
Calculations of solution energies of fission products in uranium dioxide. (10) 1856
Gross, Bernard; and Gyekenyesi, John P.
Weibull crack density coefficient for polydimensional stress states. (3) 506
Groves, Geoffrey W. See Rodger, Sally A.
Grubbs, Donald K. See Perrotta, Anthony J.
Grutzeck, Michael W. See Hoyle, Susan L.
Grutzeck, Michael W.; Benesi, Alan; and Fanning, Barry
Silicon-29 magic angle spinning nuclear magnetic resonance study of calcium silicate hydrates. (4) 665
Guiu, Frank See Reece, Michael J.
Guizard, Christian See Larbot, Andre
Gyekenyesi, John P. See Gross, Bernard
Haggerty, John S. See Okuyama, Masahiko
Haggerty, John S.; Lightfoot, A.; Ritter, John E.; Gennari, Paul A; and Nair, S. V.
Oxidation and fracture strength of high-purity reaction-bonded silicon nitride. (9) 1675
Haglo, Tsuyoshi; Kobayashi, Kazuo; Yoshida, Hisayoshi; Yasunaga, Hiroaki; and Nishikawa, Hiroshi
Sintering of the mechanochemically activated powders of hexagonal boron nitride. (8) 1482
Haile, Sossina M.; Johnson, David W., Jr.; Wiseman, Gary H.; and Bowen, H. Kent
Aqueous precipitation of spherical zinc oxide powders for applications. (10) 2004
Hakkens, Frank See de Leede, Gerard
Halliyal, Arvind See Lee, Moon-Ho
Halperin, W. P. See Bhattacharja, Sankar
Halverson, Danny C.; Pyzik, Aleksander J.; Aksay, Ilhan A.; and Snowden, William E.
Processing of boron carbide-aluminum composites. (5) 775
Hamatani, Hideki See Okada, Tomohisa
Hammer, Martin P. See Zhang, Lijie
Hammetter, William F. See Loehman, Ronald E.
Hamminger, Rainer
Carbon inclusions in sintered silicon carbide. (9) 1741
Han, Chan See Thomson, William J.
Han, Lily X.; and Suresh, Subra
High-temperature failure of an alumina-silicon carbide composite under cyclic loads—mechanisms of fatigue crack-tip damage. (7) 1233
Han, Won-Taek; and Tomozawa, Minoru
Mechanism of mechanical strength increase of soda-lime glass by aging (10) 1837
Handwerker, Carol A.; Morris, Patricia A.; and Coble, Robert L.
Effects of chemical inhomogeneities on grain growth and microstructure in Al_2O_3. (1) 130
Haneda, Hajime; and Monty, Claude
Oxygen self-diffusion in magnesium- or titanium-doped alumina single crystals. (7) 1153
Hannink, Richard H. J. See Swain, Michael V.
Hannink, Richard H. J.; and Swain, Michael V.
Metastability of the martensitic transformation in a 12 mol% ceria-zirconia alloy: I, Deformation and fracture observations. (1) 90
Harker, Alan B. See Chan, Hing Wah
Harmer, Martin P. See Bateman, Charles A.; Chen, Jie; Smyth, Donald M.; Witek, Stefan R.
Hart, Patricia See Ewing, Kenneth J.
Hashiguchi, Shoichi See Nagata, Hirotoshi
Hasselman, D. P. H.; and Merkel, Gregory A.
Specimen size effect of the thermal diffusivity/conductivity of aluminum nitride. (6) 967
Hatta, Hiroshi See Kagawa, Yutaka
Haun, Michael J.; Zhuang, Z. Q.; Furman, E.; Jang, Sei-Joo; and Cross, L. Eric
Electrostrictive properties of the lead zirconate titanate solid-solution system. (7) 1140
Hawkes, Alice E. See Hunter, R. Todd
Hawkins, Kate See Ball, Clifford J.
Hayashi, Takashi See Hirano, Shin-ichi
Hayashi, Yoshihiro See Kezuka, Kayo
Haynes, Richard
Cracking of surface mount capacitors: Crack susceptibility by Vickers indentation techniques. (12) 2292 See also Behm, Doug A.
Hayward, Peter J.; Vance, Eric R.; Cann, C. Dennis; and Doern, Diane C.
Crystallization of titanosilicate glasses for nuclear waste immobilization. (4) 579
He, Ming Y. See Evans, Anthony G.
Hellstrom, E. E.; Ray, R. D., II; and Zhang, C.
Preparation of gadolinium gallium garnet ($Gd_3Ga_5O_{12}$) by solid-state reaction of the oxides. (8) 1376
Hermansson, Leif A. G. See Bjork, Lennart
Heuer, Arthur H. See de Dios Solier, Juan; Kibbel, Bradley W.; Lagerlof, K. Peter D.; Laria, Vincent J.
Heussner, Karl-Heinz; and Claussen, Nils E.
Strengthening of ceria-doped tetragonal zirconia polycrystals by reduction-induced phase transformation. (6) 1044
Hietala, Susan L.; Smith, Douglas M.; Golden, Johnny L.; and Brinker, C. Jeffrey
Anomalously low surface area and density in the silica-alumina gel system. (12) 2354
Hikichi, Yasuo; Sasaki, Toshio; Murayama, Kyouhei; Nomura, Tsuyoshi; and Miyamoto, Masaaki
Mechanochemical changes of weinschenkite-type $RPO_4{\cdot}2H_2O$ (R = Dy, Y, Er, or Yb) by grinding and thermal reactions of the ground specimens. (6) 1073
Hill, David C. See Shukla, Vishwa N.
Hill, Richard E., Jr. See Lehman, Richard L.
Hill, Roderick J. See Kisi, Erich H.
Hilmas, Gregory E. See Lee, William E.
Hirai, Toshio See Narushima, Takayuki
Hirano, Shin-ichi; Hayashi, Takashi; Nosaki, Katsutoshi; and Kato, Kazumi
Preparation of stoichiometric crystalline lithium niobate fibers by sol-gel processing with metal alkoxides. (4) 707
Hirano, Shin-ichi; Yogo, Toshinobu; Asada, Satoshi; and Naka, Shigeharu
Synthesis of amorphous boron nitride by pressure pyrolysis of borazine. (1) 66
Hirao, Kiyoshi See Yamada, Osamu
Hirata, Yoshihiro; Sakeda, Kazuyoshi; Matsushita, Yumi; Shimada, Kinji; and Ishihara, Yoshimi
Characterization and sintering behavior of alkoxide-derived aluminosilicate powders. (6) 995
Hirayama, Hideo; Kawakubo, Takashi; Goto, Akira; and Kaneko, Tadashi
Corrosion behavior of silicon carbide in 290 °C water. (11) 2049
Hirosaki, Naoto; and Okada, Akira
Change in oxygen content of Y_2O_3-Nd_2O_3-doped silicon nitride during firing. (12) 2359
Hirose, Terukiyo See Uchino, Kenji

Hishita, Shunichi; Yao, Yao; and Shirasaki, Shin-ichi
Zinc oxide varistors made from powders prepared by amine processing. (2) 338
Hitterman, Richard See Krawitz, Aaron D.
Hockey, Bernard J. See Cho, Seong-Jai
Hodder, Robert S., Jr. See Pysher, Douglas J.
Hodge, James D.
Microstructure development in mullite-cordierite ceramics. (7) 1295
Hoffmann, Michael J.; Nagel, Alwin; Greil, Peter; and Petzow, Gunter
Slip casting of SiC-whisker-reinforced Si_3N_4. (5) 765
Holden, Mary Kay Clark; and Frechette, Van Derck
Healing of glass in humid environments. (11) 2189
Holm, Elizabeth A.; and Cima, Michael J.
Two-dimensional whisker percolation in ceramic matrix-ceramic whisker composites. (2) 303
Holt, J. Birch See Dunmead, Stephen D.
Honda, Tsunehiro See Uematsu, Keizo
Horn, Debra S.; and Messing, Gary L.
Alumina monolith formation by flocculation of boehmite sols. (9) 1719
Horsburgh, M. See O'Neill, J. A.
Hoshino, Yoshio See Tsurumi, Takaaki
Hosmer, Kevin See Varshneya, Arun K.
Hosono, Hideo; Kamae, Takayuki; and Abe, Yoshihiro
Electrical conduction in magnesium phosphate glasses containing heavy water. (2) 294
Hosono, Hideo; Zhang, Zhibo; and Abe, Yoshihiro
Porous glass-ceramic in the CaO-TiO_2-P_2O_5 system. (9) 1587
Hosono, Hideo; and Abe, Yoshihiro
Temperature dependence of infrared absorption spectra of hydroxyl groups in soda germanate glasses. (1) 44
Hotta, Koukichi See Uchino, Takashi
Houser, Cheryl A. See Zdaniewski, Wieslaw A.
Howard, Christopher J. See Kisi, Erich H.
Howitt, David G. See Chan, Hing Wah
Hoyle, Susan L.; and Grutzeck, Michael W.
Incorporation of cesium by hydrating calcium aluminosilicates. (10) 1938
Hrma, Pavel See Samuel, Edwin
Hsi, Chi-Shiung; Lu, Hong-Yang; and Yen, Fu-Su
Thermal behavior of alumina-silica xerogels during calcination. (11) 2208
Hsieh, Huey-Lin; and Fang, Tsang-Tse
Effects of powder processing on the green compacts of high-purity $BaTiO_3$. (1) 142
Hsu, Jen-Yan; Wu, Nan-Chung; and Yu, Shu-Cheng
Characterization of material for low-temperature sintered multilayer ceramic substrates. (10) 1861
Hsu, Jen-Yan; and Speyer, Robert F.
Comparison of the effects of titania and tantalum oxide nucleating agents on the crystallization of Li_2O-Al_2O_3-$6SiO_2$ glasses. (12) 2334
Hsueh, Chun-Hway
Effects of aspect ratios of ellipsoidal inclusions on elastic stress transfer of ceramic composites. (2) 344
Huang, Chi-Yuen See Perrotta, Anthony J.
Huang, Rong-Fong; and Anderson, Harlan U.
Effect of volatilization on the conduction behavior of acceptor-doped chromium oxide. (8) 1382
Hubbard, Camden R. See Lindemer, Terrence B.
Hubert-Pfalzgraf, Lilian G. See Chaput, Frederic
Hudson, Guy F. See Fletcher, Joseph P.
Huling, Jeffrey C.; and Messing, Gary L.
Hybrid gels for homoepitactic nucleation of mullite. (9) 1725
Hunley, John F. See Lindemer, Terrence B.
Hunter, R. Todd; Edge, Mark; Kalivretenos, Aristotle; Brewer, Kathy M.; Brock, Nancy A.; Hawkes, Alice E.; and Fanning, James C.
Determination of the Fe^{2+}/Fe^{3+} ratio in nuclear waste glasses. (6) 943
Hutchinson, John W. See Evans, Anthony G.
Hwan, Luchen; Suib, Steven L.; and Galasso, Francis S.
Silicon carbide-coated boron fibers. (7) 1259
Hwu, S. J. See Saggio, J. A.
Igarashi, Kaoru; Saito, Hideaki; Fujioka, Tomoo; Fujitsu, Satoru; Koumoto, Kunihito; and Yanagida, Hiroaki
Preparation of semiconducting barium titanate by excimer laser irradiation. (12) 2367
Iida, Nobuyoshi See Kimura, Toshio
Ikeda, Masaki, See Ogihara, Takashi
Im, Ho Bin See Seol, Yeo Song
Inagaki, Michio See Sakai, Mototsugu
Ingel, Robert See Kahn, Manfred
Inoue, Hiroshi See Tsuge, Akihiko
Inoue, Masashi; Tanino, Hirokazu; Kondo, Yasuhiko; and Inui, Tomoyuki
Formation of microcrystalline α-alumina by glycothermal treatment of gibbsite. (2) 352
Inui, Tomoyuki See Inoue, Massashi
Iqbal, Tariq See Waller, David
Iseki, Takayoshi See Suematsu, Hisayuki
Ishida, Shingo See Wakamatsu, Mitsuru
Ishihara, Yoshimi See Hirata, Yoshihiro
Ishitani, Akira See Kitano, Yukishige
Itakura, Kazuhisa See Uematsu, Keizo
Ito, Shoji See Ohji, Tatsuki
Iwamoto, Nobuya See Takahashi, Masanari
Iwasaki, Matae See Uchino, Takashi
Iyenger, Rama See Brownlow, Darryl L.
Izumi, Keiji; Murakami, Megumi; Deguchi, Takenori; Morita, Arihiko; Tohge, Noboru; and Minami, Tsutomu
Zirconia coating on stainless steel sheets from organozirconium compounds. (8) 1465
Jackson, T. Barrett See Virkar, Anil V.
Jagannadham, Kasichainula; and Narayan, Jagdish
Mechanisms of improvement of fracture strength in laser-surface-modified ceramics. (7) 1185
Jahanmir, Said See Fischer, Travgott E.
Jain, Himanshu; Parkash, Omi; and Xu, M. Y.
Sintering of a ceramic at very low temperatures. (11) 2176
Jain, Lalit K.; and Wetherhold, Robert C.
Viscoelastic analysis of concentric cylinders for composite materials and seals. (10) 1844
Jain, Vijay; Varshneya, Arun K.; and Bihuniak, Peter P.
Ionic resistivity in fused silica: I, Conduction-history effects. (5) 843
James, Michael R. See Marshall, David B.
Jang, Cheol Woo See Kang, Eul Son
Jang, Hyun M.; Rhine, Wendell E.; and Bowen, H. Kent
Densification of alumina-silicon carbide powder composites: I, Effects of a polymer coating on silicon carbide particles. (6) 948; Densification of alumina-silicon carbide powder composites: II, Microstructural evolution and densification. (6) 954
Jang, Sei-Joo See Haun, Michael J.; Lanagan, Michael T.
Jaskowiak, Martha H.; and DiCarlo, James A.
Pressure effects on the thermal stability of silicon carbide fibers. (2) 192
Jenkins, Michael G. See Ghosh, Asish
Jessen, Todd L.; and Lewis, David, III
Effect of crack velocity on crack resistance in brittle-matrix composites. (5) 818; Modified specimen preparation from applied-moment double-cantilever-beam testing. (11) 2196
Jessen, Todd L.; and Mecholsky, John J., Jr.
Viscoelastic effect of heat treatment on the fracture toughness of metal/glass composites. (11) 2094
Jewell, John M.; and Shelby, James E.
Transformation range viscosity measurements using a thermomechanical analyzer. (7) 1265
Johansen, Vagn See Osbaeck, Bjarne
Johansson, Stefan; Schweitz, Jan-Ake; and Lagerlof, K. Peter D.
Surface defects in polished silicon studied by cross-sectional transmission electron microscopy. (7) 1136
Johnson, David W., Jr. See Haile, Sossina M.; Simpkins, Peter G.
Johnson, David W., Jr.; and Rhodes, Warren W.
Retrograde densification in $Bi_2Sr_2CaCu_2O_8$ superconductors. (12) 2346
Johnson, Lois A. See Kalman, Zuli H.
Joseph, Paul F. See Erdogan, Fazil
Jue, Jan-Fong See Srinivasan, Gajawalli V.
Jurado, Jose R. See Duran, Pedro
Kagawa, Yutaka; Kogo, Yasuo; and Hatta, Jiroshi
Thermal expansion behavior of the Si_3N_4-whisker-reinforced soda-borosilicate glass matrix composite. (6) 1092
Kageyama, Keisuke See Takata, Mitsuhiro
Kahn, J. See Saggio, J. A.
Kahn, Manfred; Ingel, Robert; and Lewis, David, III
Calculations and measurements of the spatial piezoelectric response and of the d_{31} parameter of PZT5A ceramic. (5) 785
Kaieda, Yoshinari See Taneoka, Yutaka
Kajiyama, Hideto See Kimura, Toshio
Kalivretenos, Aristotle See Hunter, R. Todd
Kalman, Zuli H.; Johnson, Lois A.; and Wachtman, John B., Jr.
Density determination of thin coatings by X-ray methods. (7) 1170
Kamae, Takayuki See Hosono, Hideo
Kamizono, Hiroshi; Kikkawa, Shizuo; Togashi, Yoshihiro; and Tashiro, Shingo
Volatilization of ^{137}Cs and ^{106}Ru from borosilicate glass containing actual high-level waste. (8) 1438
Kanamaru, Fumikazu See Lai, Gao-Chao
Kaneko, Tadashi See Hirayama, Hideo
Kanematsu, Wataru See Ohji, Tatsuki
Kang, Eul Son; Jang, Cheol Woo; Lee, Chae Hyun; Kim, Chong Hee; and Kim, Do Kyung
Effect of iron and boron carbide on the densification and mechanical properties of titanium diboride ceramics. (10) 1868
Kang, Suk-Joong L.; Greil, Peter; Mitomo, Mamoru; and Moon, Jong-Ha
Elimination of large pores during gas-pressure sintering of β'-sialon. (7) 1166
Kapoor, Rakesh R.; and Eagar, Thomas W.
Oxidation behavior of silver- and copper-based brazing filler metals for silicon nitride metal joints. (3) 448
Karasek, Keith R. See Bradley, Steven A.; Smith, S. M.
Karasek, Keith R.; Bradley, Steven A.; Donner, Jeffry T.; Yeh, Harry C.; Schienle, James L.; and Fang, Ho T.
Characterization of silicon carbide whiskers. (10) 1907
Kassi, Toshihiro; Ozaki, Yoshiharu; Noda, Hideki; Kawasaki, Kenji; and Tanemoto, Kei
Laser-sintered barium titanate. (9) 2716
Katano, Yasushi See Akimune, Yoshio
Kato, Etsuro See Li, Chunting
Kato, Kazumi See Hirano, Shin-ichi
Kato, Masanori See Ogihara, Takashi
Kato, Noriyuki See Miyazaki, Tetsuo
Katvala, Victor See Leiser, Daniel B.
Kawada, Tatsuya See Yokokawa, Harumi
Kawakubo, Takashi See Hirayama, Hideo
Kawasaki, Kenji See Kasai, Toshihiro
Kawasaki, Masashi See Nagata, Hirotoshi
Keeskes, L. J.; and Niller, A.
Impurities in the combustion synthesis of titanium carbide. (4) 655
Kellawon, Paulette See Boser, Otmar
Kellett, Bruce J. See Lange, Fred F.
Kellett, Bruce J.; and Lange, Fred F.
Thermodynamics of densification: I, Sintering of simple particle arrays, equilibrium configurations, pore stability, and shrinkage. (5) 725
Kelso, John F.; and Ferrazzoli, Thomas A.
Effect of powder surface chemistry on the stability of concentrated aqueous dispersions of alumina. (4) 625
Kendall, Kevin See Clegg, William J.
Kessler, Lawrence W.; and Semmens, Janet E.
Characterization of the microstructure of ceramics used in multilayer ceramic capacitors by means of the scanning laser acoustic microscope. (12) 2271
Kezuka, Kayo; Hayashi, Yoshihiro; and Yamaguchi, Takashi
Synthesis and characterization of lead-titanium complex alkoxide. (9) 1660
Khim, Zheong-G. See Cho, Seog-Hyun
Kibbel, Bradley W.; and Heuer, Arthur H.
Anisometric shape factors of ceramic microstructures. (3) 517
Kihara, Seiji See Watanabe, Akira
Kikkawa, Shizuo See Kamizono, Hiroshi
Kim, Chong Hee See Kang, Eul Son
Kim, Dae-Joon
Lattice parameters, ionic conductivities, and solubility limits in fluorite-structure MO_2 oxide ($M = Hf^{4+}, Zr^{4+}, Ce^{4+}, Th^{4+}, U^{4+}$) solid solutions. (8) 1415
Kim, Do Kyung See Kang, Eul Son
Kim, Doh-Yeon See Cho, Seog-Hyun; Song, Byung-Moo
Kim, Ho-Gi See Chung, Hun-Taeg; Lee, Hyeung Gyu
Kim, Jinho See Kimura, Toshio
Kim, Jinho; Kimura, Toshio; and Yamaguchi, Takashi
Effect of bismuth oxide content on the sintering of zinc oxide. (8) 1541; Sintering of zinc oxide doped with antimony oxide and bismuth oxide. (8) 1390
Kim, Mun Gyu; Cima, Michael J.; and Searcy, Alan W.
Comparison of sizes of magnesia crystals calculated from X-ray diffraction line-broadening and transmission electron microscopy observations. (8) 1514
Kim, Shin See Lee, Hong-Lim
Kim, Young-Ho See Na, Jong-Gab
Kim, Young-Wook; and Lee, June-Gunn
Pressureless sintering of alumina-titanium carbide composites. (8) 1333
Kimura, Toshio See Kim, Jinho; Watanabe, Hidenori
Kimura, Toshio; Kajiyama, Hideto; Kim, Jinho; and Yamaguchi, Takashi
Effect of inclusion size on the densification of ZnO-$Zn_7Sb_2O_{12}$. (1) 140
Kimura, Toshio; Yoshimoto, Takeshi; Iida, Nobuyoshi; Fujita, Yoshiaki; and Yamaguchi, Takashi
Mechanism of grain orientation during hot-pressing of bismuth titanate. (1) 85
Kingery, W. David See Chiang, Yet-Ming; Gambino, Jeffrey P.
Kinji, Shimada See Hirata, Yoshihiro
Kiser, James D. See Baaklini, George Y.
Kishimoto, Akira; Koumoto, Kunihito; and Yanagida, Hiroaki
Comparison of mechanical and dielectric strength distributions for variously surface-finished titanium dioxide ceramics. (8) 1373
Kisi, Erich H.; Howard, Christopher J.; and Hill, Roderick J.
Crystal structure of orthorhombic zirconia in partially stabilized zirconia. (9) 1757
Kitano, Yukishige; Mori, Yuuji; Ishitani, Akira; and Masaki, Takaki
Structural changes by compressive stresses of 2-mol%-yttria-stabilized tetragonal zirconia polycrystals. (5) 854
Klabunde, Ulrich See Stebbins, Jonathan F.
Kleeb, Hans-Joachim; and Ziegler, Guenter
Influence of crystalline secondary phases on the densification behavior of reaction-bonded silicon nitride during post-sintering under increased nitrogen. (12) 2314
Kmetz, Michael; Suib, Steven L.; and Galasso, Francis S.
Molybdenum oxycarbide and tungsten oxycarbide coatings on silicon carbide fibers. (8) 1523
Knickerbocker, Sarah; Tuzzolo, Michelle R.; and Lawhorne, Samuel
Sinterable β-spodumene glass-ceramics. (10) 1873
Ko, Yung-Chao See Chien, Yung-Tsen
Kobayashi, Albert S. See Ghosh, Arish; Li, Zhuang
Kobayashi, Kazuo See Hagio, Tsuyoshi
Kodama, Hironori; Sakamoto, Hiroshi; and Miyoshi, Tadahiko
Silicon carbide monofilament-reinforced silicon nitride or silicon carbide matrix composites. (4) 551
Koga, Johji See Ohtsuka, Kunio
Kogachi, Mineo See Nakahigashi, Kiyotaka
Kogo, Yasuo See Kagawa, Yutaka
Koinuma, Hideomi See Nagata, Hirotoshi
Koizumi, Mitsuo See Adachi, Seiji; Pezzotti, Giuseppe; Tanaka, Isao; Yamada, Osamu

Kollenberg, Wolfgang; and Schneider, Hartmut
Microhardness of mullite at temperatures to 1000 °C. (9) 1739
Komameni, Sridhar; and Tsuji, Masamichi
Selective cation exchange in substituted tobermorites. (9) 1668
Komatsu, Takayuki See Nitta, Atsumi
Komeya, Katsutoshi See Tsuge, Akihiko
Kondo, Ken-ichi; and Sawai, Sumiichi
Problems in the shock compaction of diamond using fine-particle additives. (5) 837
Kondo, Yasuhiko See Inoue, Masashi
Kopylov, Nonna A. See Rabinovich, Eliezer M.
Koripella, Chowdary R.; and DeMatos, Henry V.
Fractography of thermal-shock-cracked multilayer capacitors. (12) 2241
Koumoto, Kunihito See Igarashi, Kaoru; Kishimoto, Akira
Koumoto, Kunihito; Takeda, Shunji; Pai, Chul Hoon; Sato, Takayori; and Yanagida, Hiroaki
High-resolution electron microscopy observations of stacking faults in β-SiC. (10) 1985
Kozak, Samuel J. See Schreiber, Henry D.
Krawitz, Aaron D.; Reichel, Daniel G.; and Hitterman, Richard
Thermal expansion of tungsten carbide at low temperature. (3) 515
Kriven, Waltraud M. See Venkatachari, Koththavasal R.
Kroi, Denise M. See Rabinovich, Eliezer M.
Kumagai, Masato See Messing, Gary L.
Kumar, Amitabha; and Roy, Rustum
Reactive-electrode submerged-arc process for producing fine non-oxide powders. (2) 354
Kumar, Binod See Sarkar, Asok K.
Kumar, Devendra See Parkash, Om
Kumar, Ravindra See Parkash, Om
Kuo, Shih-Yee See Srinivasan, Gajawalli
Kuo, Shih-Yee; and Virkar, Anil V.
Phase equilibria and phase transformation in the aluminum nitride-aluminum oxycarbide pseudobinary system. (4) 540
Kupperman, David See Majumdar, Saurin
Kurokawa, Yasuhiro; Toy, Cetin; and Scott, William D.
Characterization of the AlN-W interface in a cofired multilayer AlN substrate. (4) 612
Kurtz, Stewart K.; Levinson, Solomon; and Shi, Dexiang
Infant mortality, freaks, and wear-out application of modern semiconductor reliability methods to ceramic multilayer capacitors. (12) 2223
Kwon, Oh-Hun; and Messing, Gary L.
Gas diffusion during containerless hot isostatic pressing of liquid-phase sintered ceramics. (6) 1011
LaCourse, William C. See McEnroe, David J.
Lachowski, Eric E. See MacPhee, Donald E.
Lagerlof, K. Peter D. See Johansson, Stefan
Lagerlof, K. Peter D.; Mitchell, Terence E.; and Heuer, Arthur H.
Lattice diffusion kinetics in undoped and impurity-doped sapphire. (11) 2159
Lai, Gao-Chao; Takahashi, Masao; Nobugai, Kohji; and Kanamaru, Fumikazu
Preparation and characterization of superconducting B1-type $Mo_{1-x}Nb_xN$ thin films. (12) 2310
Lanagan, Michael T. See Yamamoto, Joyce K.
Lanagan, Michael T.; Yung, Ning; Dube, Dinesh C.; and Jang, Sei-Joo
Dielectric behavior of the relaxor $Pb[Mg_{1/3}Nb_{2/3}]O_3$-$PbTiO_3$ solid-solution system in the microwave region. (3) 481
Land, Cecil E.
Longitudinal electrooptic effects and photosensitivities of thin films. (11) 2059
Landham, Rowena R. See Riman, Richard E.
Lange, Fred F.
Powder processing science and technology for increased reliability. (1) 3; See also Kellett, Bruce J.
Lange, Fred F.; and Kellett, Bruce J.
Thermodynamics of densification: II, Grain growth in porous compacts and relation to densification. (5) 735
Larala, Vincent J.; and Heuer, Arthur H.
Novel composite microstructure and mechanical behavior of mollusk shell. (11) 2177
Larbot, Andre; Fabre, Jean-Paul; Guizard, Christian; Cot, Louis; and Gillot, Jacques
New inorganic ultrafiltration membranes—titania and zirconia membranes. (2) 257
Lathabai, Srinivasarao; Mai, Yiu-Wing; and Lawn, Brian R.
Cyclic fatigue behavior of an alumina ceramic with crack-resistance characteristics. (9) 1760
Laudise, Robert A. See O'Bryan, Henry M.
Laughner, James W. See Mroz, Thomas J., Jr.
Laughner, James W.; and Bhatt, Rham T.
Measurement of interfacial shear strength in SiC-fiber/Si_3N_4 composites. (10) 2017
Lawhorne, Samuel See Knickerbocker, Sarah
Lawn, Brian R. See Bennison, Stephen J.; Cho, Seong-Jai; Lathabai, Srinivasarao
Lay, Kenneth W.
Formation of yttrium barium cuprate powder at low temperatures. (4) 696
Le Gressus, Claude See Fantozzi, Gilbert
Lee, Bertrand I.; and Park, Seung-Yong
Sol-gel processing of SiC-whisker-reinforced silica-based ceramic composites. (12) 2381
Lee, Byeong-Joo; and Lee, Dong Nyung
Calculation of phase diagrams for the $YO_{1.5}$-BaO-CuO_x system. (2) 314
Lee, Chae Hyun See Kang, Eul Son
Lee, Dong Nyung See Lee, Byeong-Joo
Lee, Hong-Lim; Lim, Hun-Jin; Kim, Shin; and Lee, Hyung-Bock
Thermomechanical properties of β-sialon synthesized from kaolin. (8) 1458
Lee, Hyeung Gyu; and Kim, Ho Gi
Influence of microstructure on the dielectric and piezoelectric properties of lead zirconate titanate-polymer composites. (6) 938
Lee, Hyung-Bock See Lee, Hong-Lim
Lee, June-Gunn See Kim, Young-Wook
Lee, Kuo-Tong See Fang, Tsang-Tse
Lee, Li-Jun See Chou, Kan-Sen
Lee, Moon-Ho; Hailiyal, Arvind; and Newnham, Robert E.
Poling of coprecipitated lead titanate-epoxy 0-3 piezoelectric composites. (6) 986
Lee, Taek-Dong See Na, Jong-Gab
Lee, William E. See Mhaisalkar, S. G.
Lee, William E.; and Hlimas, Gregory E.
Microstructural changes in β-silicon nitride grains upon crystallizing the grain-boundary glass. (10) 1931
Lehman, Richard L.; Hill, Richard E., Jr.; and Sigel, George H., Jr.
Low-temperature crack closure in fluoride glass. (3) 474
Lei, Xingye; and Day, Delbert E.
Preparation and properties of oxynitride glasses made from potassium metaphosphate. (9) 1601
Leiser, Daniel B.; Churchward, Rex; Katvala, Victor; Stewart, David; and Balter, Aliza
Advanced porous coating for low-density ceramic insulation materials. (6) 1003
Lejeune, Martine See Chaput, Frederic
Leonberger, Fred J. See Abouelleil, Mahmoud M.
Levins, Desmond M. See Ball, Clifford J.
Levinson, Lionel M. See Gambing, Jeffrey P.
Levinson, Solomon See Kurtz, Stewart K.
Lewis, David, III See Jessen, Todd L.; Kahn, Manfred; Osendi, M. Isabel
Lewis, Jennifer A. See Cima, Michael J.
Li, Binorong; and Zhang, Jingli
Electrical conductivity of cadmium oxide-antimony oxide system ceramics. (12) 2377
Li, Chunting; Yamai, Iwao; Murase, Yoshio; and Kato, Etsuro
Formation of acicular monoclinic zirconia particles under hydrothermal conditions. (8) 1479
Li, Dong X. See Thomson, William J.
Li, Longtu See Zhilun, Gui
Li, Zhuang; and Bradt, Richard C.
Micromechanical stresses in SiC-reinforced Al_2O_3 composites. (1) 70; Thermoelastic micromechanical stresses associated with a large α-silicon carbide grain in a polycrystalline β-silicon carbide matrix. (3) 459
Li, Zhuang; Ghosh, Asish; Kobayashi, Albert S.; and Bradt, Richard C.
Indentation fracture toughness of sintered silicon carbide in the Palmqvist crack regime. (6) 904
Liang, Kaiming See Fantozzi, Gilbert
Licht, Robert H. See Samuel, Robert
Lightfoot, A. See Haggerty, John S.
Librmann, Jean Marc; Zambetakis, Theofilos; and Daire, Marc
High-temperature behavior of the aluminum oxycarbide Al_2OC in the system Al_2O_3-Al_4C_3 and with additions of aluminum nitride. (9) 1704
Lim, Hun-Jin See Lee, Hong-Lim
Limaye, Santosh Y. See Bright, Jeffrey D.
Lin, Horng-Bin See Fang, Tsang-Tse
Lin, Jiu-Nun; and Wu, Tai-Bor
Wetting reaction between lithium fluoride and barium titanate. (9) 1709
Lin, Sin-Tah See Chiou, Bi-Shiou
Lin, Yanzheng See Zhuang, Yan
Lindemer, Terrence B.; Hunley, John F.; Gates, Jacques E.; Sutton, Alfred L., Jr.; Brynestad, Jorulf; Hubbard, Camden R.; and Gallagher, Patrick K.
Experimental and thermodynamic study of nonstoichiometry in $(YBa_2Cu_3O_{7-x})$. (10) 1775
Lindqvist, Karin; Carlstrom, Elis; Persson, Michael; and Carlsson, Roger
Organic silanes and titanates as processing additives for injection molding of ceramics. (1) 99
Ling, Hung C.
Diffusion of sputtered vanadium, nickel, and silver in lead magnesium niobate ceramic. (5) 770
Ling, Hung C.; Yan, Man F.; and Rhodes, Warren W.
Monolithic device with dual capacitor and varistor functions. (7) 1274.
Lio, Satoshi; Watanabe, Masakazu; Matsubara, Masaru; and Matsuo, Yasushi
Mechanical properties of alumina/silicon carbide whisker composites. (10) 1880
Lis, Jerzy See Pampuch, Roman
Monolithic device with dual capacitor and varistor functions. (7) 1274
Liu, Haiyan; Weisskopf, Karl-L.; and Petzow, Gunter
Crack deflection process for hot-pressed whisker-reinforced ceramic composites. (4) 559
Liu, Qin Fang See Oh, Min-Seok
Liu, Tian-shun See Grathwohl, Georg
Livingston, Terry W. See Clearfield, Abraham
Loberg, Bengt See Niska, John
Loehman, Ronald E.; Hammetter, William F.; Venturini, Eugene L.; Moore, Roger H.; and Gerstle, Frank P., Jr.
Preparation and properties of hot-pressed $YBa_2Cu_3O_{7-x}$. (4) 669
Longy, F.; and Cagnoux, J.
Plasticity and microcracking in shock-loaded alumina. (6) 971
Lorenzelli, V. See Ramis, G.
Lovey, Francisco See Pasquevich, Daniel M.
Lu, Hong-Yang See Hsi, Chi-Shiung
Lu, Hong-Yang; and Bow, Jong-Shing
Effect of MgO addition on the microstructure development of 3 mol% Y_2O_3-ZrO_2. (2) 228
Lucuta, Petru Grigorie
Ferroelectric-domain structure in piezoelectric ceramics. (6) 933
Luhman, Thomas S. See Thomson, William J.
Lukaslewicz, Stanley J.
Spray-drying ceramic powders. (4) 617
Luke, Karen See Macphee, Donald E.
Luong, Tim; Mayer, Hermann; Eckert, Hellmut; and Novinson, Thomas I.
In situ ^{27}Al NMR studies of cement hydration: Effect of lithium-containing setting accelerators. (11) 2136
Mackrodt, William C.; and Tasker, Philip W.
Segregation isotherms at the surfaces of oxides. (9) 1575
Macphee, Donald E.; Luke, Karen; Glasser, Fred P.; and Lachowski, Eric E.
Solubility and aging of calcium silicate hydrates in alkaline solutions at 25 °C. (4) 646
Maeda, Atsutaka See Wada, Takahiro
Maeda, Minoru; Nakamura, Kazuo; and Yamada, Mamoru
Oxidation resistance evaluation of silicon carbide ceramics with various additives. (3) 512
Mai, Yiu-Wing See Lathabai, Srinivasarao
Maire, Philippe See Fantozzi, Gilbert
Maiti, H. S.; Datta, S.; and Basu, R. N.
High-T_c superconductor coating on metal substrates by an electrophoretic technique. (9) 1733
Majumdar, Saurin; and Kupperman, David
Effects of temperature and whisker volume fraction on average residual thermal strains in a SiC/Al_2O_3 composite. (2) 312
Maki, Iwao See Fukuda, Koichiro
Makishima, Akio; Asami, Mitsuaki; and Ogura, Yoshiji
Machinable calcia-alumina-yttria-silica glass-ceramic. (6) 1024
Mall, Shankar; Vozzola, Robert P.; and Zawada, Larry P.
Characterization of fracture in fiber-reinforced ceramic composite under shear loading. (7) 1175
Marlow, William H. See Clearfield, Abraham
Marple, Basil R.; and Green, David J.
Mullite/alumina particulate composites by infiltration processing. (11) 2043
Marsh, Gary B. See Fanelli, Anthony J.
Marshall, David B.; James, Michael R.; and Porter, John R.
Structural and mechanical property changes in toughened magnesia-partially-stabilized zirconia at low temperatures. (2) 218
Marshall, David B.; and Swain, Michael V.
Reversible transformation and elastic anisotropy in $MgZrO_3$. (8) 1530
Martin, Edward S. See Perrotta, Anthony J.
Martin, Michael R. See Bradley, Steven A.
Masaki, Takaki See Noguchi, Kenichi
Masson, Charles R. See Dou, Shixue
Masuda, Masaaki See Sakka, Yoshio
Matoba, Kazuo See Akimune, Yoshio
Matson, Dean W.; and Smith, Richard D.
Supercritical fluid technologies for ceramic-processing applications. (6) 871
Matsubara, Masaru See Lio, Satoshi
Matsuo, Yasushi See Lio, Satoshi
Matsushita, Yumi See Hirata, Yoshihiro
Matsuita, Kazumasa See Nitta, Atsumi
Matzke, Hansjoachim See Thomas, Michael P.
Maurice, Alena K. See Armstrong, Timothy R.
Mayer, Hermann See Luong, Tim
McArdle, James L.; Messing, Gary L.; Tietz, Lisa A.; and Carter, C. Barry
Solid-phase epitaxy of boehmite-derived α-alumina on hematite seed crystals. (5) 864
McEnroe, David J.; and LaCourse, William C.
Tensile strengths of Se, As_2S_3, As_2Se_3, and $Ge_{28}As_{12}Se_{60}$ glass fibers. (8) 1491
McKinstry, Herbert A. See Perrotta, Anthony J.
McPherson, Reginald See Young, Robert M.
Mecholsky, John J., Jr. See Butt, Darryl P.; Conway, Joseph C., Jr.; Jessen, Todd L.
Mecholsky, John J., Jr.; Passoja, D. E.; and Feinberg-Ringel, K. S.
Quantitative analysis of brittle fracture surfaces using fractal geometry. (1) 60
Merkel, Gregory A. See Hasselman, D. P. H.
Messler, Donald R.; Gleisner, Robert P.; and Rich, Ronald E.
Yttrium-silicon-aluminum oxynitride glass fibers. (11) 2183
Messing, Gary L. See Horn, Debra S.; Huling, Jeffrey C.; Kwon, Oh-Hun; McArdle, James L.

Messing, Gary L.; and Kumagai, Masato
Low-temperature sintering of sol-gel-derived, ZrO_2-toughened Al_2O_3 composites. (1) 40
Meunier, Alain See Rassineux, Francois
Mhaisalkar, S. G.; Lee, William E.; and Readey, Dennis W.
Processing and characterization of $BaTi_4O_9$. (11) 2154
Mieskowski, Diane M.; and Sanders, William A.
Hot isostatic pressing of silicon nitride with boron nitride, boron carbide, and carbon additions. (5) 840
Mihara, Toshihiro See Adachi, Seiji
Miklos, Robert E. See Ewing, Kenneth J.
Miller, Gary A. See Witek, Stefan R.
Min, Eungi See Nagata, Hirotoshi
Minami, Tsutomu See Izumi, Keiji; Takahashi, Masanari; Tatsumisago, Masahiro
Minamigawa, Shinnosuke See Nakahigashi, Kiyotaka
Misiolek, Wojciech See Oh, Min-Seok
Mitamura, Hisayoshi See Dickson, Fiona J.
Mitchell, James W. See Seibles, Lawrence
Mitchell, Terence E. See Lagerlof, K. Peter D.
Mitomo, Mamoru See Kang, Suk-Joong L.
Mitsudou, Makoto See Watanabe, Akira
Miura, Terumi See Nitta, Atsumi
Miyamoto, Akira See Uematsu, Keizo
Miyamoto, Masaaki See Hikichi, Yasuo
Miyamoto, Yoshinari See Adachi, Seiji; Pezzotti, Giuseppe; Tanaka, Isao; Yamada, Osamu
Miyazaki, Tetsuo; Kato, Noriyuki; Fueki, Kenji; and Ohshima, Nobumitsu
Anisotropic electrical conductivity in quartz during γ-irradiation. (7) 1289
Miyoshi, Tadahiko See Kodama, Hironori
Mizuno, Mineo; and Saito, Hajime
Preparation of highly pure fine mullite powder. (3) 377
Mizushina, Masahiro See Noguchi, Kenichi
Mizutani, Nobuyasu See Ogihara, Takashi
Mobley, W. Morris See Panda, Prakash C.
Mocala, Krzysztof; and Navrotsky, Alexandra
Structural and thermodynamic variation in nickel aluminate spinel. (5) 826
Mocellin, Alain See Stoto, Tiziana
Mogi, Hiroshi See Yamaguchi, Osamu
Monroe, S. L. See Beauchamp, Edwin K.; Chambers, R. S.
Monros, G. See Carda, J.
Montenero, Angelo; Ugozzoli, Franco; Schiroli, Dino; Gnappi, Guglielmina; Giori, D. Camillo; and Pye, L. David
Further studies on thermal evolution of glass-forming gels. (6) 1066
Monty, Claude See Haneda, Hajime
Moon, Jong-Ha See Kang, Suk Joong L.
Moore, Roger H. See Loehman, Ronald E.
Morales, Julio; Tirado, Jose L.; and Valera, Concepcion
Preferential X-ray line broadening and thermal behavior of γ-Fe_2O_3. (7) 1244
Moreno, Rodrigo See Requena, Joaquin
Morgens, Laurie E. See Armstrong, Timothy R.
Mori, Tsutomu See Suematsu, Hisayuki
Mori, Yuuji See Kitano, Yukishige
Morimoto, Tadahiko See Uematsu, Keizo
Morita, Arihiko See Izumi, Keiji
Morris, Patricia A. See Handwerker, Carol A.
Moulson, A. J. See Okada, Kiyoshi
Moure, Carlos See Duran, Pedro
Moya, Jose S. See Requena, Joaquin
Mroz, Thomas J., Jr.; and Laughner, James W.
Microstructures of mullite sintered from seeded sol-gels. (3) 508
Mukaida, Yasumichi See Yamaguchi, Osamu
Mukerji, Joydeb
Stabilization of cubic zirconia by aluminum nitride. (8) 1567; See also Bandyopadhyay, Siddhartha
Murakami, Megumi See Izumi, Keiji
Murase, Yoshio See Li, Chunting
Murayama, Kyoubei See Hikichi, Yasuo
Na, Jong-Gab; Cho, Young-Rae; Kim, Young-Ho; Lee, Taek-Dong; and Park, Soon-Ja
Effects of annealing temperature on microstructure and electrical and optical properties of radio-frequency-sputtered tin-doped indium oxide films. (4) 698
Nagai, Hiroki See Wakamatsu, Mitsuru
Nagai, Hiroshi; and Ohbayashi, Ken
Effect of TiO_2 on the sintering and the electrical conductivity of Cr_2O_3. (3) 400
Nagata, Hirotoshi; Hashiguchi, Shoichi; and Min, Eungi
Doping of Pb ions into Bi-Sr-Ca-Cu-O thin films from PbO vapor. (11) 2201
Nagata, Hirotoshi; Takano, Akihiro; Kawasaki, Masashi; Yoshimoto, Mamoru; and Koinuma, Hideomi
Preparation of Bi-Sr-Ca-Cu-O thin films by sputtering under a variable magnetic field. (4) 680
Nagel, Alwin See Hoffmann, Michael J.
Nair, K. Ravindran See Umadevi, Pottail
Nair, S. V. See Haggerty, John S.
Naka, Shigeharu See Hirano, Shin-ichi
Nakahigashi, Kiyotaka; Tsuboi, Tomokazu; Kogachi, Mineo; Nakanishi, Shigemitsu; Minamigawa, Shinnosuke; Sasakura, Hiroyuki; Fukuoka, Nobuo; Yanase, Akira; and Yoshiara, Kiichi
Phase stability of Ln_2BaCuO_5 (Ln = Dy, Er, Eu, Gd, Ho, Sm, Yb). (12) 2251
Nakamura, Hideyuki See Nitta, Atsumi
Nakamura, Kazuo See Maeda, Minoru
Nakanishi, Shigemitsu See Nakahigashi, Kiyotaka
Narayan, Jagdish See Jagannadham, Kasichainula
Narushima, Takayuki; Goto, Takashi; and Hirai, Toshio
High-temperature passive oxidation of chemically vapor deposited silicon carbide. (8) 1386
Navrotsky, Alexandra See Mocala, Krzysztof
Neurgaonkar, Ratnakar R. See Oliver, John R.
Newnham, Robert E. See Lee, Moon-Ho; Yamamoto, Joyce K.
Nicholson, Patrick S. See Sarkar, Partho; Sung, Jason; Troczynski, Thomas B.
Nickel, Klaus G.; Riedel, Ralf; and Petzow, Gunter
Thermodynamic and experimental study of high-purity aluminum nitride formation from aluminum chloride by chemical vapor deposition (10) 1804
Nieh, Tai-Gang; and Wadsworth, Jeffrey
Dynamic grain growth during superplastic deformation of yttria-stabilized tetragonal zirconia polycrystals. (8) 1469
Niller, A. See Kecskes, L. J.
Nishikawa, Hiroshi See Hagio, Tsuyoshi
Niska, John; Loberg, Bengt; and Easterling, Kenneth
Effect of oxygen loss on densification when hot isostatic pressing $YBa_2Cu_3O_{7-\delta}$. (8) 1508
Nitta, Atsumi; Miura, Terumi; Komatsu, Takayuki; and Matusita, Kazumasa
Glass formation in the system SiO_2-PbO containing transition-metal oxides. (1) 163
Nitta, Atsumi; Nakamura, Hideyuki; Komatsu, Takayuki; and Matusita, Kazumasa
Interface reactions between silicon dioxide-lead oxide glass and manganese zinc ferrite. (8) 1351
Nobugai, Kohji See Lai, Gao-Chao
Noda, Hideki See Kasai, Toshihiro
Noguchi, Kenichi; Fujita, Michihiko; Masaki, Takaki; and Mizushina, Masahiro
Tensile strength of yttria-stabilized tetragonal zirconia polycrystals. (7) 1305
Nolan, Theodore A. See Bamberger, Carlos E.; Rawlins, Mary H.
Nomura, Tsuyoshi See Hikichi, Yasuo
Nosaki, Katsutoshi See Hirano, Shin-ichi
Notis, Michael R. See Bateman, Charles A.; Oh, Min-Seok
Novinson, Thomas I. See Luong, Tim
Nowotny, Janusz; Sloma, M.; and Weppner, W.
High-temperature Kelvin probe in application to ceramic materials—investigation of nickel oxide. (4) 564
Nowotny, Janusz; and Rekas, Mieczyslaw
Defect structure and thermodynamic properties of the wustite phase ($Fe_{1-y}O$). (7) 1221; Defect structure of cobalt monoxide: I, The ideal defect model. (7) 1199; Defect structure of cobalt monoxide: II, The Debye-Hueckel model. (7) 1207; Defect structure of cobalt monoxide: III, The cluster model. (7) 1215
O'Brien, Michael H.; and Akinc, Mufit
Role of ceria in enhancing the resistance of aluminosilicate refractories to attack by molten aluminum alloy. (6) 896
O'Bryan, Henry M.; Gallagher, Patrick K.; Laudise, Robert A.; Caporaso, Anthony J.; and Sherwood, Richard C.
Oxidation Ba_2YCu_3O at high pO_2. (7) 1298
O'Callaghan, Patrick O. See Pepin, John G.
O'Neill, J. A.; Horsburgh, M.; Tann, J.; Grant, K. J.; Paul, G. L.; and Sinclair, W.
Production of fine ceramic powders from chloromethylsilanes using pulsed excimer radiation. (7) 1130
O'Sullivan, Timothy C. See Connolly, Derry
Odawara, Osamu See Taneoka, Yutaka
Odier, Philippe See Dubois, Bertrand; Smith, David S.
Ogihara, Takashi; Ikeda, Masaki, ; Kato, Masanori; and Mizutani, Nobuyasu
Continuous processing of monodispersed titania powders. (9) 1598
Ogihara, Takashi; Mizutani, Nobuyasu; and Kato, Masanori
Growth mechanism of monodispersed ZrO_2 particles. (3) 421
Ogura, Yoshiji See Makishima, Akio
Oh, Min-Seok; Liu, Qin Fang; Misiolek, Wojciech; Rodrigues, Alex; Avitzur, Betzalel; and Notis, Michael R.
Fabrication and microstructure of composite metal-clad ceramic superconducting wire. (11) 2142
Ohbayashi, Ken See Nagai, Hiroshi
Ohishi, Yasutake See Fujiura, Kazuo
Ohji, Tatsuki; Yamauchi, Yukihiko; Kanematsu, Wataru; and Ito, Shoji
Tensile rupture strength and fracture defects of sintered silicon carbide. (4) 688
Ohshima, Nobumitsu See Miyazaki, Tetsuo
Ohtsuka, Kunio; Koga, Johji; Suda, Mitsuru; and Ono, Mikiya
Fabrication of metal-layer (nickel) silicate microcomposite particles by a surface-nucleated precipitation route. (10) 1924
Ohtsuka, Toshiaki See Takahashi, Junichi
Oishi, Yasumichi See Sakka, Yoshio
Okada, Akira See Hirosaki, Naoto
Okada, Hideaki See Shimizu, Yasuhiro
Okada, Kiyoshi; Otsuka, Nozomu; Brook, Richard J.; and Moulson, A. J.
Microstructure and fracture toughness of yttria-doped tetragonal zirconia polycrystal/mullite composites prepared by an in situ method. (12) 2369
Okada, Tomohisa; Hamatani, Hideki; and Yoshida, Toyonobu
Radio-frequency plasma spraying of ceramics. (11) 2111
Okamoto, Taira See Pezzotti, Giuseppe; Tanaka, Isao
Okuyama, Masahiko; Garvey, Garry J.; Ring, Terry A.; and Haggerty, John S.
Dispersion of silicon carbide powders in nonaqueous solvents. (10) 1918
Oliver, John R.; Neurgaonkar, Ratnakar R.; and Cross, L. Eric
Ferroelectric properties of tungsten bronze morphotropic phase boundary systems. (2) 202
Olsson, Per-Olof See Ekstrom, Thommy
Ono, Mikiya See Ohtsuka, Kunio
Opat, Geoffrey See Goodman, Peter
Orange, Gilles See Fantozzi, Gilbert
Osbaeck, Bjarne; and Johansen, Vagn
Particle size distribution and rate of strength development of portland cement. (2) 197
Osendi, M. Isabel; Bender, Barry A.; and Lewis, David, III
Microstructure and mechanical properties of mullite-silicon carbide composites. (6) 1049
Otsuka, Nozomu See Okada, Kiyoshi
Ozaki, Yoshiharu See Kasai, Toshihiro
Pacey, Philip D. See Dou, Shixue
Pai, Chul Hoon See Koumoto, Kunihito
Palanisamy, Ponnusamy; Sarma, Dwadasi H. R.; and Vest, Robert W.
Solubility of ruthenium dioxide in lead borosilicate glasses. (9) 1755
Pampuch, Roman; Stobierski, Ladoslaw; and Lis, Jerzy
Synthesis of sinterable β-SiC powders by a solid combustion method. (8) 1434
Pan, Hong-Chih See Chien, Yung-Tsen
Pan, Wuyi See Zhang, Qiming
Pan, Wuyi; Zhang, Qiming; Bhalla, Amar S.; and Cross, L. Eric
Field-forced antiferroelectric-to-ferroelectric switching in modified lead zirconate titanate stannate ceramics. (4) 571
Panda, Prakash C.; Mobley, W. Morris; and Raj, Rishi
Effect of the heating rate on the relative rates of sintering and crystallization in glass. (12) 2361
Panda, Prakash C.; and Raj, Rishi
Sintering and crystallization of glass at constant heating rates. (8) 1564
Pandey, Lakshman See Parkash, Om
Papiernik, Renee See Chaput, Frederic
Park, Jong-Hee; and Blumenthal, Robert N.
Thermodynamic properties of nonstoichiometric yttria-stabilized zirconia at low oxygen pressures. (8) 1485
Park, Seung-Yong See Lee, Burtrand I.
Park, Soon-Jo See Na, Jong-Gab
Parkash, Om See Jain, Himanshu
Parkash, Om; Tewari, Hari Shanke; Pandey, Lakshman; Kumar, Ravindra; and Kumar, Devendra
Preparation, structure, and dielectric properties of the system $Ba_{1-x}La_xTi_{1-x}Ni_xO_3$. (8) 1520
Parker, Fred J.; and Rice, Roy W.
Correlation between grain size and thermal expansion for aluminum titanate materials. (12) 2364
Parkman, David B. See Thomson, William J.
Pascual, Carmen See Duran, Pedro
Pasquevich, Daniel M.; Lovey, Francisco; and Canelro, Alberto
Structural and microstructural changes in zirconia in dilute chlorine atmosphere. (9) 1664
Passoja, D. E. See Mecholsky, John J., Jr.
Paul, G. L. See O'Neill, J. A.
Pechenik, Alexander See Bussod, Gilles
Peele, Andrew See Goodman, Peter
Pegoretti, Alessandro See Dal Maschio, Roberto
Peitersen, Laura See Ewing, Kenneth J.
Peng, Ping See Smyth, Donald M.
Pennings, Erik C. M.; and Grellner, Wolfgang
Precise nondestructive determination of the density of porous ceramics. (7) 1268
Pepin, John G.; Borland, William; O'Callaghan, Patrick; and Young, Richard J. S.
Electrode-based causes of delaminations in multilayer ceramic capacitors. (12) 2287
Perez-Jubindo, Miguel A. See de Dios Solier, Juan
Perez-Rodriguez, Jose L. See Sanchez-Soto, Pedro J.
Perrotta, Anthony J.; Grubbs, Donald K.; Martin, Edward S.; Dando, Neal R.; McKinstry, Herbert A.; and Huang, Chi-Yuen
Chemical stabilization of β-cristobalite. (3) 441
Persson, Michael See Lindqvist, Karin
Peterson, George E.; and Stawicki, Robert P.
Coaxial lines containing ceramic high-T_c superconducting-center conductors. (4) 704
Petit, Jean Claude See Rassineux, Francois
Petzow, Gunter See Hoffmann, Michael J.; Liu, Haiyan; Nickel, Klaus G.; Riedel, Ralf
Pezzotti, Giuseppe See Tanaka, Isao
Pezzotti, Giuseppe; Tanaka, Isao; Okamoto, Taira; Koizumi, Mitsuo; and Miyamoto, Yoshinari
Processing and mechanical properties of dense Si_3N_4-SiC-whisker composites without sintering aids. (8) 1461
Philipp, Herbert R. See Gambino, Jeffrey P.
Pike, Gordon E. See Gambino, Jeffrey P.
Pinault, Steven C. See Behm, Doug A.
Pinna, Francesco See Benedetti, Alvise
Poeppel, Roger B. See Chu, Cha-Yang
Poeppelmeier, K. R. See Saggio, J. A.
Pohanka, Robert E. See Freiman, Stephen W.
Porter, John R. See Marshall, David B.

Power, Oliver Kenneth, III
Improving thermal shock test reliability. (12) 2264
Prochazka, Svante See Dole, Stephen L.
Pugh, Robert J. See Bergstrom, Lennart
Pujari, Vimal K.
Effect of powder characteristics on compounding and green microstructure in the injection-molding process. (10) 1981
Pureza, Pablo C.; Brower, Daniel T.; and Aggarwal, Ishwar D.
Fluoride glass fibers with improved mechanical strength. (10) 1980
Pye, L. David See Montenero, Angelo
Pysher, Douglas J.; Goretta, Kenneth C.; Hodder, Robert S., Jr.; and Tressler, Richard E.
Strengths of ceramic fibers at elevated temperatures. (2) 284
Pyzik, Aleksander J. See Halverson, Danny C.
Quadir, Tariq; and Readey, Dennis W.
Microstructure development of zinc oxide in hydrogen. (2) 297
Quintard, P. See Ramis, G.
Rabinovich, Eliezer M.; Krol, Deaise M.; Kopylov, Nonna A.; and Gallagher, Patrick K.
Retention of fluorine in silica gels and glass. (7) 1229
Raghavan, Srini See Fletcher, Joseph P.
Raj, Rishi See Agrawal, Dinesh C.; Cheng, Tsungnan; Ducamp, Veronique C.; Panda, Prakash C.; Wang, Jenqdaw; Xue, Liang An
Ramis, G.; Quintard, P.; Cauchetier, M.; Busca, G.; and Lorenzelli, V.
Surface chemistry and structure of ultrafine silicon carbide: an FTIR study. (9) 1692
Randall, C. A. See Swartz, Scott L.
Rao, K. J. See Damodaran, K. V.
Rassineux, Francois; Petit, Jean Claude; and Meunier, Alain
Ancient analogues of modern cement—calcium hydrosilicates in mortars and concretes from Gallo-Roman thermal baths of Western France. (6) 1026
Rawlins, Mary H.; Nolan, Theodore A.; Allard, Lawrence F.; and Tennery, Victor J.
Dynamic and static fatigue behavior of sintered silicon nitrides: II, Microstructure and failure analysis. (8) 1338
Rawn, Claudia J. See Roth, Robert S.
Ray, R. D., II See Hellstrom, E. E.
Readey, Dennis W. See Dunmead, Stephen D.; Mhaisalkar, S. G.; Quadir, Tariq
Recio, Paloma See Duran, Pedro
Reece, Michael J.; Gulu, Frank; and Sammur, Mohammad F. R.
Cyclic fatigue crack propagation in alumina under direct tension-compression loading. (2) 348
Reed, James S. See Zheng, Jingmin
Reichel, Daniel G. See Krawitz, Aaron D.
Reidinger, Franz See Whalen, Philip J.
Rekas, Mieczyslaw See Nowotny, Janusz
Requena, Joaquin; Moreno, Rodrigo; and Moya, Jose S.
Alumina and alumina/zirconia multilayer composites obtained by slip casting. (8) 1511
Rhine, Wendell E. See Jang, Hyun M.
Rhodes, Warren W. See Johnson, David W., Jr.; Ling, Hung C.
Rice, Roy W. See Parker, Fred J.
Rich, Ronald E. See Messier, Donald R.
Richard, Sarah M. See VanDamme, Nobuko S.
Richards, Von L., II
Adsorption of dispersants on zirconia powder in tape-casting slip compositions. (2) 325
Riedel, Ralf See Nickel, Klaus G.
Riedel, Ralf; Strecker, Kurt; and Petzow, Gunter
In situ polysilane-derived SiC particulates dispersed in Si_3N_4 composite. (11) 2071
Rigaud, Michel A. See Allaire, Claude
Riman, Richard E.; Landham, Rowena R.; and Boweu, H. Kent
Synthesis of uniform titanium and 1:1 strontium-titanium carboxyhydrosols by controlled hydrolysis of alkoxymetal carboxylate precursors. (5) 821
Ring, Terry A. See Okuyama, Masahiko
Risbud, Subhash H. See Fletcher, Joseph P.
Ritchie, Robert O. See Dauskardt, Reinhold H.
Ritter, Andrew P. See Winzer, Stephen R.
Ritter, John E. See Haggerty, John S.
Ritter, Joseph J. See Roth, Robert S.
Rizzo, Caterina See Dal Maschio, Roberto
Roberts, D. E. See Carroll, Daniel F.
Rodger, Sally A.; and Groves, Geoffrey W.
Electron microscopy study of ordinary portland cement and ordinary portland cement-pulverized fuel ash blended pastes. (6) 1037
Rodrigues, Alex See Oh, Min-Seok
Roeder, P. See Smith, David S.
Rohan, Patrick See Goodman, Peter
Rosenfield, Alan R.
Fracture of brittle materials under a simulated wear stress system. (11) 2117
Rossetti, George A., Jr.; Burger, Joseph L.; and Sisson, Richard D., Jr.
Characterization of mixed cobalt-molybdenum oxides prepared by evaporative decomposition of solutions. (10) 1811
Roth, Don J. See Generazio, Edward R.
Roth, Robert S.; Rawn, Claudia J.; Ritter, Joseph J.; and Burton, Benjamin P.
Phase equilibria of the system SrO-CaO-CuO. (8) 1545
Roth, Robert S.; Rawn, Claudia J.; Whitler, John D.; Chiang, C. K.; and Wong-Ng, Winnie K.
Phase equilibria and crystal chemistry in the quaternary system Ba-Sr-Y-Cu-O in air. (3) 395
Routbort, Jules L. See Chu, Cha-Yang
Roy, Rustum See Kumar, Amitabha; Takahashi, Tatsuhito
Roychoudhury, Kalpana See Bandyopadhyay, Siddhartha
Ruessel, Christian See Seibold, Michael M.
Ruffier, Daniel See Dubois, Bertrand
Ruhle, Manfred See Bischoff, Ewald
Ruiz, Carlos See Wang, Zhiping
Ryder, Daniel F., Jr. See Chen, Chiahong
Rydzak, James W.; and Cannon, W. Roger
Fourier transform infrared microspectroscopy method to determine stress in sapphire. (8) 1559
Sachon, Maria G. See Ewing, Kenneth J.
Sadanaga, Eiji See Uchino, Kenji
Safari, Ahmad See Waller, David
Saggio, J. A.; Sujata, K.; Kahn, J.; Hwu, S. J.; Poeppelmeier, K. R.; and Mason, T. O.
Partial Bi-Sr-Cu-O subsolidus diagram at 800 °C with and without lithium carbonate. (5) 849
Saito, Hajime See Mizuno, Mineo
Saito, Hideaki See Igarashi, Kaoru
Saito, Katsuichi See Uematsu, Keizo
Sakaguchi, Shigeki See Fujiura, Kazuo
Sakai, Mototsugu; and Inagaki, Michio
Dimensionless load-displacement relation and its application to crack propagation problems. (3) 388
Sakamoto, Hiroshi See Kodama, Hironori
Sakata, Koichiro See Takenaka, Tadashi
Sakeda, Kazuyoshi See Hirata, Yoshihiro
Sakka, Tetsuo See Uchino, Takashi
Sakka, Yoshio; Oishi, Yasumichi; Ando, Ken; and Masuda, Masaaki
Cation interdiffusion in polycrystalline cubic C-type Y-Zr-Hf solid solutions. (11) 2121
Salem, Jonathan A.; Shannon, John L., Jr.; and Bradt, Richard C.
Crack growth resistance of textured alumina. (1) 20
Salyer, Ival O. See Sarkar, Asok K.
Sammur, Mohammad F. R. See Reece, Michael J.
Samuel, Edwin; and Hrma, Pavel
MoO_3 diffusion in aluminosilicate glass. (6) 1091
Samuel, Robert; Chandrasekar, Srinivasan; Farris, Thomas N.; and Licht, Robert H.
Effect of residual stresses on the fracture of ground ceramics. (10) 1960
Sanchez-Soto, Pedro J.; and Perez-Rodriguez, Jose L.
Formation of mullite from pyrophyllite by mechanical and thermal treatments. (1) 154
Sanders, William A. See Mieskowski, Diane M.
Sandiumenge, Felip; and Gali, Salvador
Subsolidus phase relations in the pseudoternary system $SrO{\cdot}6M_2O_3$ (M = Fe, Cr, Al) in air. (11) 2180
Sanghera, Jasbinder S. See Ewing, Kenneth J.
Santos, Luis F. See Almeida, Rui M.
Sarikaya, Mehmet See Aksay, Ilhan A.
Sarkar, Asok K.; Salyer, Ival O.; and Kumar, Binod
Preparation of superconductor/polymer composite with resistive transition temperature (T_c) above 77 K. (7) 1247
Sarkar, Partho; and Nicholson, Patrick S.
Electric relaxation studies of defects and defect associates in dilute ceria-lanthanum oxide solid solutions. (8) 1447
Sarma, Dwadasi H. R. See Palanisamy, Ponnusamy
Sasaki, Toshio See Hikichi, Yasuo
Sasakura, Hiroyuki See Nakahigashi, Kiyotaka
Sato, Takayori See Koumoto, Kunihito
Sato, Tsugio; Endo, Tadashi; and Shimada, Masahiko
Postsintering hot isostatic pressing of ceria-doped tetragonal zirconia/alumina composites in an argon-oxygen gas atmosphere. (5) 761
Sawai, Sumiichi See Kondo, Ken-ichi
Sayer, Michael See Smith, David S.
Sbaizero, Orfeo See Bischoff, Ewald; Thouless, Michael D.
Scattergood, R. O. See Smith, S. M.
Schienle, James L. See Bradley, Steven A.; Karasek, Keith R.
Schiroli, Dino See Montenero, Angelo
Schneider, Hartmut See Kollenberg, Wolfgang
Schoonman, Joop See Bauer, Robert A.
Schreiber, Charlotte W. See Schreiber, Henry D.
Schreiber, Henry D.; Kozak, Samuel J.; Balazs, G. Bryan; Fritchmann, Ann L.; and Schreiber, Charlotte W.
Equilibrium and transport properties of gases in E-glass melts. (9) 1680
Schreiner, Manfred
Secondary ion mass spectrometer analysis of potash-lime-silica glasses leached in hydrochloric and sulfuric acids. (9) 1713
Schroth, James G.; and Druschitz, Alan P.
Decoration of open pore networks in light-colored ceramics. (7) 1292
Schulze, Walter A. See Feng, Chude
Schweitz, Jan-Ake See Johansson, Stefan
Scott, William D. See Choi, Doo J.; Kurokawa, Yasuhiro
Searcy, Alan W. See Beruto, Dario; Kim, Mun Gyu
Selbies, Lawrence; Mitchell, James W.; and Blitzer, Lawrence D.
Reaction chemistry of crystalline allotropes of germania. (8) 1430
Seibold, Michael M.; and Ruessel, Christian
Thermal conversion of preceramic polyiminoalane precursors to aluminum nitride—characterization of pyrolysis products. (8) 1503
Sekiguchi, Masahiko See Uematsu, Keizo
Semler, Charles E. See Dunmead, Stephen D.
Semmens, Janet E. See Kessler, Lawrence W.
Seol, Yeo Song; and Im, Ho Bin
Microstructure and optical properties of $Cd_{1-x}Zn_xS$ films sintered with cadmium chloride. (11) 2131
Seshadri, Srinivasa G. See Divakar, Ramesh
Shankar, Natarajan See Winzer, Stephen R.
Shannon, John L., Jr. See Salem, Jonathan A.
Shaw, Thomas M. See Clarke, David R.
Shelby, James E. See Balewick, Laura Ann; Jewell, John M.
Sherwood, Richard C. See O'Bryan, Henry M.
Shetty, Dinesh K. See Bright, Jeffrey D.; Singh, Dileep; Yu, Cheng-Sheng
Shetty, Dinesh K.; and Wang, Jr-Sheng
Crack stability and strength distribution of ceramics that exhibit rising crack-growth-resistance (*R*-curve) behavior. (7) 1158
Shi, Dexiang See Kurtz, Stewart K.
Shigeta, Hiroyasu See Yamaguchi, Osamu
Shimada, Masahiko See Sato, Tsugio
Shimizu, Yasuhiro; Okada, Hideaki; and Arai, Hiromichi
Humidity-sensitive characteristics of porous La-Ti-V-O glass-ceramics. (3) 436
Shin, Byoung-Chul See Chung, Hun-Taeg
Shirasaki, Shin-ichi See Hishita, Shunichi; Song, Byung-Moo
Shukla, Vishwa N.; and Hill, David C.
Binder evolution from powder compacts: Thermal profile for injection-molded articles. (10) 1797
Sigel, George H., Jr. See Lehman, Richard L.
Sigl, Lorenz S. See Thouless, Michael D.
Silvers, Robert D. See Fanelli, Anthony J.
Sim, Soo Man; and Stubican, Vladimir S.
Phase relations and ordering in the system ZrO_2-MgO—reply. (1) 167
Simpkins, Peter G.; Johnson, David W., Jr.; and Fleming, Debra A.
Drying behavior of colloidal silica gels. (10) 1816
Sinclair, W. See O'Neill, J. A.
Sines, George; and Taira, Tomoyuki
Tensile strength degradation of ceramics from prior compression. (3) 502
Sines, George; Yang, Zheng; and Vickers, Brian D.
Effect of the matrix and matrix bonding on the creep behavior of a unidirectional carbon-carbon composite. (1) 54
Singh, Dileep; and Shetty, Dinesh K.
Fracture toughness of polycrystalline ceramics in combined mode I and mode II loading. (1) 78
Singh, Jitendra P. See Chu, Cha-Yang; Smith, S. M.
Singh, Raj N.
Fiber-matrix interfacial characteristics in a fiber-reinforced ceramic-matrix composite. (9) 1764
Sisson, Richard D., Jr. See Rossetti, George A., Jr.
Sloma, M. See Nowotny, Janusz
Smart, Roger St. C. See Ball, Clifford J.
Smith, A. See Smith, David S.
Smith, David S.; Sayer, Michael; Roeder, P.; Smith, A.; and Odler, P.
Bonding of zirconia and lanthanum chromite by cofiring. (2) 308
Smith, Douglas M. See Hietala, Susan L.
Smith, James W.
Effect of lead zirconate on positive-temperature-coefficient materials. (8) 1527
Smith, Katherine L. See Ball, Clifford J.
Smith, Richard D. See Matson, Dean W.
Smith, S. M.; Scattergood, R. O.; Singh, Jitendra P.; and Karasek, Keith R.
Effect of silica and processing environment on the toughness of alumina composites. (7) 1252
Smulders, Robert See Bauer, Robert A.
Smyth, Donald M.; Harmer, Martin P.; and Peng, Ping
Defect chemistry of relaxor ferroelectrics and the implications for dielectric degradation. (12) 2276
Snowden, William E. See Halverson, Danny C.
Sommer, Michael E. See Gadalla, Ahmed M.
Song, Byung-Moo; Kim, Doh-Yeon; Shirasaki, Shin-ichi; and Yamamura, Hiroshi
Effect of excess PbO on the densification of PLZT ceramics. (5) 833
Song, Chengyi See Bergman, Bill
Song, Huesup; French, Roger H.; and Coble, Robert L.
Effect of residual strain on the electronic structure of alumina and magnesia. (6) 990
Sonuparlak, Birol See Aksay, Ilhan A.
Soraru, Gian D. See Dal Maschio, Roberto
Southam, Robert E. See Wills, Roger
Spear, Karl E.
Diamond—ceramic coating of the future. (2) 171
Speyer, Robert F. See Hsu, Jen-Yan
Spurgeon, William A. See Chen, Chiahong
Srinivasan, Gajawalli V.; Jue, Jan-Fong; Kuo, Shih-Yee; and Virkar, Anil V.
Ferroelastic domain switching in polydomain tetragonal zirconia single crystals. (11) 2098
Srinivasan, Makuteswarna See Divakar, Ramesh
Stang, David B. See Generazio, Edward R.
Stawicki, Robert P. See Peterson, George E.
Stebbins, Jonathan F.; Faman, Ian; and Klabunde, Ulrich
Aluminum in rutile (TiO_2): Characterization by single-crystal and magic-angle-spinning nuclear magnetic resonance. (11) 2198

Stevens, Geoffrey T. See Ball, Clifford J.
Stewart, David See Leister, Daniel B.
Stobierski, Ludoslaw See Pampuch, Roman
Stockton, Allen C. See Connolly, Derry
Stoneham, A. Marshall See Grimes, Robin W.
Stoto, Tiziana; Doukhan, Jean-Claude; and Mocellin, Alain
Analytical electron microscopy investigation of the AlN-ZrO_2 system—identification of a quaternary Zr-Al-O-N phase. (8) 1453
Strasik, Michael See Thomson, William J.
Strecker, Kurt See Riedel, Ralf
Struble, Leslie J.; Stutzman, Paul E.; and Fuller, Edwin R., Jr.
Microstructural aspects of the fracture of hardened cement paste. (12) 2295
Stubican, Vladimir S. See Sim, Soo Man
Stutzman, Paul E. See Struble, Leslie J.
Suda, Mitsuru See Ohtsuka, Kunio
Suematsu, Hisayuki; Suzuki, Tetsuya; Iseki, Takayoshi; and Mori, Tsutomu
Dislocation-induced softening of MgO-2.9Al_2O_3 single crystals. (2) 306; Decoration of dislocations by the precipitation of alumina in MgO-2.9Al_2O_3 spinel. (8) 1449
Suib, Steven L. See Hwan, Luchen; Kmetz, Michael
Sujata, K. See Saggio, J. A.
Sung, Jason; and Nicholson, Patrick S.
Valid K_{IC} determination via in-test subcritical precracking of chevron-notched bend bars. (6) 1033
Suresh, Subra See Han, Lily X.
Sutton, Alfred L., Jr. See Lindemer, Terrence B.
Suzuki, Nobuo See Wada, Takahiro
Suzuki, Tetsuya See Suematsu, Hisayuki
Swain, Michael V. See Drennan, John; Hannink, Richard H. J.; Suzuki, Tetsuya; Marshall, David B.
Swain, Michael V.; and Hannink, Richard H. J.
Metastability of the martensitic transformation in a 12-mol%-ceria-zirconia alloy: II, Grinding studies. (8) 1358
Swartz, Scott L.; Randall, C. A.; and Bhalla, Amar S.
Analytical modeling of chemical vapor infiltration in fabrication of ceramic composites. (3) 414; Dielectric and pyroelectric properties of cadmium niobate ceramics. (4) 637
Tai, Nyan-Hwa; and Chou, Tsu-Wei
Analytical modeling of chemical vapor infiltration in fabrication of ceramic composites. (3) 414
Taira, Tomoyuki See Sines, George
Takagi, Masaki See Uematsu, Keizo
Takahara, Hideyuki
Effect of manganese oxide additive on the dielectric properties of mixed-sintering ceramics. (8) 1532
Takahashi, Junichi; and Ohtsuka, Toshiaki
Vibrational spectroscopic study of structural evolution in the coprecipitated precursors to $La_2Sn_2O_7$ and $La_2Ti_2O_7$. (3) 426
Takahashi, Masanari; Toyuki, Hiroshi; Tatsumisago, Masahiro; Minami, Tsutomu; Umesaki, Norimasa; and Iwamoto, Nobuya
Structural investigation of a rapidly quenched $20Li_2SiO_4$-$80Li_2WO_4$ glass. (8) 1524
Takahashi, Masao See Lai, Gao-Chao
Takahashi, Tatsuhito; Agrawal, Dinesh K.; and Roy, Rustum
Structural control of phase formation in low-temperature $AlPO_4$-SiO_2 reactions. (3) 499
Takaki, Masaki See Kitano, Yukishige
Takano, Akihiro See Nagata, Hirotoshi
Takata, Mitsuhiro; and Kageyama, Keisuke
Microwave characteristics of $A(B'_{1/2}B''_{1/2})O_3$ ceramics (A = Ba, Ca, Sr; B'' = La, Nd, Sm, Yb; B'' = Nb, Ta). (10) 1955
Takeda, Shunji See Koumoto, Kunihito
Takenaka, Tadashi; Bhalla, Amar S.; Cross, L. Eric; and Sakata, Koichiro
Dielectric, piezoelectric, and pyroelectric properties of lead zirconate-lead zinc niobate ceramics. (6) 1016
Takeuchi, Nobuyuki See Wakamatsu, Mitsuru
Takeuchi, Nozomu See Tochi, Kunio
Tanaka, Isao See Pezzotti, Giuseppe
Tanaka, Isao; Pezzotti, Giuseppe; Okamoto, Taira; Miyamoto, Yoshinari; and Koizumi, Mitue
Hot isostatic press sintering and properties of silicon nitride without additives. (9) 1656
Tanaka, Shoji See Wada, Takahiro
Tanemoto, Kei See Kasai, Toshihiro
Taneoka, Yutaka; Odawara, Osamu; and Kaieda, Yoshinari
Combustion synthesis of the titanium-aluminum-boron system. (6) 1047
Tanino, Hirokazu See Inoue, Masashi
Tanu, J. See O'Neill, J. A.
Tarczon, J. C. See Bhattacharja, Sankar
Tashiro, Shingo See Kamizono, Hiroshi
Tasker, Philip W. See Mackrodt, William C.
Tatsumisago, Masahiro See Takahashi, Masanari
Tatsumisago, Masahiro; and Minami, Tsutomu
Preparation of proton-conducting amorphous films containing dodecamolybdophosphoric acid by the sol-gel method. (3) 484
Taylor, J. Ashley; and Desu, Seshu B.
Interaction of titanium with silica after rapid thermal annealing in argon, nitrogen, and oxygen. (10) 1947
Taylor, Raymond L. See Goela, Jitendra S.
Teanery, Victor J. See Rawlins, Mary H.
Terada, Akihiko See Uematsu, Keizo
Terunuma, Yukio See Fujiura, Kazuo
Tewari, Hari Shanke See Parkash, Om
Thomas, Michael P.; and Matzke, Hansjoachim
Sodium diffusion in the nuclear waste glass GP98/12. (1) 146
Thomson, William J.; Wang, Hong; Parkman, David B.; Li, Dong X.; Strasik, Michael; Lahman, Thomas S.; Han, Chan; and Aksay, Ilhan A.
Reaction sequencing during processing of the 123 superconductors. (10) 1977
Thouless, Michael D.; Sbaizero, Orfeo; Sigl, Lorenz S.; and Evans, Anthony G.
Effect of interface mechanical properties on pullout in a SiC-fiber-reinforced lithium aluminum silicate glass-ceramic. (4) 525
Tietz, Lisa A. See McArdle, James L.
Tirado, Jose L. See Morales, Julian
Tobisawa, Shotaro See Yamada, Kenjiro
Tochi, Kunio; Takeuchi, Nozomu; and Emura, Shuichi
Two-mode behavior in complex perovskite materials. (1) 158
Togashi, Yoshihiro See Kamizono, Hiroshi
Tohge, Noboru See Izumi, Keiji
Tojek, Monica M.; and Green, David J.
Effect of residual surface stress on the strength distribution of brittle materials. (10) 1885
Tomozawa, Minoru See Han, Won-Taek; Wakabayashi, Hajimu
Toraya, Hideo
Effect of $YO_{1.5}$ dopant on unit-cell parameters of ZrO_2 at low contents of $YO_{1.5}$. (4) 662
Toy, Cetin See Kurokawa, Yasuhiro
Toyuki, Hiroshi See Takahashi, Masanari
Trappen, Karen M.; and Eppler, Richard A.
Reaction of zirconia with silica at the stoichiometry of zircon. (6) 882
Tressler, Richard E. See Carroll, Daniel F.; Pysher, Douglas J.
Troczynski, Thomas B.; and Nicholson, Patrick S.
Effect of additives on the pressureless sintering of aluminum nitride between 1500° and 1800°C. (8) 1488
Tsai, W. See Gadalla, Ahmed M.
Tseng, Tseung-Yuen See Yeh, Yuan-Chang
Tsuboi, Tomokazu See Nakahigashi, Kiyotaka
Tsuge, Akihiko; Inoue, Hiroshi; and Komeya, Katsutoshi
Grain-boundary phase crystallization of silicon nitride with material loss during heat treatment. (10) 2014
Tsuji, Masamichi See Komameni, Sridhar
Tsurumi, Takuaki; and Hoshino, Yoshio
Diffuse phase transition of tantalum-bearing strontium barium niobate. (2) 278
Tu, David See Wu, Bo-Chen
Tuzzolo, Michelle R. See Knickerbocker, Sarah
Uchida, Nozomu See Uematsu, Keizo
Uchino, Kenji; Sadanaga, Eiji; and Hirose, Terukiyo
Dependence of the crystal structure on particle size in barium titanate. (8) 1555
Uchino, Takashi; Sakka, Tetsuo; Hotta, Koukichi; and Iwasaki, Matae
Attenuated total reflectance Fourier-transform infrared spectra of a hydrated sodium silicate glass. (11) 2173
Uchinokura, Kunimitsu See Wada, Takahiro
Uematsu, Keizo; Itakura, Kazuhisa; Sekiguchi, Masahiko; Uchida, Nozomu; Saito, Katuichi; and Miyamoto, Akira
Grain growth during hot isostatic pressing of presintered alumina. (7) 1239
Uematsu, Keizo; Takagi, Masaki; Honda, Tsunehiro; Uchida, Nozomu; and Saito, Katsuichi
Transparent hydroxyapatite prepared by hot isostatic pressing of filter cake. (8) 1476
Uematsu, Keizo; Terada, Akihiko; Morimoto, Tadahiko; Uchida, Nozomu; and Saito, Katsuichi
Direct determination of grain growth behavior in zinc oxide with added barium oxide. (6) 1070
Ugozzoli, Franco See Montenero, Angelo
Uhlmann, Donald R. See Weinberg, Michael C.
Umadevi, Pottali; Nair, K. Ravindran; and Damodaran, Alathur D.
Novel solution-soaking method for adding dopants to $YBa_2Cu_3O_{7-x}$ to achieve higher sintered densities. (12) 2386
Umesaki, Norimasa See Takahashi, Masanari
Valera, Concepcion See Morales, Julian
Van De Put, Paul J. See Bauer, Robert A.
VanDamme, Nobuko S.; Richard, Sarah M.; and Winzer, Stephen R.
Liquid-phase sintering of aluminum nitride by europium oxide additives. (8) 1409
Vance, Eric R. See Hayward, Peter J.
Varshneya, Arun K. See Jain, Vijay
Varshneya, Arun K.; and Hosmer, Kevin
Anomalous birefringence in discretely phase-separated glasses. (11) 2078
Veirs, D. Kirk See Dauskardt, Reinhold H.
Veltri, Richard D.; Condit, David A.; and Galasso, Francis S.
Chemical vapor deposited SiC matrix composites. (3) 478
Venkatachari, Koththavasal R.; and Kriven, Waltraud M.
Investigation of plasma-sprayed dysprosia coatings. (10) 2023
Venkataraman, Kollengode; and DiMilia, Robert A.
Predicting the grain-size distributions in high-density, high-purity alumina ceramics. (1) 33
Venturini, Eugene L. See Loehman, Ronald E.
Vest, Robert W. See Palanisamy, Ponnusamy
Vickers, Brian D. See Sines, George
Virkar, Anil V. See Kuo, Shih-Yee; Srinivasan, Gajawalli V.
Virkar, Anil V.; Jackson, T. Barrett; and Cutler, Raymond A.
Thermodynamic and kinetic effects of oxygen removal on the thermal conductivity of aluminum nitride. (11) 2032
Vogel, Eva M.
Glasses as nonlinear photonic materials. (5) 719
Vozzola, Robert P. See Mall, Shankar
Wachtman, John B., Jr. See Kalman, Zuii H.
Wada, Takahiro See Adachi, Seiji
Wada, Takahiro; Suzuki, Nobuo; Yamauchi, Hisao; Tanaka, Shoji; Maeda, Atsutaka; and Uchinokura, Kunimitsu
Preparation of the high-quality superconductor $La_2Ba_2Cu_3O_y$. (10) 2000
Wadsworth, Jeffrey See Nieh, Tai-Gang
Wagemans, Harrie H. M. See de With, Gijsbertus
Wakabayashi, Hajimu; and Tomozawa, Minoru
Diffusion of water into silica glass at low temperature. (10) 1850
Wakamatsu, Mitsuru; Takeuchi, Nobuyuki; Nagai, Hiroki; and Ishida, Shingo
Chemical states of copper and tin in copper glazes fired under various atmospheres. (1) 16
Waller, David; Iqbal, Tariq; and Safari, Ahmad
Poling of lead zirconate titanate ceramics and flexible piezoelectric composites by the corona discharge technique. (2) 322
Walsh, John See Wei, George C.
Wang, Hong See Thomson, William J.
Wang, Jenqdaw; Yanoviak, Margaret M.; and Raj, Rishi
Type II magnetic levitation on sintered-forged YBa_2Cu_3O superconductor. (5) 846
Wang, Jr-Sheng See Shetty, Dinesh K.
Wang, Zhiping; and Ruiz, Carlos
Effect of wear damage on the strength of hot isostatically pressed silicon nitride. (6) 1076
Waser, Rainer M.
Electrochemical boundary conditions for resistance degradation of doped alkaline-earth titanates. (12) 2234
Watanabe, Akira; Mitsudou, Makoto; Kihara, Seiji; and Abe, Yoshihiro
Preparation of void-free calcium phosphate glass-ceramics. (8) 1499
Watanabe, Hidenori; Kimura, Toshio; and Yamaguchi, Takashi
Particle orientation during tape casting in the fabrication of grain-oriented bismuth titanate. (2) 289
Watanabe, Masakazu See Lio, Satoshi
Watson, Kenneth G. See Ball, Clifford J.
Wayne, Steven F.; and Buljan, Sergej-Tomislav
Role of thermal shock on tool life of selected ceramic cutting tool materials. (5) 754
Weedom, David See Ball, Clifford J.
Wei, George C.; and Walsh, John
Hot-gas-jet method and apparatus for thermal-shock testing. (7) 1286
Weinberg, Michael C.; Uhlmann, Donald R.; and Zanotto, Edgar D.
"Nose method" of calculating critical cooling rates for glass formation. (11) 2054
Weinkopf, Karl-L. See Liu, Haiyan
Weppner, W. See Nowotny, Janusz
Wetherhold, Robert C. See Jain, Lalit K.
Whalen, Philip J.; Reidinger, Franz; and Antrim, Robert F.
Prevention of low-temperature surface transformation by surface recrystallization in yttria-doped tetragonal zirconia. (2) 319
White, Grady S.; Freiman, Stephen W.; and Wilson, Anne M.
Environmentally enhanced fracture of GaAs. (11) 2193
White, Kenneth W. See Ghosh, Asish
White, Timothy J. See Ball, Clifford J.; Dickson, Fiona J.
Whitler, John D. See Roth, Robert S.
Wiederhorn, Sheldon M. See Carroll, Daniel F.
Wiederhorn, Sheldon M.; and Fuller, Edwin R., Jr.
Effect of surface forces on subcritical crack growth in glass. (2) 248
Wilfinger, Keith R.; and Cannon, W. Roger
Particle interactions in zirconia-toughened alumina. (7) 1256
Williams, David B. See Bateman, Charles A.
Wills, Roger; and Southam, Robert E.
Ceramic engine valves. (7) 1261
Wilson, Anne M. See White, Grady S.
Winzer, Stephen R. See VanDamme, Nobuko S.
Winzer, Stephen R.; Shankar, Natarajan; and Ritter, Andrew P.
Designing sofired multilayer electrostrictive actuators for reliability. (12) 2246
Wiseman, Gary H. See Haile, Sossina M.
Witek, Stefan R.; Miller, Gary A.; and Harmer, Martin P.
Effects of CaO on the strength and toughness of AlN. (3) 469
Wong-Ng, Winnie K. See Roth, Robert S.
Wotzak, G. P. See Biernacki, J. J.
Wright, Judith K.; Evans, Julian R. G.; and Edirisinghe, Mohan J.
Degradation of polyolefin blends used for ceramic injection molding. (10) 1822
Wu, Bo-Chen; Chang, Edward; Chang, Shih-Feng; and Tu, David
Degradation mechanisms of ZrO_2–8 wt% Y_2O_3/Ni-22Cr-10Al-1Y thermal barrier coatings. (2) 212
Wu, Nan-Chung See Hsu, Jen-Yan
Wu, Tai-Bor See Lin, Jiu-Nun
Xiaowen, Zhang See Zhilun, Gui

Xu, Ming-Wei Paul; and Brown, Jesse J., Jr.
Mechanism of iron catalysis of carbon monoxide decomposition in refractories. (1) 110
Xu, M. Y. See Jain, Himanshu
Xue, Liang An
Thermodynamic benefit of abnormal grain growth in pore elimination during sintering. (8) 1536
Xue, Liang An; and Brook, Richard J.
Promotion of densification by grain growth. (2) 341
Xue, Liang An; and Raj, Rishi
Superplastic deformation of zinc sulfide near its transformation temperature (1020°C). (10) 1792
Yamada, Kenjiro; and Tobisawa, Shotaro
SiC crystals derived from β-SiC powder using a conically converging shock-wave technique. (11) 2211
Yamada, Mamoru See Maeda, Minoru
Yamada, Osamu See Adachi, Seiji
Yamada, Osamu; Hirao, Kiyoshi; Koizumi, Mitsue; and Miyamoto, Yoshinari
Combustion synthesis of silicon carbide in nitrogen atmosphere. (9) 1735
Yamaguchi, Osamu; and Mogi, Hiroshi
Formation of zirconia titanate solid solution from alkoxides. (6) 1065
Yamaguchi, Osamu; and Mukaida, Yasumichi
Formation and transformation of TiO_2 (anatase) solid solution in the system TiO_2-Al_2O_3. (2) 330
Yamaguchi, Osamu; Mukaida, Yasumichi; and Shigeta, Hiroyasu
Preparation of alkoxy-derived tantalum vanadate. (10) 1914
Yamaguchi, Takashi See Kezuka, Kayo; Kim, Jinho; Kimura, Toshio; Kimura, Toshio; Watanabe, Hidenori
Yamai, Iwao See Li, Chunting
Yamamoto, Joyce K.; Lanagan, Michael T.; Bhalla, Amar S.; Newnham, Robert E.; and Cross, L. Eric
Dielectric properties of microporous glass in the microwave region. (6) 916
Yamamura, Hiroshi See Song, Byung-Moo
Yamauchi, Hisao See Wada, Takahiro
Yamauchi, Yukihiko See Ohji, Tatsuki
Yan, Man F. See Ling, Hung C.
Yanagida, Hiroaki See Igarashi, Kaoru; Kishimoto, Akira; Koumoto, Kunihito
Yanase, Akira See Nakahigashi, Kiyotaka
Yang, Ning See Lanagan, Michael T.
Yang, Zheng See Sines, George
Yanovisk, Margaret M. See Wang, Jenqdaw
Yao, Yao See Hishita, Shun-ichi
Yasunaga, Hiroaki See Hagio, Tsuyoshi
Yates, Sharon L. See Frechette, Van Derck
Yeh, Harry C. See Bradley, Steven A.; Karasek, Keith R.
Yeh, Yuan-Chang; Tseng, Tseung-Yuen; and Chang, Deh-An
Electrical properties of porous titania ceramic humidity sensors. (8) 1472
Yen, Fu-Su See Hsi, Chi-Shiung
Yogo, Toshinobu See Hirano, Shinichi
Yokokawa, Harumi; Kawada, Tatsuya; and Dokiya, Masayuki
Construction of chemical potential diagrams for metal-metal-nonmetal systems. (11) 2104; Thermodynamic regularities in perovskite and K_2NiF_4 compounds. (1) 152
Yoshiara, Kiichi See Nakahigashi, Kiyotaka
Yoshida, Hisayoshi See Hagio, Tsuyoshi
Yoshida, Toyonobur See Okada, Tomohisa
Yoshimoto, Mamoru See Nagata, Hirotoshi
Yoshimoto, Takeshi See Kimura, Toshio
Yoshino, Yuichi
Role of oxygen in bonding copper to alumina. (8) 1322
Young, Richard J. S. See Pepin, John G.
Young, Robert M.; and McPherson, Reginald
Temperature-gradient-driven diffusion in rapid-rate sintering. (6) 1080
Yu, Cheng-Sheng; and Shetty, Dinesh K.
Transformation zone shape, size, and crack-growth-resistance (*R*-curve) behavior of ceria-partially-stabilized zirconia polycrystals. (6) 921
Yu, Shu-Cheng See Hsu, Jen-Yan
Yu, Zhengfang See Zhuang, Yang
Zambetakis, Theofilos See Lihrmann, Jean Marc
Zanotto, Edgar D. See Weinberg, Michael C.
Zarnon, Linda C.; and Drew, Robin A. L.
Dispersion methods of yttria in silicon nitride by comminution. (3) 495
Zawada, Larry P. See Mall, Shankar
Zdaniewski, Wieslaw A.
Stereoscopic fractography of crack propagation phenomena in a TiB_2-AlN composite. (1) 116
Zdaniewski, Wieslaw A.; and Houser, Cheryl A.
Characterization of gold-aluminum nitride and gold-silicon carbide interfaces. (11) 2084
Zhang, C. See Hellstrom, E. E.
Zhang, Jingli See Li, Biaorong
Zhang, Lijie; Chen, Jie; Chan, Helen M.; Harmer, Martin P.
Formation of grain-boundary carbon-containing phase during annealing of $YBa_2Cu_3O_{6+x}$. (10) 1997
Zhang, Li-Tong See Zhou, Wan-Cheng
Zhang, Qiming See Pan, Wuyi
Zhang, Qiming; Pan, Wuyi; Bhalla, Amar S.; and Cross, L. Eric
Electrostrictive and dielectric response in lead magnesium niobate-lead titanate (0.9MN-0.1PT) and lead lanthanum zirconate titanate (PLZT 9.5/65/35) under variation of temperature and electric field. (4) 599
Zhang, Zhibo See Hosono, Hideo
Zhen, Yufang See Zhuang, Yang
Zheng, Jingmin; and Reed, James S.
Effects of particle packing characteristics on solid-state sintering. (5) 810
Zhilun, Gui; Li, Longtu; Gao, Suhua; and Xiaowen, Zhang
Low-temperature sintering of lead-based piezoelectric ceramics. (3) 486
Zhou, Wancheng; Zhang, Litong; and Fu, Hengzhi
Application of the stepwise-regression method in calculating high-temperature ceramic phases. (2) 357
Zhu, Dongyan See Zhuang, Yan
Zhuang, Yan; Lin, Yanzheng; Zhu, Dongyan; Zhen, Yufang; and Yu Zhengfang
A study of conductivity in the $Sr(Fe_{1-x}Ti_x)O_{3-\delta}$ system. (8) 1444
Zhuang, Z. Q. See Haun, Michael J.
Ziegler, Guenter See Kleebe, Hans-Joachim
Zinkle, S. J.
Hardness and depth-dependent microstructure of ion-irradiated magnesium aluminate spinel. (8) 1343

SUBJECT INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications;* numbers following are *page* numbers.

Additives,
BN, B_4C, and C, hot isostatic pressing of Si_3N_4 with (5) 840
BaO, grain growth of ZnO with (6) 1070
CaO, effects on strength and toughness of AlN (3) 469
Eu_2O_3, sintering AlN with (8) 1409
MgO, effect on microstructure of 3 mol% Y_2O_3-ZrO_2 (2) 228
MnO_2, effect on dielectric properties of mixed-sintering ceramics (8) 1532
SiC, effect on crystallization of MgO-Li_2O-Al_2O_3-SiO_2 glass (7) 1270
TiO_2 and Ta_2O_5, effect on crystallization of $Li_2O \cdot Al_2O_3 \cdot 6SiO_2$ glsses (12) 2334
nitrogen-rich Y_2O_3, sintering β-sialon with (6) 1061
silanes and titanates, for injection molding (1) 99
Adhesion,
of Ni, electrolessly deposited on PZT (6) 890
Adsorption,
of dispersants, on ZrO_2 powder in slip compositions (2) 325
Aging,
of calcium silicate hydrates, in alkaline solution (4) 646
strengthening of glasses by, Na_2O-CaO (10) 1837
in vitro, of Y_2O_3-stabilized ZrO_2 (4) 675
Alloys,
12 mol% CeO_2-ZrO_2, metastability of martensitic transformation in (1) 90
metastability of martensitic transformation in (8) 1358
Al, role of CeO_2 in enhancing resistance of aluminosilicate refractories to (6) 896
Aluminum,
AlN, disorder in (9) 1730
effect of CaO on strength and toughness of (3) 469
effect of additives on pressureless sintering of (8) 1488
sintering, with Eu_2O_3 additives (8) 1409
stabilization of cubic ZrO_2 by (8) 1567
substrate, characterization of AlN-W interface (4) 612
thermal conversion of precursors to (8) 1503
oxycarbide, behavior in system Al_2O_3-Al_4C_3 with AlN additive (9) 1704
Aluminum oxide,
α-, boehmite-derived on hematite, solid-phase epitaxy of (5) 864
α-, lattice diffusion kinetics (11) 2159
and Al_2O_3-ZrO_2 composites, slip casting of (8) 1511
Mg- or Ti-doped crystals, oxygen self-diffusion in (7) 1153
-SiC composites, strength at high temperature (7) 1233
-SiC-whisker composites, hot isostatic pressing (8) 1436
mechanical properties (10) 1880
-SiO_2 xerogels, thermal behavior during calcination (11) 2208
ZrO_2-toughened, particle interactions in (7) 1256
abrasive wear, grain-size and *R*-curve effects in (7) 1249
composites, effect of SiO_2 and processing on toughness (7) 1252
containing liquid phase, role of MgO in sintering (7) 1241
crack propagation, fatigue, under tension-compression loading (2) 348
crack-resistance, cyclic fatigue behavior (9) 1760
dispersions, aqueous, effect of powder surface chemistry on stability of (4) 625
grain growth, and microstructure, effects of chemical inhomogeneities (1) 130
high-purity, high-density, predicting grain-size distributions in (1) 33
microcrystalline formation by treatment of gibbsite (2) 352
monolith, formation by flocculation of boehmite sols (9) 1719
presintered, grain growth during hot isostatic pressing (7) 1239
in rutile, NMR study (11) 2198
shock-loaded, plasticity and microcracking in (6) 971
sintered, liquid-phase, effect of heat treatment on *R* curves (4) 677
slurries, slip casting, effect of dispersants on rheology (9) 1622
structure, electronic, effect of residual strain (6) 990
textured, crack growth resistance of (1) 20
Analysis,
^{27}Al NMR, of cement hydration (11) 2136
NMR, ^{29}Si, of calcium silicate hydrates (4) 665
of Al in rutile (11) 2198
electron microscopy, of system AlN-ZrO_2 (8) 1453
fractographic, of crack propagation in TiB_2-AlN composites (1) 116
fracture, of chemically strengthened glass disks (7) 1162
ion mass spectrometric, of K_2O-CaO-SiO_2 glasses leached in HCl and H_2SO_4 (9) 1713
microstructural, of interfacial zone of SiC-fiber-reinforced lithium aluminum silicate glass-ceramics (5) 741
quantitative, of brittle fracture surfaces using fractal geometry (1) 60
strength, of chemically strengthened glass disk (5) 859
thermal, of binder distribution in greenware during thermolysis (7) 1192
ultrasonic, of sintered SiC (3) 383
Analyzers,
thermomechanical, viscosity measurements with (7) 1265
Anisotropy,
elastic, in Mg-ZrO_2 (8) 1530
of ionic conductivity, in deformed Y_2O_3-stabilized ZrO_2/Al_2O_3 composites (7) 1279
Annealing,
Sn-doped In_2O_3 films, effect on microstructure and properties (4) 698
Apatite,
hydroxy-, by hot isostatic pressing of filter cake (8) 1476
Archeology,
baths of Western France, calcium hydrosilicate in mortars and concretes from (6) 1026
Atmosphere,
dilute Cl, structural changes in ZrO_2 in (9) 1664
nitrogen, combustion synthesis of SiC in (9) 1735
Barium,
ferrite, preparation and properties (8) 1328
Barium titanate,
and LiF, wetting reaction between (9) 1709
barium titanyl oxalate tetrahydrate, preparation of (10) 1899
capacitors, circuit model in (10) 1967
compacts, green, effect of powder processing on (1) 142
crystal structure, dependence on particle size (8) 1555
densification, by grain growth (2) 341
microstructure and dielectric properties, effect of ZrO_2 on (4) 605
semiconductor, laser preparation (12) 2367
updoped, reduced, PTCR effect in (1) 148
Binders,
RVB-DBP, capillary migration of (6) 1087
burnout, bubble formation during (6) 1082
distribution, in greenware during thermolysis (7) 1192
evolution, from powder compacts (10) 1797
Bismuth,
-rich phases in ZnO, effect of heat treatments on wetting of (4) 642
Boehmite,
hydrogel, effect of ionic strength on formation (6) 980
sols, formation of Al_2O_3 monolith by flocculation of (9) 1719
Bonding,
Cu to Al_2O_3, role of oxygen (8) 1322
ZrO_2, with lathanum chromite, by cofiring (2) 308
de-, properties of residually stressed brittle-matrix composites (5) 746
interfacial, in SiC-filament-reinforced composites (10) 1891
matrix, effect on creep of C-C composites (1) 54
Borides,
TiB_2, effect of Fe and B_4C on densification and mechanical properties (10) 1868
Boron,
amorphous BN, synthesis by pyrolysis of borazine (1) 66
fibers, SiC-coated (7) 1259
Brittle materials,
fracture, under simulated wear-stress (11) 2117
strength distribution, effect of surface stress on (10) 1885
testing, ball-on-ring (8) 1538
Bronze,
NaTi, synthesis and crystallography (3) 510
Bubbles,
formation, during binder burnout (6) 1082
Calcination,
of Al_2O_3-SiO_2 xerogels, thermal behavior during (11) 2208
Capacitors,
actuators, electrostrictive, designing for reliability of (12) 2246
ceramic, application of semiconductor reliability methods to (12) 2223
mechanically related failures of (12) 2258
chip, plating process variables (12) 2279
doped alkaline-earth titanates, boundary conditions for resistance degradation (12) 2234
grain-boundary barrier layer, circuit model in (10) 1967
multilayer, causes of delaminations in (12) 2287
microstructure of ceramics used in (12) 2271
thermal-shock-cracked, fractography of (12) 2241
resonances in, use for nondestructive testing (12) 2282
surface mount, cracking of (12) 2292
varistor (7) 1274
Carbides,
B_4C, microstructural coarsening during sintering (6) 958
WC, thermal expansion at low temperatures (3) 515
molybdenum oxy- and tungsten oxy-, coatings on SiC fibers (8) 1523
Carbon,
CO decomposition, in refractories, mechanism of Fe catalysis of (1) 110
+SiO_2 reaction, stoichiometry of (1) 122
-containing phase, formation in $YBa_2Cu_3O_{6+x}$ during annealing (10) 1997
inclusions, in sintered SiC (9) 1741
Castables,
refractory, phosphate-bonded, from dolomitic-magnesite clinkers (9) 1698
Casting,
slip, of Al_2O_3 and Al_2O_3-ZrO_2 composites (8) 1511
of Al_2O_3, effect of dispersants on rheology (9) 1622
of SiC-whisker-reinforced Si_3N_4 (5) 765
tape, of $Bi_4Ti_3O_{12}$, particle orientation during (2) 289
Catalysis,
Al_2O_3-MgO-NiO-Ni, synthesis and characterization (4) 683
Fe, for CO decomposition in refractories, mechanism (1) 110
Cements,
C_3S, effects of particle size distribution on hydration (10) 1829
hydration, ^{27}Al NMR study (11) 2136
modern, ancient analogues of (6) 1026
ordinary portland and ordinary portland-pulverized fuel ash pastes, electron microscopy of (6) 1037
paste, hardened, microstructural aspects of fracture (12) 2295
portland, particle size distribution and rate of strength development (2) 197
Ceramic materials,
ZnS, deformation of (10) 1792
ground, effect of residual stresses on fracture (10) 1960
laser-surface-modified, improvement of fracture strength in (7) 1185
light-colored, decoration of open pore networks in (7) 1292
liquid-phase sintered, gas diffusion during hot isostatic pressing (6) 1011
open cell, evaluation of strut strength (6) 885
sintering, at very low tempseratures (11) 2176
spraying of, rf plasma (11) 2111
Ceramic-metal systems,
composites, B_4C-Al, processing (5) 775
Cerium,
CeO_2, role in enhancing resistance of aluminosilicate refractories to attack by Al alloys (6) 896
Cesium,
incorporation, by hydrating calcium aluminosilicates (10) 1938
Chemistry,
crystal, of system Ba-Sr-Y-Cu-O (3) 395
decomposition, of tetraethoxysilane (9) 1615
defect, of relaxor ferroelectrics, implication for dielectric degradation (12) 2276
reaction, of allotropes of GeO_2 (8) 1430
surface, of ultrafine SiC (9) 1692
Chromium,
Cr_2O_3, effect of TiO_2 on sintering and electrical conductivity (3) 400
Coatings,
Ni, electrolessly deposited on PZT, adhesion of (6) 890
SiC, B fibers with (7) 1259
SiO_2-gel, Vickers crack nucleation of glass sheets with (12) 2388
ZrO_2, on stainless steel (8) 1465
density determination, by X-ray (7) 1170
diamond-ceramic (2) 171
dysprosia, plasma-sprayed, study of (10) 2023
lead scandium tantalate, characterization of (10) 2008
molybdenum oxycarbide and tungsten oxycarbide, on SiC fibers (8) 1523
plating, of chip capacitors, process variables (12) 2279
porous, for low-density refractory insulation (6) 1003
superconducting, on metal substrates, by electrophoresis (9) 1733
thermal barrier, ZrO_2-8 wt% Y_2O_3/Ni-22Cr-10Al-1Y, degradation mechanisms of (2) 212
Cobalt,
CoO, defect structure (7) 1199; (7) 1207; (7) 1215
Colloids,
dilute, nucleation of flocs in (11) 2148
Combustion,
synthesis, of system Ti-Al-B (6) 1047

Compaction,
shock, of diamond using additives (5) 837
Compacts,
$BaTiO_3$ green, effect of powder processing (1) 142
powder, binder evolution from (10) 1797
glass, shear and densification of (5) 798
Composites,
Al_2O_3, effect of SiO_2 and processing on toughness (7) 1252
Al_2O_3 and Al_2O_3-ZrO_2, slip casting of (8) 1511
Al_2O_3-30 vol% glass matrix, whisker-reinforced, mechanical properties and microstructure (9) 1636
Al_2O_3-SiC, failure under cyclic load (7) 1233
Al_2O_3-SiC-whisker, hot isostatic pressing (8) 1436
mechanical properties (10) 1880
Al_2O_3-TiC, pressureless sintering of (8) 1333
B_4C-Al, processing (5) 775
C-C, effect of matrix bonding on creep (1) 54
Ce-TZP-Al_2O_3, postsintering hot isostatic pressing in Ar-O_2 gas atmosphere (5) 761
PZT-polymer, effect of microstructure on dielectric and piezoelectric propertie Cr_2O_3, effect of TiO_2 on sintering and electrical conductivity (3) 400
Si_3N_4 matrix, SiC-whisker stability during processing (4) 628
Si_3N_4-whisker-reinforced Na_2O-borosilicate glass matrix, thermal expansion behavior (6) 1092
SiC-fiber/Si_3N_4, measurement of interfacial shear strength (10) 2017
SiC filament-reinforced ceramic- and glass-matrix, interfacial bonding and friction in (10) 1891
SiC matrix, CVD of (3) 478
SiC particles in Si_3N_4 (11) 2071
SiC-whisker-reinforced Si_3N_4, mechanical properties (8) 1461
slip casting of (5) 765
spherical-impact damage and strength degradation in (5) 791
SiC-whisker-reinforced Si_3N_4 or SiC (4) 551
SiC-whisker-reinforced SiO_2-based, sol-gel processing of (12) 2381
SiC-Al_2O_3, thermal strains in, effect of temperature and whisker volume (2) 312
SiC-reinforced Al_2O_3, micromechanical stresses in (1) 70
TiB_2-AlN, crack propagation, fractography of (1) 116
WC-Co, electrical discharge machining of (8) 1396
Y-TZP/mullite, microstructure and fracture toughness (12) 2369
(Y)ZrO_2-Al_2O_3 and (Y)ZrO_2-Al_2O_3-(Ti or Si)C, properties of (2) 236
ZrO_2-Al_2O_3, Y_2O_3-stabilized, deformed, anisotropic ionic conductivity in (7) 1279
ZrO_2-toughened Al_2O_3, sol-gel-derived, low-temperature sintering of (1) 40
brittle-matrix, effect of crack velocity on crack resistance (5) 818
interface debonding and fiber cracking in (12) 2300
residually stressed, debonding properties of (5) 746
ceramic, modeling of chemical vapor infiltration in fabrication (3) 414
ceramic matrix-ceramic whisker, whisker percolation in (2) 303
fiber-reinforced, fracture under shear loading (7) 1175
fiber-reinforced ceramic-matrix, fiber-matrix interfacial characteristics (9) 1764
metal particulate/glass matrix, effect of heat treatment on fracture strength (11) 2094
mollusk shell, microstructure and mechanical properties (11) 2177
mullite-SiC, microstructure and mechanical properties (6) 1049
nicalon fiber-SiC matrix, strength distribution of fibers (3) 455
piezoelectric, coprecipitated lead titanate-epoxy 0-3, poling of (6) 986
poled by corona discharge (2) 322
powder, Al_2O_3-SiC, densification of (6) 948; (6) 954
stress transfer, elastic, effect of aspect ratios of ellipsoidal inclusions (2) 344
superconductor-polymer, preparation of (7) 1247
unidirectional, concentric cylinders for (10) 1844
whisker-reinforced, hot-pressed, crack deflection process for (4) 559
Compounds,
K_2NiF_4 and perovskite, thermodynamic regularities in (1) 152
$TaVO_5$, preparation of (10) 1914
Compression,
prior, tensile strength degradation from (3) 502
Conductivity, electrical,
of Cr_2O_3, effect of TiO_2 (3) 400
anisotropic, in quartz during γ-radiation (7) 1289
in magnesium phosphate glasses, containing heavy water (2) 294
Conductivity, ionic,
of Y-PSZ (8) 1500
anisotropic, in deformed Y_2O_3-stabilized ZrO_2/Al_2O_3 composites (7) 1279
of solid solutions, MO_2 (M = Hf^{4+}, Zr^{4+}, Ce^{4+}, Th^{4+}, U^{4+}) (8) 1415
Conductivity, thermal,
of AlN, effects of oxygen removal (11) 2032
Copper,
bonding to Al_2O_3, role of oxygen (8) 1322
cuprate superconductors, issues in processing (7) 1103
glazes, chemical states of Cu and Sn (1) 16
Cordierite,
mullite- ceramics, microstructure of (7) 1295
Corrosion,
rate, in ceramics, electrochemical techniques for determining (5) 780
water, of $YBa_2Cu_3O_{7-\delta}$ (10) 2020
Cracking,
of capacitors, surface mount (12) 2292
environmentally enhanced, of GaAs (11) 2193
fiber, in brittle matrix composites (12) 2300
micro-, electrically induced in ferroelectric ceramics, grain-size dependence (2) 327
in shock-loaded Al_2O_3 (6) 971
Cracks,
Weibull density coefficient, for polydimensional stress states (3) 506
bridging, by ductile particles, toughening ceramics through (2) 262
closure, in fluoride glass (3) 474
deflection, process for hot-pressed whisker-reinforced composites (4) 559
in glass, healing in humid environment (11) 2189
growth, in ferrites, effect of crack-interface bridging (7) 1179
resistance of textured Al_2O_3 to (1) 20
growth resistance, in Ce-PSZ (6) 921
propagation, in Al_2O_3 under tension-compression loading (2) 348
in TiB_2-AlN composites, fractography of (1) 116
application of dimensionless load-displacement relation to (3) 388
-resistance curves, in Al_2O_3, effect of heat treatment (4) 677
stability, of PSZ (7) 1158
subcritical, growth in glass, effect of surface forces (2) 248
velocity, effect on crack resistance of brittle-matrix composites (5) 818
Creep,
of composites, C-C, effect of matrix bonding (1) 54
damage, effect on tensile creep behavior of siliconized SiC (1) 49
tensile, testing for (9) 1610
Cristobalite,
β-, chemical stabilization of (3) 441
Crystalline materials,
fracture toughness, in combined mode I and mode II loading (1) 78
Crystallization,
of glasses, $Li_2O{\cdot}Al_2O_3{\cdot}6SiO_2$, effect of TiO_2 and Ta_2O_5 nucleating agents (12) 2334
MgO-Li_2O-Al_2O_3-SiO_2, effect of SiC addition (7) 1270
at constant heating rates (8) 1564
effect of heating rate (12) 2361
titanosilicate, for nuclear wastes (4) 579
grain-boundary phase, of Si_3N_4 (10) 2014
Crystallography,
of NaTi bronze (3) 510
Crystals,
Mg- or Ti-doped Al_2O_3, oxygen self-diffusion in (7) 1153
MgO, comparison of sizes (8) 1514
MgO-$2.9Al_2O_3$, dislocation-induced softening of (2) 306
Si, CVD, oxidation of (7) 1118
SiC, derived from β-SiC powder (11) 2211
SiC whiskers, characterization of (10) 1907
Y-PSZ, ionic conductivity of (8) 1500
ZrO_2, tetragonal single, ferroelastic domain switching in (11) 2098
hematite, epitaxy of α-Al_2O_3 on (5) 864
whisker percolation, in ceramic matrix-ceramic whisker composites (2) 303
whiskers, TiN, formation of (4) 587
Decomposition,
chemistry, of tetraethoxysilane (9) 1615
evaporative, preparation of cobalt-molybdenum oxides by (10) 1811
Decoration,
of dislocations, by precipitation of Al_2O_3 in $MgO{\cdot}2.9Al_2O_3$ (8) 1449
of pore networks, in light-colored ceramics (7) 1292
Defects,
fracture, of sintered SiC (4) 688
inclusions, ellipsoidal, effect of aspect ratios on elastic stress transfer of composites (2) 344
in solid solutions, CeO_2-La_2O_3, electric relaxation study (8) 1447
structure, of cobalt monoxide (7) 1199; (7) 1207; (7) 1215
surface, in polished Si (7) 1136
Deformation,
of Y-TZP, grain growth during (8) 1469
of superconductors, $YBa_2Cu_3O_{7-\delta}$, effects of temperature and strain rate (1) 137
superplastic, of ZnS (10) 1792
Densification,
of PLZT, effect of excess PbO (5) 833
of TiB_2, effect of Fe and B_4C (10) 1868
of ZnO-$Zn_7Sb_2O_{12}$, effect of inclusion size (1) 140
behavior, of reaction-bonded Si_3N_4 during postsintering with increased nitrogen (12) 2314
of compacts, glass powder (5) 798
of composites, Al_2O_3-SiC powder (6) 948; (6) 954
during hot isostatic pressing of $YBa_2Cu_3O_{7-\delta}$, effect of oxygen loss (8) 1508
promotion, by grain growth (2) 341
retrograde, in $Bi_2Sr_2CaCu_2O_8$ superconductors (12) 2346
thermodynamics of (5) 725; (5) 735
Density,
of coatings, determination by X-ray (7) 1170
in systems, SiO_2-Al_2O_3 gel (12) 2354
Deposition,
CVD, of Si cladding on advanced ceramics (9) 1747
of SiC matrix composites (3) 478
Design,
of actuators, electrostrictive (12) 2246
Diagrams,
Bi-Sr-Cu-O, subsolidus and without lithium carbonate (5) 849
chemical potential, for metal-metal-nonmetal systems (11) 2104
phase, for system $YO_{1.5}$-BaO-CuO_x, calculation of (2) 314
Diamonds,
-ceramic coating, of the future (2) 171
shock compaction, using additives (5) 837
Dielectric materials,
$A(B'_{1/2}B''_{1/2})O_3$, microwave characteristics (10) 1955
$BaTi_4O_9$, processing and characterization (11) 2154
La/Na-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$, ordering structure and properties (4) 593
$Sr(Fe_{1-x}Ti_x)O_{3-\delta}$, conductivity in (8) 1444
mixed-sintering, effect of MnO_2 additive on dielectric properties (8) 1532
perovskite, two-mode behavior in (1) 158
solid-solution systems, $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$, behavior in microwave region (3) 481
Dielectric properties,
of $Ba_{1-x}La_xTi_{1-x}Ni_xO_3$ (8) 1520
of $BaTi_4O_9$ (11) 2154
of $BaTiO_3$, effect of ZrO_2 (4) 605
of La/Na-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ (4) 593
of cadmium niobate (4) 637
of composites, PZT-polymer, effect of microstructure (6) 938
of glasses, microporous, in microwave region (6) 916
of lead zirconate-lead zinc niobate (6) 1016
microwave characteristics, of $A(B'_{1/2}B''_{1/2})O_3$ (10) 1955
of mixed-sintering ceramics, effect of MnO_2 additive (8) 1532
response, in lead magnesium niobate-lead-titanate and lead lantharum zirconate (4) 599
of solid solution systems, $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$, in microwave region (3) 481
Diffusion,
MoO_3, in aluminosilicate glass (6) 1091
of V, Ni, and Ag, in lead magnesium niobate (5) 770
cation, in Y_2O_3-ZrO_2-HfO_2 solid solutions (11) 2121
gas, during containerless hot isostatic pressing (6) 1011
oxygen self-, in Mg- or Ti-doped Al_2O_3 crystals (7) 1153
by site-interchange, criteria for (7) 1277
temperature-gradient-driven, in rapid sintering (6) 1080
of water, into SiO_2 glass at low temperature (10) 1850
Dislocations,
decoration of, by precipitation of Al_2O_3 in $MgO{\cdot}2.9Al_2O_3$ (8) 1449
-induced softening, of $MgO{\cdot}2.9Al_2O_3$ crystals (2) 306
Dispersion,
Al_2O_3, aqueous, effect of powder surface chemistry on stability (4) 625
of Y_2O_3, in Si_3N_4 (3) 495
Dolomite,
-magnesite clinkers, phosphate-bonded castables from (9) 1698
Dopants,
in $YBa_2Cu_3O_{7-\delta}$, solution-soaking method for adding (12) 2386
$YO_{1.5}$, effect on unit-cell parameters of ZrO_2 at low $YO_{1.5}$ content (4) 662
Drying,
behavior, of SiO_2 gel (10) 1816
spray, of powders (4) 617
Dysprosia,
Dy_2O_3, coatings, study of (10) 2033
Elasticity,
of glasses, alkali phosphomolybdate (4) 553
visco-, in phosphate glass-metal seal (6) 929
Electrical conductivity,
of systems, CdO-Sb_2O_5 (12) 2377
Electrical properties,
of Er-TZP (11) 2088
conduction behavior, of chromium oxide, effect of volatilization (8) 1382
ionic resistivity, in fused SiO_2 (5) 843
pyro-, of cadmium niobate (4) 637
of sensors, porous TiO_2 humidity (8) 1472
Electronic equipment,
with capacitor and varistor functions (7) 1274
Electronic properties,
of PZT, solid-solution systems (7) 1140
of PZT5A (5) 785
conductivity, in $Sr(Fe_{1-x}Ti_x)O_{3-\delta}$ (8) 1444
Electronics,
actuators, electrostrictive, designing for reliability of (12) 2246
capacitors, mechanically related failure of (12) 2258
multilayer chip, plating process variables (12) 2279
multilayer, electrode-based causes of delaminations in (12) 2287
coaxial lines, containing superconducting centers (4) 704

interfaces, Au-AlN and Au-SiC, characterization of (11) 2084
substrates, sintered, characterization of materials (10) 1861
Energy,
changes, during reaction of glass powders with aqueous media (9) 1744
solution, of fission products of UO_2 (10) 1856
Epitaxy,
solid phase, of boehmite-derived α-Al_2O_3 on hematite crystals (5) 864
Equilibrium,
of gases, in E-glass melts (9) 1680
phase, in system Ba-Sr-Y-Cu-O (3) 395
Expansion,
thermal, of Al_2TiO_5, relation to grain size (12) 2361
Fatigue,
behavior, of sintered Si_3N_4 (8) 1338
cracking, in Al_2O_3 under tension-compression loading (2) 348
cyclic, behavior of crack-resistant Al_2O_3 (9) 1760
Ferrites,
Ba, preparation and properties (8) 1328
La^{3+}-doped M-type Ca, prepared by coprecipitation (12) 2304
MnZn, reactions at interface of SiO_2-PbO glass with (8) 1351
crack growth, effect of crack-interface bridging (7) 1179
ultrafine grain, synthesis of (10) 1789
Ferroelectric materials,
PZT stannate, modified, antiferroelectric-to-ferroelectric switching in (4) 571
lead magnesium niobate-lead titanate and lead lanthanum zirconate, electrostrictive and dielectric response in (4) 599
microcracking in, electrically induced, grain-size dependence (2) 327
Ferroelectricity,
properties, of tungsten bronze morphotropic phase boundary systems (2) 202
Fiber optics,
high-strength, prooftester for (4) 702
Fibers,
SiC, thermal stability, pressure effects on (2) 192
boron, SiC-coated (7) 1259
ceramic, strengths at elevated temperatures (2) 284
in composites, Nicalon fiber/SiC matrix, strength distribution of (3) 455
lithium niobate, sol-gel preparation (4) 707
Filaments,
SiC, CVD, thermomechanical properties (10) 1993
relaxor, defect chemistry, implication for dielectric degradation (12) 2376
Films,
Bi-Sr-Ca-Cu-O, doping of Pb ions into (11) 2201
preparation by sputtering (4) 680
$Cd_{1-x}Zn_xS$, sintered with $CdCl_2$, microstructure and optical properties (11) 2131
$PbTiO_3$, synthesis and microstructure (8) 1495
PZT, electrooptic effects and photosensitivities (11) 2059
Sn-doped In_2O_3, effect of annealing on properties (4) 698
metal-ceramic and metal-glass, flaw generation during sintering (9) 1649
proton-conducting, containing dodecamolybdophosphoric acid, sol-gel preparation (3) 484
superconducting, B1-type $Mo_{1-x}Nb_xN$, preparation and properties (12) 2310
Firing,
Si_3N_4, Y_2O_3-Nd_2O_3-doped, change in oxygen content during (12) 2359
co-, bonding ZrO_2 with lanthanum chromite by (2) 308
Fluorides,
LiF, wetting reaction with $BaTiO_3$ (9) 1709
Zr, reaction with ammonium bifluoride (8) 1441
synthesis for glass fibers (8) 1368
glass, low-temperature crack closure in (3) 474
Fluorine,
retention, in SiO_2 gels and glasses (7) 1229
Formation,
of AlN, from AlCl, (10) 1804
of ZrO_2 titanates, from alkoxides (6) 1065
glass, in system SiO_2-PbO containing transition-metal oxides (1) 163
of mullite, from pyrophyllite (1) 154
of whiskers, TiN (4) 587
Fracture,
Weibull density coefficient, for stress states (3) 506
analysis, of chemically strengthened glass disks (7) 1162
behavior, of open-cell ceramics (7) 1145
brittle, analysis using fractal geometry (1) 60
of brittle materials, under simulated wear-stress (11) 2117
in composites, fiber-reinforced (7) 1175
environmentally enhanced, of GaAs (11) 2193
of ground ceramics, effect of residual stresses (10) 1960
of pastes, hardened cement, microstructural aspects (12) 2295
resistance, of sintered α-SiC and high temperatures (2) 242
strength, in laser-surface-modified ceramics, improvement of (7) 1185
testing, preparation of specimens for (11) 2196
toughness, of Y_2O_3-doped ZrO_2, effect on wear resistance (2) 252
indentation, of sintered SiC (6) 904
of polycrystalline ceramics (1) 78
Friction,
interfacial, in SiC filament-reinforced composites (10) 1891
Furnaces,
corroding sidewall, analysis of heat transfer in (12) 2325
melting, for synthesis of ZrF_4-based fluoride glass (3) 492
Gallium,
GaAs, environmentally enhanced fracture of (11) 2193
Garnets,
GGG, preparation of (8) 1376
uvarovite, synthesis of (1) 160
Gels,
Al_2O_3-SiO_2 xero-, thermal behavior during calcination (11) 2208
SiO_2, drying behavior (10) 1816
retention of F in (7) 1229
glass-forming, thermal evolution of (6) 1066
hybrid, for homoepitactic of mullite (9) 1725
Germanium,
GeO_2, allotropes, reaction chemistry of (8) 1430
Gibbsite,
glycothermal treatment of, for formation of α-Al_2O_3 (2) 352
Glass,
$20Li_4SiO_4$·$80Li_2WO_4$, rapidly quenched, structureof (8) 1524
K_2O-CaO-SiO_2, leached in H_2SO_4 and HCl (9) 1713
Li_2O·Al_2O_3·$6SiO_2$, effect of TiO_2 and Ta_2O_5 on crystallization (12) 2334
MgO-Li_2O-Al_2O_3-SiO_2, effect of SiC additions on crystallization (7) 1270
Na_2O germanate, temperature dependence of IR absorption spectra of hydroxyl groups (1) 44
Na_2O-CaO, strengthening by aging (10) 1837
SiO_2, diffusion of water into at low temperature (10) 1850
SiO_2-PbO, reactions at interface with manganese zinc ferrite (8) 1351
ZBLAN, nucleation in (10) 1991
ZrF_4-based fluoride, melting apparatus for synthesis of (3) 492
alkali phosphomolybdate, elastic properties (4) 553
aluminosilicate, MoO_2 diffusion in (6) 1091
borosilicate, containing radioactive wastes, volatilization of Cs and Ru from (8) 1436
bottles, fragmentation by impact (6) 1060
calcium alumino/galliosilicate, mixed intermediate effect in (9) 1751
crack growth, subcritical, effect of surface forces (2) 248
disks, chemically strengthened, fracture analysis (7) 1162
chemically strengthened, strength analysis of (5) 859
fluoride, low-temperature crack closure in (3) 474
-forming gels, thermal evolution of (6) 1066
-forming region, of ZrF_4-based system, extension by quenching (8) 1506
grain-boundary, changes in β-Si_3N_4 grains upon crystallizing in (10) 1931
halide, structure and properties (11) 2065
healing, in humid environments (11) 2189
hydrated sodium silicate, IR spectra (11) 2173
lead borosilicate, solubility of RuO_2 in (9) 1755
magnesium phosphate, containing heavy water, electrical conduction in (2) 294
microporous, dielectric properties in microwave region (6) 916
nuclear waste, determination of Fe^{2+}/Fe^{3+} ratio in (6) 943
nuclear waste GP 98/12, Na diffusion in (1) 146
oxynitride, prepared from potassium metaphosphate, properties (9) 1601
phase, in system Al_2O_3-SiO_2 (2) 357
phase-separated, anomalous birefringence in (11) 2078
as photonic materials, nonlinear (5) 719
powders, energy changes during reactions with aqueous media (9) 1744
sheets, coated by SiO_2-gel layers, Vickers crack nucleation of (12) 2388
sintering and crystallization, at constant heating rates (8) 1564
effect of heating rate (12) 2361
systems, SiO_2-PbO containing transition-metal oxides, glass formation in (1) 163
ZrF_4-based, extension of glass-forming region by quenching (8) 1506
tempered, residual stresses in, crack branching data for measuring (9) 1584
titanosilicate, for nuclear wastes, crystallization of (4) 579
Glass-ceramics,
β-spodumene, sinterable (10) 1873
CaO-Al_2O_3-Y_2O_3-SiO_2, machinable (6) 1024
La-Ti-V-O, porous, humidity-sensitive properties (3) 436
SiC-fiber-reinforced lithium aluminum silicate, effect of interface mechanical properties on pullout (4) 525
interface zone, microstructural studies (5) 741
calcium phosphate, void-free, preparation of (8) 1499
systems, CaO-TiO_2-P_2O_5, porous (9) 1587
Glass fibers,
Se, As_2S_3, As_2Se_3, and $Ge_{28}As_{12}Se_{60}$, tensile strength (8) 1491
fluoride, with improved strength (10) 1980
synthesis of zirconium fluoride for (8) 1368
lithium niobate, sol-gel preparation of (4) 707
yttrium-silicon-aluminum oxynitride (11) 2183
Glazes,
Cu, chemical states of Cu and Sn (1) 16
Gold,
-AlN and -SiC interfaces, characterization of (11) 2084
Grain growth,
of Al_2O_3, during hot isostatic pressing (7) 1239
effect of chemical inhomogeneities (1) 130
in SiC (3) 517
in Y-TZP, during plastic deformation (8) 1469
in ZnO, with barium oxide addition (6) 1070
abnormal, in pore elimination during sintering, thermodynamic benefit (8) 1536
grain-size distribution, in high-density, high-purity Al_2O_3 (1) 33
promotion of densification by (2) 341
Grinding (comminution),
RPO_4·$2H_2O$ (R = Dy, Y, Er, or Yb), effect on mechanochemical properties (6) 1073
Hardness,
micro-, of mullite (9) 1739
of magnesium aluminate spinel, ion-irradiated (8) 1343
of yttrium oxide, effect of nonstoichiometry (8) 1562
Heat,
thermal evolution, of glass-forming gels (6) 1066
transfer, in corroding sidewall of furnace (12) 2325
treatment, effect on crack-resistance curves in Al_2O_3 (4) 677
of metal particulate/glass matrix composites, effect on fracture toughness (11) 2094
Humidity,
-sensitive properties, of La-Ti-V-O porous glass-ceramics (3) 436
Hydrates,
calcium silicate, solubility in alkaline solutions (4) 646
Hydration,
of C_3S, effects of particle size distribution (10) 1829
of calcium aluminosilicates, incorporation of Cs by (10) 1938
of cement, ^{27}Al NMR study (11) 2136
Hydrogen,
microstructural development of ZnO in (2) 297
Impact,
damage, in Si_3N_4, for turbocharger rotors (8) 1422
in SiC whisker/Si_3N_4 composites (5) 791
fragmentation of glass bottles by (6) 1060
Impurities,
in combustion sintering, of TiC (4) 655
Infiltration
chemical vapor, for fabrication of composites, model of (3) 414
Infrared,
absorption spectra, of hydroxyl groups in Na_2O germanate glasses, temperature dependence (1) 44
spectra, of hydrated sodium silicate glass (11) 2173
Instruments,
prooftester, for optical fibers (4) 702
Insulation, thermal,
refractory, low-density, porous coating for (6) 1003
Interfaces,
AlN-W, in AlN substrate, characterization of (4) 612
Au-AlN and Au-SiC, characterization of (11) 2084
of SiC-fiber-reinforced lithium aluminum silicate glass-ceramics, microstructural studies (5) 741
characterization, of Si_3N_4 powders (1) 103
debonding, in brittle matrix composites (12) 2300
fiber-matrix, in fiber-reinforced ceramic-matrix composite (9) 1764
mechanical properties, effect on pullout in SiC-fiber-reinforced lithium aluminum silicate glass-ceramics (4) 525
Ions,
Pb, doping into Bi-Sr-Ca-Cu-O films (11) 2201
cation exchange, in substituted tobermorites (9) 1668
Iron,
Fe^{2+}/Fe^{3+} ratio, in nuclear waste glasses, determination of (6) 943
Joints,
Si_3N_4 metal, Ag- and Cu-based brazing filler metals for, oxidation behavior (3) 448
tests for, small-specimen double-cantilever beam (4) 710
Kaolinite,
-to-mullite series, spinel formation during reactions in—comment (8) 1569
spinel formation during reactions in—reply (8) 1571
Kinetics,
of combustion synthesis, in systems Ti-C and Ti-C-Ni (12) 2318
lattice diffusion, of undoped and impurity-doped sapphire (11) 2159
Lanthanum,
$La_2Sn_2O_7$ and $La_2Ti_2O_7$, structure of precursors to (3) 426
Lasers,
excimer, preparation of semiconducting $BaTiO_3$ by (12) 2367
Leaching,
of glasses, K_2O-CaO-SiO_2, in HCl and H_2SO_4 (9) 1713
Lead,
PbO, excess, effect on densification of PLZT (5) 833
-based piezoelectric ceramics, sintering of (3) 486
Liquids,
fluid technologies, supercritical (6) 871
Machining,
electrical discharge, of tungsten carbide-cobalt composites (8) 1396
Magnesium,
-ZrO_2, reversible transformation and elastic anisotropy in (8) 1530
Magnesium oxide,
·$2.9Al_2O_3$ crystals, dislocation-induced softening of (2) 306

crystals, comparison of sizes (8) 1514
role in sintering, of Al_2O_3 containing liquid phase (7) 1241
structure, electronic, effect of residual strain (6) 990
Magnetic materials,
barium ferrite, preparation and properties (8) 1328
Magnetism,
levitation, type II, on sintered-forged $YBa_2Cu_3O_x$ (5) 846
Materials,
photonic, nonlinear, gasses as (5) 719
Materials, engineering,
SiO_2, dense vitreous, sintering (3) 432
ZrO_2-Al_2O_3, strengthening during fatigue testing (10) 1988
cladding on, Si, CVD of (9) 1747
composites, Al_2O_3-SiC powder, densification of (6) 948; (6) 954
SiC-whisker-reinforced Si_3N_4 or SiC (4) 551
(Y)ZrO_2-Al_2O_3 and (Y)ZrO_2-Al_2O_3-(Ti or Si)C (2) 236
corrosion rate, electrochemical techniques for determining (5) 780
fibers, strengths at elevated temperatures (2) 284
open-cell, evaluation of strut strength (6) 885
powders, non-oxide, reactive-electrode process for (2) 354
ring/cylinder, wear performance (4) 691
valves, engine (7) 1261
Measurements,
of interfacial shear strength, of SiC-fiber/Si_3N_4 composites (10) 2017
Mechanical properties,
of Er-TZP (11) 2088
K_{1C} determination, test (6) 1033
of MgO-partially-stabilized ZrO_2, changes at low temperatures (2) 218
of TiB_2, effect of Fe and B_4C (10) 1868
of composites, Al_2O_3-SiC whisker (10) 1880
Si_3N_4-SiC-whisker (8) 1461
mullite-SiC (6) 1049
whisker-reinforced Al_2O_3-30 vol% glass matrix (9) 1636
crack propagation, application of dimensionless load-displacement relation to (3) 388
interface, effect on pullout in SiC-fiber-reinforced lithium aluminum silicate glass-ceramics (4) 525
of lithium orthosilicate, polycrystalline (9) 1643
of mollusk shell (11) 2177
strength, tensile, degradation from prior compression (3) 502
thermo-, of CVD SiC filaments (10) 1993
of β-sialon synthesized from kaolin (8) 1458
Melts,
E-glass, equilibrium and transport properties of gases in (9) 1680
Membranes,
TiO_2 and ZrO_2 (2) 257
Metals,
Ag- and Cu-based brazing filler, for Si_3N_4 metal joints, oxidation behavior (3) 448
V, Ni, Ag, diffusion in lead magnesium niobate (5) 770
substrates, superconductor coating on (9) 1733
Microscopy,
TEM, of surface defects in polished Si (7) 1136
electron, of portland cement and portland cement-pulverized fuel ash pastes (6) 1037
of stacking faults in β-SiC (10) 1985
Migration,
capillary, RVB-DBP binder (6) 1087
grain-boundary, in nonstoichiometric solid solution of magnesium aluminate spinel (2) 271
Models,
analytical, for fabrication of composites by chemical vapor infiltration (3) 414
equivalent circuit, of grain-boundary barrier layer capacitors (10) 1967
three-parameter, for estimating viscosity of viscoelastic solids (11) 2187
Molding,
injection, degradation of polyolefin blends for (10) 1822
effect of powder characteristics (10) 1981
of powders, aqueous process (10) 1833
silanes and titanates as additives for (1) 99
Molybdenum,
MoO_2, diffusion in aluminosilicate glass (6) 1091
Mullite,
-cordierite ceramics, microstructural development in (7) 1295
formation, from pyrophyllite (1) 154
microhardness of (9) 1739
nucleation of, homoepitactic, hybrid gels for (9) 1725
powder, preparation of (3) 377
sintered, from seeded sol-gels, microstructures of (3) 508
Niobates,
Cd, dielectric and pyroelectric properties (4) 637
Li, fibers, sol-gel preparation of (4) 707
$LiNbO_3$, waveguides in (8) 1311
PbMg, diffusion of V, Ni, and Ag in (5) 770
PgMb, preparation of (8) 1355
Ta-bearing SrBa, diffuse phase transition of (2) 278
lead zirconate-PbZn, dielectric, piezoelectric, and pyroelectric properties (6) 1016
Nitrides,
AlN, disorder in (9) 1730
effect of oxygen removal on thermal conductivity (11) 2032
formation from AlCl, (10) 1804
thermal diffusivity/conductivity, effect of specimen size (6) 967
BN, hexagonal powders, sintering (8) 1482
TiN, whiskers, formation by reaction of sodium titanium bronze with sodium cyanide (4) 587
oxy- glasses, prepared from potassium metaphosphate, properties of (9) 1601
Nondestructive testing,
of capacitors, based on electromechanical resonances (12) 2282
density, of porous materials (7) 1268
Nuclear materials,
UO_2, solution energies of fission products (10) 1856
fuel elements, titanate ceramics for stabilization of (3) 404
spinel, magnesium aluminate, ion-irradiated, properties (8) 1343
waste glass GP 98/12, Na diffusion in (1) 146
wastes, alkoxide-derived titanate for stabilization of (6) 1055
crystallization of titanosilicated glasses for immobilization of (4) 579
simulated, microstructure of (6) 1040
Nucleation,
Vickers crack, of glass sheets coated by SiO_2-gel (12) 2388
of flocs, in dilute colloidal suspensions (11) 2148
in glasses, ZBLAN (10) 1991
homoepitactic, of mullite, hybrid gels for (9) 1725
Optical properties,
basicity, of titanium(IV) oxide and zirconium(IV) oxide (10) 2012
of films, $Cd_{1-x}Zn_xS$ sintered with $CdCl_2$ (11) 2131
Sn-doped In_2O_3, effect of annealing (4) 693
of glasses, halide (11) 2065
Orientation,
grain, during hot-pressing of bismuth titanate, mechanism (1) 85
Oxidation,
of Ag- and Cu-based brazing filler metals, for Si_3N_4 metal joints (3) 448
of $Ba_2YCu_3O_x$, at high pO_2 (7) 1298
of Si_3N_4, reaction-bonded (9) 1675
of Si_3N_4 and single-crystal Si, CVD (7) 1118
passive, of CVD SiC (8) 1386
resistance, of SiC with various additives (3) 512
Oxides,
γ-Fe_2O_3, X-ray line broadening and thermal behavior (7) 1244
Bi, content in ZnO, effect on sintering (8) 1541
Co-Mo, by evaporation, characterization of (10) 1811
Cr, effect of volatilization on conduction behavior (8) 1382
Pb-Ti complex alk-, synthesis and characterization of (9) 1660
Sb and Bi, sintering ZnO doped with (8) 1390
Ti(IV) and Zr(IV), optical basicity of (10) 2012
preparation, dependence of YBaCuO superconductor properties on (5) 856
surfaces, segregation isotherms at (9) 1575
Oxygen,
content of Y_2O_3-Nd_2O_3-doped Si_3N_4, change during firing (12) 2359
loss, effect on densification during hot isostatic pressing of $YBa_2Cu_3O_{7-\delta}$ (8) 1508
permeation, through CaO-PSZ, induction period for (7) 1114
removal, effects on thermal conductivity of AlN (11) 2032
role in bonding, Cu to Al_2O_3 (8) 1322
Particles,
ZrO_2, formation of (8) 1479
monodispersed, growth mechanism (3) 421
ductile, toughening of ceramics through crack bridging by (2) 262
interactions, in ZrO_2-toughened Al_2O_3 (7) 1256
microcomposite, nickel silicate, fabrication of (10) 1924
orientation, during tape casting of $Bi_4Ti_3O_{12}$ (2) 289
packing, effect on solid-state sintering (5) 810
size, of $BaTiO_3$, dependence of crystal structure on (8) 1555
size distributions, of portland cement (2) 197
Pastes,
cement, hardened, fracture of (12) 2295
Perovskites,
and K_2NiF_4 compounds, thermodynamic regularities (1) 152
complex, two-mode behavior in (1) 158
lead scandium tantalate, characterization of (10) 2008
Phase equilibria,
systems, AlN-aluminum oxycarbide (4) 540
Fe-Ca-O, study involving $CaFe_2O_7$ (8) 1364
SrO-CaO-CuO (8) 1545
$SrO{\cdot}6M_2O_3$ (M = Fe, Cr, Al) (11) 2180
ZrO_2-MgO, phase relations and ordering in—comment (1) 166
ZrO_2-MgO, phase relations and ordering in—reply (1) 167
Phases,
C-containing, formation in $YBa_2Cu_3O_{6+x}$ during annealing (10) 1997
high-temperatures, stepwise-regression method for calculating (2) 357
morphotropic boundary systems, of tungsten bronze, ferroelectric properties (2) 202
tetragonal, in Mg-PSZ coarsening kinetics (12) 2372
transitional, of Ca_2SiO_4 solid solution (11) 2204
Phosphates,
$AlPO_4$, SiO_2 as seed for epitaxial growth (3) 499
Ca, void-free glass-ceramics, preparation of (8) 1499
$RPO_4{\cdot}2H_2O$ (R = Dy, Y, Er, or Yb), weinschenkite-type mechanochemical changes by grinding and thermal reactions (6) 1073
Photosensitivity,
in films, PZT (11) 2059
Physicochemical properties,
of glasses, oxynitride (9) 1601
Physics,
diffusion, by site-interchange, criteria for (7) 1277
Piezoelectric materials,
Pb-based, sintering of (3) 486
composites, lead titanate-epoxy, poling of (6) 986
poled by corona discharged, properties of (2) 322
structure, ferroelectric-domain (6) 933
Piezoelectric properties,
of lead zirconate-lead zinc niobate (6) 1016
resistivity, in semiconducting positive temperature coefficient ceramics (3) 369
spatial response, of PZT5A (5) 785
Plasma spraying,
spraying, of ceramics (11) 2111
Plasticity,
in Al_2O_3, shock-loaded (6) 971
Pores,
eliminination, by sintering, benefits of abnormal grain growth during (8) 1536
large, in β-sialon, elimination during sintering (7) 1166
networks, in light-colored ceramics, decoration of (7) 1292
Porosity,
during sintering, ultrasonic imaging of (7) 1282
Porous materials,
SiO_2, internal structure of (11) 2126
density, nondestructive test for (7) 1268
fracture behavior (7) 1145
glass-ceramics, La-Ti-V-O, humidity-sensitive properties (3) 436
in system CaO-TiO_2-P_2O_5 (9) 1587
Powders,
β-SiC, SiC crystals derived from (11) 2211
BN, hexagonal, sintering (8) 1482
Si and Si_3N_4, precipitation from chlorinated silanes (7) 1301
Si_3N_4, interfacial characterization (1) 103
preparation of (2) 333
SiC, dispersion in nonaqueous solvents (10) 1918
surface chemistry and structure (9) 1692
synthesis of (8) 1434
TiO_2, preparation of (9) 1598
ZnO, for varistors, precipitation of (10) 2004
ZrO_2, preparation and structural characterization (3) 467
in tape-casting slips, adsorption of dispersants on (2) 325
aluminosilicate, characterization and sintering behavior (6) 995
ceramic, production from chloromethylsilanes (7) 1130
characteristics, effect on compounding and microstructure in injection molding (10) 1981
compacts, binder evolution from (10) 1797
glass, shear and densification of (5) 798
glass, energy changes during reactions with aqueous media (9) 1744
molding of, injection, aqueous process (10) 1833
mullite, preparation of (3) 377
non-oxide, reactive-electrode process for producing (2) 354
processing, effect on green compacts of high-purity $BaTiO_3$ (1) 142
processing science and technology, for increased reliability (1) 3
spray-drying of (4) 617
yttrium barium cuprate, formation at low temperature (4) 696
Precipitation,
aqueous, of ZnO powders for varistors (10) 2004
co-, of La^{3+}-doped M-type Ca ferrite (12) 2304
laser-chemical vapor, of Si and Si_3N_4 powders (7) 1301
Precursors,
chloromethylsilanes, production of powders from (7) 1130
coprecipitated, to $La_2Sn_2O_7$ and $La_2Ti_2O_7$, structure, spectroscopic study (3) 426
polyiminoalane, thermal conversion to AlN (8) 1503
polymers, pyrolysis in ammonia, for preparation of Si_3N_4 powders (2) 333
Pressing,
hot isostatic pressing, of Al_2O_3-SiC-whisker composites (8) 1436
of Si_3N_4 with BN, B_4C, and C additions (5) 840
of filter cake, preparation of transparent hydroxyapatite by (8) 1476
grain growth in presintered Al_2O_3 during (7) 1239
of liquid-phase sintered ceramics, gas diffusion during (6) 1011
preparation of β-sialon by (9) 1722
of presintered Y-PSZ (9) 1591
hot, of Bi titanate, mechanism of grain orientation during (1) 85
of $YBa_2Cu_3O_{7-x}$ (4) 669
postsintering hot isostatic pressing, of Ce/TZP/Al_2O_3 composites (5) 761
Pressure,
low oxygen, thermodynamic properties of Y-PSZ at (8) 1485
Probes,
Kelvin, application to ceramic materials (4) 564
Production processes and equipment,
fluid technologies, supercritical (6) 871
injection molding, of powders, aqueous process (10) 1833
effect of powder characteristics on compounding and microstructure (10) 1981

molding, injection, degradation of polyolefin blends for (10) 1822
Protons,
-conducting films, containing dodecamolybdophospheric acid, sol-gel preparation (3) 484
Pyrolysis,
of borazine, synthesis of BN by (1) 66
spray, preparation of Y_2O_3-stabilized ZrO_2 by (4) 713
Pyrophyllite,
formation of mullite from, by mechanical and thermal treatments (1) 154
Quartz,
during γ-radiation, anisotropic electrical conductivity (7) 1289
Quenching,
melt, extension of glass-forming region in ZrF_4-based system by (8) 1506
Radiation,
γ-, anisotropic electrical conductivity in quartz during (7) 1289
Reactions,
$AlPO_4$-SiO_2, structural control of phase formation (3) 499
C + SiO_2, stoichiometry of (1) 122
of Ti and SiO_2, after annealing in Ar, nitrogen, and oxygen (10) 1947
of ZrO_2 with SiO_2, at stoichiometry of zircon (6) 882
interface, between SiO_2-PbO glass and manganese zinc ferrite (8) 1351
in kaolinite-to-mullite series, spinel formation during—comment (8) 1569
sequencing, spinel formation during—reply (8) 1571
during processing of 123 superconductor (10) 1977
solid-state, of oxides, preparationof GGG garnet by (8) 1376
of zirconium fluoride, with ammonium bifluoride (8) 1441
Refraction,
birefringence, anomalous, in phase-separated glasses (11) 2078
Refractories,
CO decomposition, mechanism of Fe catalysis of (1) 110
aluminosilicate, resistance to attack by molten Al alloy, role of CeO_2 (6) 896
castables, basic phosphate-bonded, from dolomitic-magnesite clinkers (9) 1698
insulation, low-density, porous coating for (6) 1003
Relaxation,
electric, study of defects in CeO_2-lanthanum oxide solid solutions (8) 1447
Resistivity, electrical,
PTC effect, in undoped, reducted $BaTiO_3$ (1) 148
PTC materials, effect of lead zirconate on (8) 1527
ionic, in fused SiO_2 (5) 843
piezoelectricity, in semiconducting positive temperature coefficient ceramics (3) 369
Rheology,
of slurries, Al_2O_3, effect of dispersants (9) 1622
Ruthenium,
RuO_2, solubility in lead borosilicate glasses (9) 1755
Rutile,
Al in, NMR study (11) 2198
Sapphire,
α-Al_2O_3, lattice diffusion kinetics (11) 2159
stress in, measured by spectroscopy (8) 1559
Science,
powder processing (1) 3
Seals and sealing,
glass-to-metal, concentric cylinders (10) 1844
phosphate glass-metal, viscoelastic effects in (6) 929
Segregation,
isotherms, at surface of oxides (9) 1575
Semiconductors,
$BaTiO_3$, laser preparation (12) 2367
PTC, effect of lead zirconate on (8) 1527
ZnO-$Zn_7Sb_2O_{12}$, effect of inclusion size on densification (1) 140
positive temperature coefficient, piezoresistivity in (3) 369
reliability methods, application to multilayer capacitors (12) 2223
Sensors,
humidity, TiO_2, electrical properties (8) 1472
Shock,
thermal, effect on life of cutting tools (5) 754
Shock resistance,
thermal, hot-gas-jet method of testing (7) 1286
Sialons,
β-, by hot isostatic pressing (9) 1722
with nitrogen-rich Y_2O_3 sintering aid, properties (6) 1061
elimination of large pores during sintering (7) 1166
synthesized from kaolin, thermomechanical properties (8) 1458
Silanes,
chloromethyl-, production of powders from (7) 1130
tetraethoxy-, decomposition chemistry (9) 1615
and titanates, as additives for injection molding (1) 99
Silicates,
Ca hydrates, solubility in alkaline solutions (4) 646
^{29}Si NMR study (4) 665
Ca_2SiO_4, solid solution, transitional phase of (11) 2204
Na, effects on SiC of exposure to (9) 1628
alumino-, powders, sintering behavior (6) 995
calcium alumino-, incorporation of Cs by hydrating (10) 1938
lithium ortho-, mechanical properties (9) 1643
metal-layer Ni, particles, fabrication of (10) 1924
Silicon,
and Si_3N_4 powder, precipitation of (7) 1301
cladding, on advanced ceramics (9) 1747
polished, surface defects in (7) 1136
Silicon carbide,
α-, sintered, effects of sodium silicate exposure at high temperature (9) 1628
sintered, high-temperature fracture resistance of (2) 242
β-, sinterable powders, synthesis of (8) 1434
stacking faults in, electron microscopic study (10) 1985
β-matrix, micromechanical stresses associated with α-SiC grain in (3) 459
/Al_2O_3 composites, effect of temperature and whisker volume on thermal strains in (2) 312
CVD, passive oxidation of (8) 1386
with additives, oxidation resistance of (3) 512
crystals, derived from β-SiC powder (11) 2211
fibers, molybdenum oxycarbide and tungsten oxycarbide coatings on (8) 1523
effect of pressure on thermal stability (2) 192
filaments, CVD, thermomechanical properties (10) 1993
matrix composites, CVD of (3) 478
microstructures, anisometric shape factors of (3) 517
particles, dispersed in Si_3N_4, composite (11) 2071
powders, dispersion in nonaqueous solvents (10) 1918
siliconized, effect of creep damage on tensile creep behavior (1) 49
effects of sodium silicate exposure at high temperature (9) 1628
sintered, C inclusions in (9) 1741
indentation fracture toughness of (6) 904
tensile rupture strength and fracture defects of (4) 688
ultrasonic characterization of (3) 383
synthesis, in nitrogen atmosphere (9) 1735
transition in, brittle-to-ductile (8) 1402
ultrafine, surface chemistry and structure (9) 1692
whisker-reinforced Si_3N_4, slip casting (5) 765
whisker-reinforced Si_3N_4 or SiC composites (4) 551
whiskers, stability during processing of Si_3N_4 matrix composites (4) 628
characterization of (10) 1907
Silicon dioxide,
fused, ionic resistivity in (5) 843
gels, drying behavior (10) 1816
gels and glass, retention of fluorine in (7) 1229
glass, diffusion of water into at low temperature (10) 1850
interaction with Ti, after annealing in Ar, nitrogen, and oxygen (10) 1947
porous, internal structure of (11) 2126
reaction with ZrO_2, at stoichiometry of zircon (6) 882
as seed for epitaxial growth, of $AlPO_4$ (3) 499
vitreous, dense, sintering process for making (3) 432
Silicon nitride,
β- grains, microstructural changes upon crystallizing in glass (10) 1931
CVD, oxidation of (7) 1118
-SiC-whisker composites, mechanical properties (8) 1461
SiC particles dispersed in, composite (11) 2071
Y_2O_3-Nd_2O_3-doped, change in oxygen content during firing (12) 2359
without additives, hot isostatic pressing sintering of (9) 1656
crystallization, with material loss during heat treatment (10) 2014
dispersion of Y_2O_3 in, by comminution (3) 495
hot isostatic pressing, with BN, B_4C, and C additions (5) 840
effect of wear damage on strength (6) 1076
hot-pressed, microstructure of (9) 1604
matrix composites, SiC whisker stability during processing (4) 628
powders, interfacial characterization (1) 103
preparation of (2) 333
reaction-bonded, densification behavior during postsintering (12) 2314
oxidation and fracture strength (9) 1675
sintered, fatigue behavior (8) 1338
for turbocharger rotors, impact damage and strength degradation (8) 1422
Sintering,
AlN, with europium oxide additives (8) 1409
Al_2O_3, containing liquid phase, role of MgO (7) 1241
B_4C, microstructural coarsening during (6) 958
of β-sialon, with nitrogen-rich Y_2O_3 additive (6) 1061
elimination of large pores during (7) 1166
of Cr_2O_3, effect of TiO_2 (3) 400
Er-TZP (11) 2088
ZnO, doped with antimony oxide and bismuth oxide (8) 1390
effect of bismuth oxide content (8) 1541
behavior, of aluminosilicate powders (6) 995
of films, metal-ceramic and metal-glass, flaw generation during (9) 1649
glasses, effect of heating rate on crystallization (12) 2361
at constant heating rates (8) 1564
hot isostatic pressing, of Si_3N_4 without additives (9) 1656
low-temperature, of sol-gel-derived ZrO_2-toughened Al_2O_3 composites (1) 40
microstructures, driving forces, and mass transport, interplay of (8) 1550
of piezoelectric ceramics, Pb-based (3) 486
pore elimination, thermodynamic benefit of abnormal grain growth during (8) 1536
porosity during, ultrasonic imaging of (7) 1282
powders, BN (8) 1482
pressureless, of Al_2O_3-TiC composites (8) 1333
of AlN, effect of additives (8) 1488
rapid-rate, diffusion in (6) 1080
self-combustion, of Ti powder and C fiber to form TiC (5) 805
solid-state, effects of particle packing (5) 810
tests, effect of temperature gradients (2) 232
thermodynamics of (5) 725; (5) 735
at very low temperatures (11) 2176
Sodium,
diffusion, in nuclear waste glass GP 98/12 (1) 146
Sol-gel process,
of composites, SiC-whisker-reinforced SiO_2-based (12) 2381
films, proton-conducting containing dodecamolybdophosphoric acid (3) 484
Solids,
viscoelastic, estimating viscosity of (11) 2187
Solid state,
sintering, effect of particle packing (5) 810
Sols,
boehmite, formation of Al_2O_3 monoliths by flocculation of (9) 1719
Solubility,
of RuO_2, in lead borosilicate glasses (9) 1755
limits, of solid solutions MO_2 (M = Hf^{4+}, Zr^{4+}, Ce^{4+}, Th^{4+}, U^{4+}) (8) 1415
Solutions, solid,
Ca_2SiO_4, transitional phase of (11) 2204
CeO_2-La_2O_3, defects in, electric relaxation study (8) 1447
MO_2 (M = Hf^{4+}, Zr^{4+}, Ce^{4+}, Th^{4+}, U^{4+}), lattice parameters,ionic conductivities, and solubility limits (8) 1415
$Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$, dielectric behavior in microwave region (3) 481
TiO_2, in system TiO_2-Al_2O_3, formation and transformation (2) 330
Y_2O_3-ZrO_2-HfO_2, cation interdiffusion in (11) 2121
magnesium aluminate spinel, nonstoichiometric, grain-boundary migration in (2) 271
systems, PZT, electrostrictive properties of (7) 1140
zirconia titanate, formation from alkoxides (6) 1065
Solvents,
nonaqueous, dispersion of SiC powders in (10) 1918
Sound,
ultrasonic characterization, of sintered SiC (3) 383
Spectra,
Fourier-transform IR, of hydrated sodium silicate glass (11) 2173
IR absorption, of hydroxyl groups in sodium germanate glasses, temperature dependence (1) 44
Spectroscopy,
Raman, of transformed zones in MgO-PSZ (7) 1124
IR, to determine stress in sapphire (8) 1559
vibrational, of structure of precursors to $La_2Sn_2O_7$ and $La_2Ti_2O_7$ (3) 426
Spinels,
MgO·2.9Al_2O_3, decoration of dislocations by precipitation (8) 1449
magnesium aluminate, grain-boundary migration in solid solutions of (2) 271
nickel aluminate, structural and thermodynamic variation in (5) 826
phase transformation, during reactions in kaolinite-to-mullite series—comment (8) 1569
during reactions in kaolinite-to-mullite series—reply (8) 1571
Spodumene,
β-, glass-ceramic, sinterable (10) 1873
Spraying,
rf plasma, of ceramics (11) 2117
Sputtering,
films, Bi-Sr-Ca-Cu-O (4) 680
Stability,
of dispersions, aqueous Al_2O_3, effect of powder surface chemistry (4) 625
meta-, of martensitic transformation in CeO_2-ZrO_2 alloy (8) 1358
in 12 mol% CeO_2-ZrO_2 alloy (1) 90
phase, of Ln_2BaCuO_5 (Ln = Dy, Er, Eu, Gd, Ho, Sm, Yb) (12) 2351
Stabilization,
of ZrO_2, cubic, by AlN (8) 1567
chemical, of β-cristobalite (3) 441
of nuclear fuel elements, titanate ceramics for (3) 404
Stannates,
PZT, modified, antiferroelectric-to-ferroelectric switching in (4) 571
Steels,
stainless, ZrO_2 coatings on (8) 1465
Stoichiometry,
of C + SiO_2 reaction (1) 122
non-, in $YBa_2Cu_3O_{7-x}$ (10) 1775
Strain,
rate, effect on deformation of $Y_1Ba_2Cu_3O_{7-x}$ (1) 137
thermal, residual, in SiC/Al_2O_3 composites, effect of temperature and whisker volume (2) 312
Strength,
of AlN, effect of CaO (3) 469
of Si_3N_4, hot isostatic pressing, effect of wear damage (6) 1076
of composites, Al_2O_3, effect of SiO_2 addition (7) 1252
Al_2O_3-SiC (7) 1233

degradation, in Si_3N_4 for turbocharger rotors (8) 1422
in SiC whisker/Si_3N_4 composites (5) 791
development, of portland cement (2) 197
of disks, chemically strengthened glass (5) 859
distribution, of PSZ (7) 1158
of brittle materials, effect of surface stress (10) 1885
of reinforcing fibers in Nicalon fiber/SiC matrix composite (3) 455
of fibers, at elevated temperatures (2) 284
optical, prooftester for (4) 702
fracture, of Y-TZP/mullite composites (12) 2369
indentation, of sintered SiC (6) 904
in laser-surface-modified ceramics, improvement of (7) 1185
of metal particulate/glass matrix composites, effect of heat treatment (11) 2094
of polycrystalline ceramics (1) 78
of reaction-bonded Si_3N_4 (9) 1675
of yttrium oxide, effect of nonstoichiometry (8) 1562
ionic, effect on boehmite hydrogel formation (6) 980
mechanical, improved, fluoride glass fibers with (10) 1980
mechanical and dielectric distributions, of surface-finished TiO_2, comparison of (8) 1373
shear, of SiC-fiber/Si_3N_4 composites (10) 2017
strut, in open-cell ceramics, evaluation of (6) 885
tensile, of Se, As_2S_3, As_2Se_3, and $Ge_{28}As_{12}Se_{60}$ glass fibers (8) 1491
of Y-TZP (7) 1305
degradation from prior compression (3) 502
tensile rupture, of sintered SiC (4) 688

Strengthening,
of ZrO_2-Al_2O_3, during fatigue testing (10) 1988
of ceramics, through crack bridging by ductile particles (2) 262
of glasses, Na_2O-CaO, by aging (10) 1837
transformation, of CeO_2-doped TZP (6) 1044

Stresses,
compressive, in 2 mol% Y-TZP, structural changes by (5) 854
micromechanical, in SiC-reinforced Al_2O_3 composites (1) 70
residual, debonding properties of brittle-matrix composites with (5) 746
effect on fracture of ground ceramics (10) 1960
in tempererd glass, crack branching data for measuring (9) 1584
residual surface, effect on strength distribution of brittle materials (10) 1885
in sapphire, measured by IR spectroscopy (8) 1559
states, Weibull crack density coefficient for (3) 506
thermoelastic micromechanical, associated with α-SiC grain in β-SiC matrix (3) 459
transfer, elastic, of composites, effect of aspect ratios of ellipsoidal inclusions (2) 344

Strontium,
-titanium carboxyhydrosols, synthesis of (5) 821

Structure,
of $Ba_{1-x}La_xTi_{1-x}Ni_xO_3$ (8) 1520
of MgO-partially-stabilized ZrO_2, changes at low temperatures (2) 218
of Y-Ba-Cu-O, sintered, effect of materials transfer on (8) 1516
changes, in ZrO_2 in dilute chlorine atmosphere (9) 1664
by compressive stresses of 2 mol% Y-TZP (5) 854
crystal, of $BaTiO_3$, dependence on particle size (8) 1555
of partially stabilized ZrO_2 (9) 1757
defect, of cobalt monoxide (7) 1199; (7) 1207; (7) 1215
of wustite phase (7) 1221
electronic, of Al_2O_3 and MgO, effect of residual strain (6) 990
ferroelectric-domain, in piezoelectric materials (6) 933
of glasses, halide (11) 2065
rapidly quenched $20Li_2SiO_3 \cdot 80Li_2WO_4$ (8) 1524
internal, of porous SiO_2 (11) 2126
of nickel aluminate spinel, variations in (5) 826
ordering, of La/Na-doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ (4) 593
of powders, ZrO_2 (3) 467

Structure, micro-,
in Al_2O_3, effect of chemical inhomogeneities (1) 130
of B_4C, coarsening during sintering (6) 958
of $BaTiO_3$, effect of ZrO_2 on (4) 605
of β-Si_3N_4 grains, in grain-boundary glass (10) 1931
of Si_3N_4, hot-pressed (9) 1604
of ZnO, development in hydrogen (2) 297
of ceramics, mullite-cordierite (7) 1295
used in multilayer capacitors (12) 2271
composite, of mollusk shell (11) 2177
of composites, PZT-polymer, effect on dielectric and piezoelectric properties (6) 938
Y-TZP/mullite (12) 2369
mullite-SiC (6) 1049
whisker-reinforced Al_2O_3-30 vol% glass matrix (9) 1636
of films, $PbTiO_3$ (8) 1495
of magnesium aluminate spinel, ion-irradiated (8) 1343
of 3 mol% Y_2O_3-ZrO_2, effect of MgO addition (2) 228
of mullite, sintered from seeded sol-gels (3) 508
in multiphase ceramics, ZrO_2-CaO-TiO_2 (6) 912
sintering, driving forces, and mass transport, interplay of (8) 1550
stacking faults, in β-SiC (10) 1985
of wastes, simulated nuclear (6) 1040
of wire, metal-clad superconducting (11) 2142

Substrates,
AlN, characterization of AlN-W interface (4) 612
sintered, characterization of material for (10) 1861

Sulfides,
$Cd_{1-x}Zn_xS$, films sintered with $CdCl_2$, optical properties and microstructure (11) 2131
ZnS, superplastic deformation of (10) 1792

Superconductors,
123, reaction sequencing during processing (10) 1977
$Ba_2YCu_3O_x$, oxidation at high pO_2 (7) 1298
$Bi_2Sr_2CaCu_2O_8$, retrograde densification in (12) 2346
$La_1Ba_2Cu_3O_x$, preparation of (10) 2000
Ln_2BaCuO_5 (Ln = Dy, Er, Eu, Gd, Ho, Sm, Yb), phase stability of (12) 2351
$Mo_{1-x}Nb_xN$, B1-type films, preparation and properties (12) 2310
Y-Ba-Cu-O_x, sintered, effect of materials transfer on structure (8) 1516
YBaCuO, dependence of properties on oxide preparation (5) 856
$Y_1Ba_2Cu_3O_{7-x}$, effects of temperature and strain rate on deformation (1) 137
$YBa_2Cu_3O_{6+x}$, formation of C-containing phase during annealing (10) 1997
$YBa_2Cu_3O_{7-x}$, method for adding dopants to (12) 2386
$YBa_2Cu_3O_{7-\delta}$, effect of oxygen loss on densification during hot isostatic pressing (8) 1508
water corrosion of (10) 2020
$YBa_2Cu_3O_{7-x}$, nonstoichiometry in (10) 1775
preparation and properties (4) 669
$YBa_2Cu_3O_x$, sintered, magnetic levitation on (5) 846
coating, on metal substrates, by electrophoresis (9) 1733
coaxial lines containing (4) 704
cuprate ceramic, issues in processing (7) 1103
films, Bi-Sr-Ca-Cu-O, by sputtering (4) 680
Bi-Sr-Ca-Cu-O, doping of Pb ions into (11) 2201
/polymer composite, preparation of (7) 1247
systems, Ba-Sr-Y-Cu-O, phase equilibria and crystal chemistry (3) 395
$YO_{1.5}$-BaO-CuO_x, calculation of phase diagrams (2) 314
partial Bi-Sr-Cu-O subsolidus diagram (5) 849
wire, composite metal-clad-fabrication and microstructure (11) 2142
yttrium barium cuprate, powder, formation at low temperature (4) 696

Surface,
area, low, in SiO_2-Al_2O_3 gel system (12) 2354
brittle fracture, analysis using fractal geometry (1) 60
forces, effect on subcritical crack growth in glass (2) 248
of oxides, segregation isotherms at (9) 1575
transformation, in Y-TZP, prevention by recrystallization (2) 319

Suspension,
colloidal, nucleation of flocs in (11) 2148

Switching,
antiferroelectric-to-ferroelectric, in modified PZT stannate (4) 571
ferroelastic domain, in tetragonal ZrO_2 single crystals (11) 2098
photonic materials, nonlinear, glasses as (5) 719

Synthesis,
of BN, by pyrolysis of borazine (1) 66
of $La_1Ba_2Cu_3O_x$ (10) 2000
of Pb-Ti complex alkoxide (9) 1660
of Ti and 1:1 strontium-titanium carboxyhydrosols, by hydrolysis of alkoxymetal carboxylate (5) 821
of catalysts, system Al_2O_3-MgO-NiO-Ni (4) 683
combustion, in Ti-C and Ti-C-Ni systems (12) 2318
of ferrites, ultrafine grain (10) 1789
of cobalt-molybdenum oxides, by evaporative decomposition (10) 1811
combustion, of SiC in nitrogen atmosphere (9) 1735
of TiC, impurities in (4) 655
of system Ti-Al-B (6) 1047
of garnet, uvarovite (1) 160
of glasses, ZrF_4-based fluoride, melting apparatus for (3) 492
of powders, non-oxide (2) 354
sinterable β-SiC (8) 1434
of sodium titanium bronze (3) 510
of zirconium fluoride, for glass fibers (8) 1368

Systems,
Al_2O_3-Al-C, with AlN additive, behavior of aluminum oxycarbide in (9) 1704
Al_2O_3-SiO_2, composition of glassy phase (2) 357
AlN-aluminum oxycarbide, phase equilibria and phase transformation in (4) 540
AlN-ZrO_2, electron microscopy of (8) 1453
Bi-Sr-Cu-O, partial subsolidus diagram and without lithium carbonate (5) 849
CdO-Sb_2O_3, electrical conductivity of (12) 2377
Fe-Ca-O, study involving $CaFe_2O_4$ (8) 1364
SiO_2-Al_2O_3 gel, low surface area and density in (12) 2354
$SrO \cdot 6M_2O_3$ (M = Fe, Cr, Al), phase relations in (11) 2180
SrO-CaO-CuO, phase equilibria (8) 1545
Ti-Al-B, combustion synthesis of (6) 1047
TiC and Ti-C-Ni, kinetics of combustion synthesis in (12) 2318
TiO_2-Al_2O_3, formation and transformation of TiO_2 solid solution in (2) 330
ZrO_2-CaO-TiO_2, phase and microstructures (6) 912
ZrO_2-MgO, phase relations and ordering in—comment (1) 166
phase relations and ordering in—reply (1) 167
metal-metal-nonmetals, chemical potential diagrams for (11) 2104

Tantalates,
PbSc, precipitated, characterization of (10) 2008

Technology,
powder processing (1) 3
supercritical fluid (6) 871

Temperature,
Kelvin probe, application to ceramic materials (4) 564
very low, sintering at (11) 2176

Testing,
double-cantilever-beam, preparation of specimens for (11) 2196
creep, tensile (9) 1610
fatigue, strengthening of ZrO_2-Al_2O_3 during (10) 1988
thermal-shock, hot-gas-jet method and apparatus (7) 1286
of multilayer capacitors (12) 2241

Tests,
K_{1C}, on bend bars (6) 1033
X-ray, for density of coatings (7) 1170
ball-on-ring (8) 1538
electrochemical, for determining corrosion rate in ceramics (5) 780
nondestructive, for density of porous materials (7) 1268
sintering, effect of temperature gradients (2) 232
small-specimen double-cantilever-beam, application to monoliths and joints (4) 710
thermal shock, improving reliability of (12) 2264
ultrasonic, of porosity during sintering (7) 1282
wear-stress, fracture of brittle materials under (11) 2117

Thermal properties,
of γ-Fe_2O_3 (7) 1244
of Al_2O_3-SiO_2 xerogels, during calcination (11) 2208
diffusivity/conductivity, of AlN, effect of specimen size (6) 967
expansion, of Si_3N_4-whisker-reinforced Na_2O-borosilicate glass matrix composites (6) 1092
of WC at low temperatures (3) 515
shock resistance, hot-gas-jet method of testing (7) 1286
stability, of SiC fibers, effect of pressure (2) 192
shock tests, improving reliability of (12) 2264

Thermodynamics,
of AlN formation, from $AlCl_3$ (10) 1804
of densification (5) 725; (5) 735
of nonstoichiometry, in $YBa_2Cu_3O_{7-x}$ (10) 1775
properties, of Y-PSZ at low oxygen pressures (8) 1485
of wustite phase (7) 1221
regularities, in perovskite and K_2Ni_4 compounds (1) 152
temperature gradients, effect on sintering tests of a theory (2) 232
variations, in nickel aluminate spinel (5) 826

Tin,
chemical state, in Cu glazes (1) 16

Titanates,
Al_2TiO_5, correlation between grain size and thermal expansion (12) 2364
$Ba_{1-x}La_xTi_{1-x}Ni_xO_3$, preparation and properties (8) 1520
$BaTi_4O_9$, processing and characterization (11) 2154
Bi, mechanism of grain orientation during hot-pressing (1) 85
$Bi_4Ti_3O_{12}$, particle orientation during tape casting (2) 289
BTO, preparation of (10) 1899
PLZT, effect of excess PbO on densification (5) 833
PZT, adhesion of electrolessly deposited Ni on (6) 890
films, electrooptic effects and photosensitivities of (11) 2059
poling of (2) 322
solid-solution system, electrostrictive properties (7) 1140
PZT5A, piezoelectric response and d_{31} parameters (5) 785
Pb, films, synthesis and microstructure (8) 1495
ZrO_2, formation from alkoxides (6) 1065
alkoxide-derived, for nuclear waste stabilization (6) 1055
doped alkaline-earth, boundary conditions for resistance degradation (12) 2234
for stabilization of nuclear fuel elements (3) 404

Titanium,
and 1:1 strontium-titanium carboxyhydrosols, synthesis of (5) 821
interaction with SiO_2, after annealing in Ar, nitrogen, and oxygen (10) 1947

Titanium carbide,
by self-combustion sintering, of Ti powder and C fiber (5) 805
synthesis, combustion, impurities in (4) 655

Titanium dioxide,
membranes (2) 257
powders, preparation of (9) 1598
rutile, Al in (11) 2198
sensors, humidity, electrical properties of (8) 1472
solid solution, in system TiO_2-Al_2O_3, formation and transformation (2) 330
surface-finished, comparison of strength distributions (8) 1373

Tobermorite,
substituted, cation exchange in (9) 1668

Tools, cutting,
life, role of thermal shock (5) 754

Transformations,
martensitic, in 12 mol% CeO_2-ZrO_2 alloy (1) 90
in 12 mol% CeO_2-ZrO_2, metastability of (8) 1358
phase, in ZrO_2-CaO-TiO_2 ceramics (6) 912
strengthening of CeO_2-doped TZP using (6) 1044
of system AlN-aluminum oxycarbide (4) 540
reversible, in Mg-ZrO_2 (8) 1530
surface, in Y-TZP, prevention by recrystallization (2) 319

zone shape, in Ce-PSZ (6) 921
zones, in MgO-PSZ, Raman spectroscopy of (7) 1124
Transitions,
brittle-to-ductile, in SiC (8) 1402
diffuse phase, of Ta-bearing strontium barium niobate (2) 278
phase, in lead magnesium niobate (8) 1355
Transport,
properties of gases, in E-glass melts (9) 1680
Tungsten,
WC, thermal expansion at low temperatures (3) 515
bronze, morphotropic phase boundary, ferroelectric properties (2) 202
Uranium,
UO_2, solution energies of fission products (10) 1856
Valves,
engine (7) 1261
Vanadates,
$TaVO_5$, preparation of (10) 1914
Varistors,
ZnO, admittance-frequency response in (1) 28
made from powders (2) 338
precipitation of powders for (10) 2004
ZnO-$Zn_7Sb_2O_{12}$, effect of inclusion size on densification (1) 140
with capacitor function (7) 1274
Viscosity,
of solids, viscoelastic, model for estimating (11) 2176
transformation range, measurement using thermomechanical analyzer (7) 1265
Volatilization,
of Cs and Ru, from borosilicate glass containing radioactive wastes (8) 1438
effect on conduction, of acceptor-doped chromium oxide (8) 1382
Wastes,
nuclear, alkoxide-derived titanate for stabilization of (6) 1055
determination of Fe^{3+}/Fe^{2+} ratio in glasses for (6) 943
simulated, microstructure of (6) 1040
radioactive, volatilization of Cs and Ru from borosilicate glass containing (8) 1438
Water,
heavy, electrical conduction in magnesium phosphate glasses containing (2) 294
Waveguides,
in $LiNbO_3$ (8) 1311
Wear,
abrasive, of Al_2O_3, effects of grain size and *R*-curve (7) 1249
behavior, of ceramics in ring/cylinder applications (4) 691
damage, effect on strength of hot isostatic pressing Si_3N_4 (6) 1076
resistance, of Y_2O_3-doped ZrO_2, effect of fracture toughness (2) 252
Wettability,
of Bi-rich phases, in ZnO, effect of heat treatments (4) 642
Wetting,
reaction, between LiF and $BaTiO_3$ (9) 1709
Wire,
superconducting, composite metal-clad, fabrication and microstructure (11) 2142
Wustite,
phase, defect structure and thermodynamic properties (7) 1221
X-rays,
line broadening, in γ-Fe_2O_3 (7) 1244
Yttrium,
Y_2O_3, dispersion in Si_3N_4 by comminution (3) 495
oxide, effect of nonstoichiometry on fracture toughness and hardness (8) 1562
Zinc oxide,
Bi-rich phases, effect of heat treatments on wetting of (4) 642
with barium oxide addition, grain growth behavior (6) 1070
doped with antimony oxide and bismuth oxide, sintering of (8) 1390
microstructural development, in hydrogen (2) 297
sintering, effect of bismuth oxide content (8) 1541
varistors, admittance-frequency response in (1) 28
made from powders (2) 338
Zirconia,
Mg-PSZ, coarsening of tetragonal phase in (12) 2372
Zirconium,
Pb, effect on positive-temperature-coefficient materials (8) 1527
fluoride, reaction with ammonium bifluoride (8) 1441
Zirconium dioxide,
-Al_2O_3, strengthening during fatigue testing (10) 1988
CaO-PSZ, induction period for oxygen permeation through (7) 1114
Ce-PSZ, transformation zone shape, size, and crack-growth-resistance in (6) 921
CeO_2-doped TZP, strengthening (6) 1044
Er-TZP, preparation, sintering, and properties (11) 2088
MgO-PSZ, Raman spectroscopy of transformed zones (7) 1124
MgO-partially-stabilized, structural and mechanical property changes at low temperatures (2) 218
PSZ, crack stability and strength distribution (7) 1158
Y_2O_3-doped, effect of fracture toughness on wear resistance (2) 252
Y_2O_3-stabilized, preparation by spray-pyrolysis (4) 713
in vitro aging of (4) 675
Y-PSZ, hot isostatic pressing (9) 1591
ionic conductivity of (8) 1500
thermodynamic properties at low oxygen pressures (8) 1485
Y-TZP, grain growth during deformation (8) 1469
prevention of surface transformation by recrystallization (2) 319
tensile strength (7) 1305
bonding with lathanum chromite, by cofiring (2) 308
coatings, on stainless steel (8) 1465
cubic, stabilization by AlN (8) 1567
in dilute chlorine atmosphere, structural changes (9) 1664
low-$YO_{1.5}$ content, effect of $YO_{1.5}$ dopant on unit-cell parameters (4) 662
membranes (2) 257
3 mol% Y_2O_3-, effect of MgO addition on microstructure (2) 228
2 mol% Y-TZP, structural changes by compressive stresses (5) 854
partially stabilized, orthorhombic, crystal structure (9) 1757
particles, formation of (8) 1479
growth mechanism (3) 421
powders, adsorption of dispersants on (2) 325
preparation and structural characterization (3) 467
reaction with SiO_2, at stoichiometry of zircon (6) 882
single crystals, tetragonal, ferroelastic domain switching in (11) 2098
-toughened Al_2O_3, particle interactions in (7) 1256
-8 wt% Y_2O_3/Ni-22Cr-10Al-1Y, thermal barrier coatings, degradation mechanisms of (2) 212

TABLE OF CONTENTS

VOLUME 72, 1989

January [1]

Journal

Powder Processing Science and Technology for Increased Reliability ☆ Fred F. Lange 3
Chemical States of Copper and Tin in Copper Glazes Fired under Various Atmospheres ☆ Mitsuru Wakamatsu, Nobuyuki Takeuchi, Hiroki Nagai, and Shingo Ishida 16
Crack Growth Resistance of Textured Alumina ☆ Jonathan A. Salem, John L. Shannon, Jr., and Richard C. Bradt 20
Admittance–Frequency Response in Zinc Oxide Varistor Ceramics ☆ Mohammad A. Alim 28
Predicting the Grain-Size Distributions in High-Density, High-Purity Alumina Ceramics ☆ Kollengode S. Venkataraman and Robert A. DiMilia 33
Low-Temperature Sintering of Sol–Gel-Derived, ZrO_2-Toughened Al_2O_3 Composites ☆ Gary L. Messing and Masato Kumagai 40
Temperature Dependence of Infrared Absorption Spectra of Hydroxyl Groups in Soda Germanate Glasses ☆ Hideo Hosono and Yoshihiro Abe 44
Effect of Creep Damage on the Tensile Creep Behavior of a Siliconized Silicon Carbide ☆ Daniel F. Carroll and Richard E. Tessler 49
Effect of the Matrix and Matrix Bonding on the Creep Behavior of a Unidirectional Carbon–Carbon Composite ☆ George Sines, Zheng Yang, and Brian D. Vickers 54
Quantitative Analysis of Brittle Fracture Surfaces Using Fractal Geometry ☆ J. J. Mecholsky, D. E. Passoja, and K. S. Feinberg-Ringel 60
Synthesis of Amorphous Boron Nitride by Pressure Pyrolysis of Borazine ☆ Shin-Ichi Hirano, Toshinobu Yogo, Satoshi Asada, and Shigeharu Naka 66
Micromechanical Stresses in SiC-Reinforced Al_2O_3 Composites ☆ Zhuang Li and Richard C. Bradt 70
Fracture Toughness of Polycrystalline Ceramics in Combined Mode I and Mode II Loading ☆ Dileep Singh and Dinesh K. Shetty 78
Mechanism of Grain Orientation During Hot-Pressing of Bismuth Titanate ☆ Toshio Kimura, Takeshi Yoshimoto, Nobuyoshi Iida, Yoshiaki Fujita, and Takashi Yamaguchi 85
Metastability of the Martensitic Transformation in a 12 mol% Ceria–Zirconia Alloy: I, Deformation and Fracture Observations ☆ Richard H. J. Hannink and Michael V. Swain 90
Organic Silanes and Titanates as Processing Additives for Injection Molding of Ceramics ☆ Karin Lindqvist, Elis Carlström, Michael Persson, and Roger Carlsson 99
Interfacial Characterization of Silicon Nitride Powders ☆ Lennart Bergström and Robert J. Pugh 103
Mechanism of Iron Catalysis of Carbon Monoxide Decomposition in Refractories ☆ Ming-Wei Paul Zu and Jesse J. Brown, Jr. 110
Stereoscopic Fractography of Crack Propagation Phenomena in a TiB_2–AlN composite ☆ Wieslaw A. Zdaniewski 116
Stiochiometry of the $C + SiO_2$ Reaction ☆ J. J. Biernacki and G. P. Wotzak 122
Effects of Chemical Inhomogeneities of Grain Growth and Microstructure in Al_2O_3 ☆ Carol A. Handwerker, Patricia A. Morris, and Robert L. Coble 130

Communications

Effects of Temperature and Strain Rate on the Plastic Deformation of Fully Dense Polycrystalline $YBa_2Cu_3O_{7-x}$ Superconductor ☆ Gilles Bussod, Alexander Pechenik, Chung-tse Chu, and Bruce Dunn 137
Effect of Inclusion Size on the Densification of ZnO–$ZN_7Sb_2O_{12}$ ☆ Toshio Kumura, Hideto Kajiyama, Jinho Kim, and Takashi Yamaguchi 140
Effects of Powder Processing on the Green Compacts of High-Purity $BaTiO_3$ ☆ Huey-Lin Hsieh and Tsang-Tse Fang 142
Sodium Diffusion in the Nuclear Waste Glass GP98/12 ☆ Michael P. Thomas and Hj. Matzke 146
Positive Temperature Coefficient of Resistivity Effect in Undoped, Atmospherically Reduced Barium Titanate ☆ Aldo Bologna Alles, Vasantha R. W. Amarakoon, and Vernon L. Burdick 148
Thermodynamic Regularities in Perovskite and K_2NiF_4 Compounds ☆ Harumi Yokokawa, Tatsuya Kawada, and Masayuki Dokiya 152
Formation of Mullite from Pyrophyllite by Mechanical and Thermal Treatments ☆ Pedro J. Sanchez-Soto and José L. Perez-Rodriguez 154
Two-Mode Behavior in Complex Perovskite Materials ☆ Kunio Tochi, Nozomu Takeuchi, and Shūichi Emura 158
Synthesis of Uvarovite Garnet ☆ J. Carda, G. Monros, P. Escribano, and J. Alarcon 160
Glass Formation in the System SiO_2–PbO Containing Transition-Metal Oxides ☆ Atsumi Nitta, Terumi Miura, Takayuki Komatsu, and Kazumasa Matusita 163
Comment on "Phase Relations and Ordering in the System ZrO_2–MgO" ☆ Michael J. Bannister 166
Reply ☆ Soo Man Sim and Vladimir S. Stubican 167

February [2]

Journal

Diamond—Ceramic Coating of the Future ☆ Karl E. Spear 171
Pressure Effects on the Thermal Stability of Silicon Carbide Fibers ☆ Martha H. Jaskowiak and James A. DiCarlo 192
Particle Size Distribution and Rate of Strength Development of Portland Cement ☆ Bjarne Osbaeck and Vagn Johansen 197
Ferroelectric Properties of Tungsten Bronze Morphotropic Phase Boundary Systems ☆ John R. Oliver, Ratnakar R. Neurgaonkar, and L. Eric Cross 202
Degradation Mechanisms of ZrO_2–8 wt% Y_2O_3/Ni-22Cr-10Al-1Y Thermal Barrier Coatings ☆ Bo-Chen Wu, Edward Chang, Shih-Feng Chang, and David Tu 212

Structural and Mechanical Property Changes in Toughened Magnesia-Partially-Stabilized Zirconia at Low Temperatures ☆ David B. Marshall, Michael R. James, and John R. Porter 218
Effect of MgO Addition on the Microstructure Development of 3 mol% Y_2O_3–ZrO_2 ☆ Hong-Yang Lu and Jong-Shing Bow 228
Influence of Temperature Gradients on Sintering: Experimental Tests of a Theory ☆ Dario Beruto, Rodolfo Botter, and Alan W. Searcy 232
Properties of (Y)ZrO_2–Al_2O_3 and (Y)ZrO_2–Al_2O_3–(Ti or Si)C Composites ☆ Mikio Fukuhara 236
Elevated-Temperature Fracture Resistance of a Sintered α-Silicon Carbide ☆ Asish Ghosh, Michael G. Jenkins, Kenneth W. White, Albert S. Kobayashi, and Richard C. Bradt 242
Effect of Surface Forces on Subcritical Crack Growth in Glass ☆ Sheldon M. Wiederhorn and Edwin R. Fuller, Jr. 248
Influence of Fracture Toughness on the Wear Resistance of Yttria-Doped Zirconium Oxide ☆ Travgott E. Fischer, Michael P. Anderson, and Said Jahanmir 252
New Inorganic Ultrafiltration Membranes: Titania and Zirconia Membranes ☆ Andre Larbot, Jean-Paul Fabre, Christian Guizard, Louis Cot, and Jacques Gillot 257
Toughening of Ceramics through Crack Bridging by Ductile Particles ☆ Fazil Erdogan and Paul F. Joseph 262
Grain-Boundary Migration in Nonstoichiometric Solid Solutions of Magnesium Aluminate Spinel: I, Grain Growth Studies ☆ Yet-Ming Chiang and W. David Kingery 271
Diffuse Phase Transition of Tantalum-Bearing Strontium Barium Niobate ☆ Takaaki Tsurumi and Yoshio Hoshino 278
Strengths of Ceramic Fibers at Elevated Temperatures ☆ Douglas J. Pysher, Kenneth C. Goretta, Robert S. Hodder, Jr., and Richard E. Tressler 284
Particle Orientation During Tape Casting in the Fabrication of Grain-Oriented Bismuth Titanate ☆ Hidenori Watanabe, Toshio Kimura, and Takashi Yamaguchi 289
Electrical Conduction in Magnesium Phosphate Glasses Containing Heavy Water ☆ Hideo Hosono, Takayuki Kamae, and Yoshihiro Abe 294
Microstructure Development of Zinc Oxide in Hydrogen ☆ Tariq Quadir and Dennis W. Readey 297

Communications

Two-Dimensional Whisker Percolation in Ceramic Matrix—Ceramic Whisker Composites ☆ Elizabeth A. Holm and Michael J. Cima 303
Dislocation-Induced Softening of $MgO{\cdot}2.9Al_2O_3$ Single Crystals ☆ Hisayuki Suematsu, Tetsuya Suzuki, Takayoshi Iseki, and Tsutomu Mori 306
Bonding of Zirconia and Lanthanum Chromite by Co-firing ☆ David S. Smith, Michael Sayer, P. Roeder, A. Smith, and P. Odier 308
Effects of Temperature and Whisker Volume Fraction on Average Residual Thermal Strains in a SiC/Al_2O_3 Composite ☆ Saurin Majumdar and David Kupperman 312
Calculation of Phase Diagrams for the $YO_{1.5}$–BaO–CuO_x System ☆ Byeong-Joo Lee and Dong Nyung Lee 314
Prevention of Low-Temperature Surface Transformation by Surface Recrystallization in Yttria-Doped Tetragonal Zirconia ☆ Philip J. Whalen, Franz Reidinger, and Robert F. Antrim 319
Poling of Lead Zirconate Titanate Ceramics and Flexible Piezoelectric Composites by the Corona Discharge Technique ☆ David Waller, Tariq Iqbal, and Ahmad Safari 322
Adsorption of Dispersants on Zirconia Powder in Tape-Casting Slip Compositions ☆ Von L. Richards II 325
Grain-Size Dependence of Electrically Induced Microcracking in Ferroelectric Ceramics ☆ Hun-Taeg Chung, Byoung-Chul Shin, and Ho-Gi Kim 327
Formation and Transformation of TiO_2 (Anatase) Solid Solution in the System TiO_2–Al_2O_3 ☆ Osamu Yamaguchi and Yasumichi Mukaida 330
Pyrolysis of Preceramic Polymers in Ammonia: Preparation of Silicon Nitride Powders ☆ Gary T. Burns and Grish Chandra 333
Zinc Oxide Varistors Made from Powders Prepared by Amine Processing ☆ Shunichi Hishita, Yao Yao, and Shin-ichi Shirasaki 338
Promotion of Densification by Grain Growth ☆ Liang An Xue and Richard J. Brook 341
Effects of Aspect Ratios of Ellipsoidal Inclusions on Elastic Stress Transfer of Ceramic Composites ☆ Chun-Hway Hsueh 344
Cyclic Fatigue Crack Propagation in Alumina under Direct Tension–Compression Loading ☆ Michael J. Reece, Frank Guiu, and Mohammad F. R. Sammur 348
Formation of Microcrystalline α-Alumina by Glycothermal Treatment of Gibbsite ☆ Masashi Inoue, Hirokazu Tanino, Yasuhiko Kondo, and Tomoyuki Inui 352
Reactive-Electrode Submerged-Arc Process for Producing Fine Non-Oxide Powders ☆ Amitabh Kumar and Rustum Roy 354
Application of the Stepwise-Regression Method in Calculating High-Temperature Ceramic Phases ☆ Zhou Wancheng, Zhang Litong, and Fu Hengzhi 357
Correction—Thermal Expansion Coefficients of Unidirectional Fiber-Reinforced Ceramics ☆ Chun-Hway Hsueh and Paul F. Becher 359

March [3]

Journal

Piezoresistivity in Semiconducting Positive Temperature Coefficient Ceramics ☆ Ahmed Amin 369
Preparation of Highly Pure Fine Mullite Powder ☆ Mineo Mizuno and Hajime Saito 377
High-Frequency Ultrasonic Characterization of Sintered Silicon Carbide ☆ George Y. Baaklini, Edward R. Generazio, and James D. Kiser 383
Dimensionless Load–Displacement Relation and Its Application to Crack Propagation Problems ☆ Mototsugu Sakai and Michio Inagaki 388
Phase Equilibria and Crystal Chemistry in the Quaternary System Ba-Sr-Y-Cu-O in Air ☆ Robert S. Roth, Claudia J. Rawn, John D. Whitler, C. K. Chiang, and Winnie K. Wong-Ng 395
Effect of TiO_2 on the Sintering and the Electrical Conductivity of Cr_2O_3 ☆ Hiroshi Nagai and Ken Ohbayashi 400
Titanate Ceramics for the Stabilization of Partially Reprocessed Nuclear Fuel Elements ☆ Clifford J. Ball, William J. Buykx, Fiona J. Dickson, Kate Hawkins, Desmond M. Levins, Roger St. C. Smart, Katherine L. Smith, Geoffry T. Stevens, Kenneth G. Watson, David Weedon, and Timothy J. White 404

Analytical Modeling of Chemical Vapor Infiltration in Fabrication of Ceramic Composites ☆ Nyan-Hwa Tai and Tsu-Wei Chou 414
Growth Mechanism of Monodispersed ZrO_2 Particles ☆ Takashi Ogihara, Nobuyasu Mizutani, and Masanori Kato 421
Vibrational Spectroscopic Study of Structural Evolution in the Coprecipitated Precursors to $La_2Sn_2O_7$ and $La_2Ti_2O_7$ ☆ Junichi Takahashi and Toshiaki Ohtsuka 426
Improved Process for Making Dense Vitreous Silica from Submicrometer Particles by Sintering Near 1000°C ☆ William J. Clegg, Neil McN. Alford, James D. Birchall, and Kevin Kendall 432
Humidity-Sensitive Characteristics of Porous La-Ti-V-O Glass-Ceramics ☆ Yasuhiro Shimizu, Hideaki Okada, and Hiromichi Arai 436
Chemical Stabilization of β-Cristobalite ☆ Anthony J. Perrotta, Donald K. Grubbs, Edward S. Martin, Neal R. Dando, Herbert A. McKinstry, and Chi-Yuen Huang 441
Oxidation Behavior of Silver- and Copper-Based Brazing Filler Metals for Silicon Nitride Metal Joints ☆ Rakesh R. Kapoor and Thomas W. Eagar 448
Strength Distribution of Reinforcing Fibers in a Nicalon Fiber/Chemically Vapor Infiltrated Silicon Carbide Matrix Composite ☆ Andrew J. Eckel and Richard C. Bradt 455
Thermoelastic Micromechanical Stresses Associated with a Large α-Silicon Carbide Grain in a Polycrystalline β-Silicon Carbide Matrix ☆ Zhuang Li and Richard C. Bradt 459

Communications

Preparation and Structural Characterization of Ultrafine Zirconia Powders ☆ Alvise Benedetti, Giuliano Fagherazzi, and Francesco Pinna 467
Effects of CaO on the Strength and Toughness of AlN ☆ Stefan R. Witek, Gary A. Miller, and Martin P. Harmer 469
Low-Temperature Crack Closure in Fluoride Glass ☆ Richard L. Lehman, Richard E. Hill, Jr., and George H. Sigel, Jr. 474
Chemical Vapor Deposited SiC Matrix Composites ☆ Richard D. Veltri, David A. Condit, and Francis S. Galasso 478
Dielectric Behavior of the Relaxor $Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$ Solid-Solution System in the Microwave Region ☆ Michael T. Lanagan, Ning Yang, Dinesh C. Dube, and Sei-Joo Jang 481
Preparation of Proton-Conducting Amorphous Films Containing Dodecamolybdophosphoric Acid by the Sol–Gel Method ☆ Masahiro Tatsumisago and Tsutomu Minami 484
Low-Temperature Sintering of Lead-Based Piezoelectric Ceramics ☆ Gui Zhilun, Li Longtu, Gao Suhua, and Zhang Xiaowen 486
Melting Apparatus for the Synthesis of Bulk ZrF_4-Based Fluoride Glass ☆ Matthijs M. Broer 492
Dispersion Methods of Yttria in Silicon Nitride by Comminution ☆ Linda C. Zarnon and Robin A. L. Drew 495
Structural Control of Phase Formation in Low-Temperature $AlPO_4$–SiO_2 Reactions ☆ Tatsuhito Takahashi, D. K. Agrawal, and R. Roy 499
Tensile Strength Degradation of Ceramics from Prior Compression ☆ George Sines and Tomoyuki Taira 502
Weibull Crack Density Coefficient for Polydimensional Stress States ☆ Bernard Gross and John P. Gyekenyesi 506
Microstructures of Mullite Sintered from Seeded Sol–Gels ☆ Thomas J. Mroz, Jr., and James W. Laughner 508
Synthesis and Crystallography of Sodium Titanium Bronze ☆ Carlos E. Bamberger 510
Oxidation Resistance Evaluation of Silicon Carbide Ceramics with Various Additives ☆ Minoru Maeda, Kazuo Nakamura, and Mamoru Yamada 512
Thermal Expansion of Tungsten Carbide at Low Temperature ☆ Aaron D. Krawitz, Daniel G. Reichel, and Richard Hitterman 515
Anisometric Shape Factors for Ceramic Microstructures ☆ Bradley W. Kibbel and Arthur H. Heuer 517

April [4]

Journal

Effect of Interface Mechanical Properties on Pullout in a SiC-Fiber-Reinforced Lithium Aluminum Silicate Glass-Ceramic ☆ Michael D. Thouless, Orfeo Sbaizero, Lorenz S. Sigl, and Anthony G. Evans 525
Elastic Properties of Alkali Phosphomolybdate Glasses ☆ K. V. Damodaran and K. J. Rao 533
Phase Equilibria and Phase Transformation in the Aluminum Nitride–Aluminum Oxycarbide Pseudobinary System ☆ Shih-Yee Kuo and Anil V. Virkar 540
Silicon Carbide-Monofilament-Reinforced Silicon Nitride or Silicon Carbide Matrix Composites ☆ Hironori Kodama, Hiroshi Sakamoto, and Tadahiko Miyoshi 551
Crack Deflection Process for Hot-Pressed Whisker-Reinforced Ceramic Composites ☆ Haiyan Liu, Karl-L. Weisskopf, and Günter Petzow 559
High-Temperatue Kelvin Probe in Application to Ceramic Materials: Investigation of Nickel Oxide ☆ J. Nowotny, M. Sloma, and W. Weppner 564
Field-Forced Antiferroelectric-to-Ferroelectric Switching in Modified Lead Zirconate Titanate Stannate Ceramics ☆ Wuyi Pan, Qiming Zhang, Amar S. Bhalla, and Leslie E. Cross 571
Crystallization of Titanosilicate Glasses for Nuclear Waste Immobilization ☆ Peter J. Hayward, Eric R. Vance, C. Dennis Cann, and Diane C. Doern 579
Formation of Titanium Nitride Whiskers by Reaction of Sodium Titanium Bronze with Molten Sodium Cyanide ☆ Carlos E. Bamberger, Peter Angelini, and Theodore A. Nolan 587
Ordering Structure and Dielectric Properties of Undoped and La/Na-Doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ ☆ Jie Chen, Helen M. Chan, and Martin P. Harmer 593
Electrostrictive and Dielectric Response in Lead Magnesium Niobate–Lead Titanate (0.9PMN·0.1PT) and Lead Lanthanum Zirconate Titanate (PLZT 9.5/65/35) under Variation of Temperature and Electric Field ☆ Qiming Zhang, Wuyi Pan, Amar S. Bhalla, and Leslie E. Cross 599
Effects of Zirconia on Microstructure and Dielectric Properties of Barium Titanate Ceramics ☆ Timothy R. Armstrong, Laurie E. Morgens, Alena K. Maurice, and Relva C. Buchanan 605
Characterization of the AlN–W Interface in a Cofired Multilayer AlN Substrate ☆ Yasuhiro Kurokawa, Cetin Toy, and William D. Scott 612
Spray-Drying Ceramic Powders ☆ Stanley J. Lukasiewicz 617
Effect of Powder Surface Chemistry on the Stability of Concentrated Aqueous Dispersions of Alumina ☆ John F. Kelso and Thomas A. Ferrazzoli 625

Silicon Carbide Whisker Stability During Processing of Silicon Nitride Matrix Composites ☆ Steven A. Bradley, Keith R. Karasek, Michael R. Martin, Harry C. Yeh, and James L. Schienle 628
Dielectric and Pyroelectric Properties of Cadmium Niobate Ceramics ☆ Scott L. Swartz, C. A. Randall, and A. S. Bhalla 637
Effect of Heat Treatments on the Wetting Behavior of Bismuth-Rich Intergranular Phases in ZnO:Bi:Co Varistors ☆ Jeffrey P. Gambino, W. David Kingery, Gordon E. Pike, Lionel M. Levinson, and Herbert R. Philipp 642
Solubility and Aging of Calcium Silicate Hydrates in Alkaline Solutions at 25°C ☆ Donald E. Macphee, Karen Luke, Fred P. Glasser, and Eric E. Lachowski 646
Impurities in the Combustion Synthesis of Titanium Carbide ☆ L. J. Kecskes and A. Niiler 665

Communications

Effect of $YO_{1.5}$ Dopant on Unit-Cell Parameters of ZrO_2 at Low Contents of $YO_{1.5}$ ☆ Hideo Toraya 662
Silicon-29 Magic Angle Spinning Nuclear Magnetic Resonance Study of Calcium Silicate Hydrates ☆ Michael Grutzeck, Alan Benesi, and Barry Fanning 665
Preparation and Properties of Hot-Pressed $YBa_2Cu_3O_{7-x}$ ☆ Ronald E. Loehman, William F. Hammetter, Eugene L. Venturini, Roger H. Moore, and Frank P. Gerstle, Jr. 669
In Vitro Aging of Yttria-Stabilized Zirconia ☆ James L. Drummond 675
Effect of Heat Treatment on Crack-Resistance Curves in a Liquid-Phase-Sintered Alumina ☆ Stephen J. Bennison, Helen M. Chan, and Brian R. Lawn 677
Preparation of Bi-Sr-Ca-Cu-O Thin Films by Sputtering under a Variable Magnetic Field ☆ Hirotoshi Nagata, Akihiro Takano, Masashi Kawasaki, Mamoru Yoshimoto, and Hideomi Koinuma 680
Synthesis and Characterization of Catalysts in the System Al_2O_3–MgO–NiO–Ni for Methane Reforming with CO_2 ☆ Ahmed M. Gadalla and Michael E. Sommer 683
Tensile Rupture Strength and Fracture Defects of Sintered Silicon Carbide ☆ Tatsuki Ohji, Yukihiko Yamauchi, Wataru Kanematsu, and Shoji Ito 688
Wear Performance of Ceramics in Ring/Cylinder Applications ☆ Keith F. Dufrane 691
Formation of Yttrium Barium Cuprate Powder at Low Temperatures ☆ Kenneth W. Lay 696
Effects of Annealing Temperature on Microstructure and Electrical and Optical Properties of Radio-Frequency-Sputtered Tin-Doped Indium Oxide Films ☆ Jong-Gab Na, Young-Rae Cho, Young-Ho Kim, Taek-Dong Lee, and Soon-Ja Park 698
Alternative Prooftester for High-Strength Optical Fibers ☆ Darryl L. Brownlow and Rama Iyenger 702
Coaxial Lines Containing Ceramic High-T_c Superconducting-Center Conductors ☆ George E. Peterson and Robert P. Stawicki 704
Preparation of Stoichiometric Crystalline Lithium Niobate Fibers by Sol–Gel Processing with Metal Alkoxides ☆ Shin-ichi Hirano, Takashi Hayashi, Katsutoshi Nosaki, and Kazumi Kato 707
Small-Specimen Double-Cantilever-Beam Test Applicable to Monoliths and Joints ☆ Gijsbertus de With 710
Preparation of Fine, Spherical Yttria-Stabilized Zirconia by the Spray-Pyrolysis Method ☆ Bertrand Dubois, Daniel Ruffier, and Philippe Odier 713

May [5]

Journal

Glasses as Nonlinear Photonic Materials ☆ Eva M. Vogel 719
Thermodynamics of Densification: I, Sintering of Simple Particle Arrays, Equilibrium Configurations, Pore Stability, and Shrinkage ☆ Bruce J. Kellett and F. F. Lange 725
Thermodynamics of Densification: II, Grain Growth in Porous Compacts and Relation to Densification ☆ F. F. Lange and Bruce J. Kellett 735
Microstructural Studies of the Interfacial Zone of a SiC-Fiber-Reinforced Lithium Aluminum Silicate Glass-Ceramic ☆ Ewald Bischoff, Manfred Rühle, Orfeo Sbaizero, and Anthony G. Evans 741
Debonding Properties of Residually Stressed Brittle-Matrix Composites ☆ P. G. Charalambides and Anthony G. Evans 746
The Role of Thermal Shock on Tool Life of Selected Ceramic Cutting Tool Materials ☆ Steven F. Wayne and Sergej-Tomislav Buljan 754
Postsintering Hot Isostatic Pressing of Ceria-Doped Tetragonal Zirconia/Alumina Composites in an Argon–Oxygen Gas Atmosphere ☆ Tsugio Sato, Tadashi Endo, and Masahiko Shimada 761
Slip Casting of SiC-Whisker-Reinforced Si_3N_4 ☆ Michael J. Hoffmann, Alwin Nagel, Peter Greil, and Günter Petzow 765
Diffusion of Sputtered Vanadium, Nickel, and Silver in Lead Magnesium Niobate Ceramic ☆ Hung C. Ling 770
Processing of Boron Carbide–Aluminum Composites ☆ Danny C. Halverson, Aleksander J. Pyzik, Ilhan A. Aksay, and William E. Snowden 775
Electrochemical Techniques for Corrosion Rate Determination in Ceramics ☆ Ramesh Divakar, Srinvasa G. Seshadri, and Makuteswara Srinivasan 780
Calculations and Measurements of the Spatial Piezoelectric Response and of the d_{15} Parameter of PZT5A Ceramic ☆ Manfred Kahn, Robert Ingel, and David Lewis 785
Spherical-Impact Damage and Strength Degradation in Silicon Carbide Whisker/Silicon Nitride Composites ☆ Yoshio Akimune, Yasushi Katano, and Kazuo Matoba 791
Shear and Densification of Glass Powder Compacts ☆ Véronique C. Ducamp and Rishi Raj 798
Fabrication of Titanium Carbide Ceramics by High-Pressure Self-Combustion Sintering of Titanium Powder and Carbon Fiber ☆ Seiji Adachi, Takahiro Wada, Toshihiro Mihara, Yoshinari Miyamoto, Mitsue Koizumi, and Osamu Yamada 805
Effects of Particle Packing Characteristics on Solid-State Sintering ☆ Jigmin Zheng and James S. Reed 810
Effect of Crack Velocity on Crack Resistance in Brittle-Matrix Composites ☆ Todd L. Jessen and David Lewis III 818
Synthesis of Uniform Titanium and 1:1 Strontium-Titanium Carboxyhydrosols by Controlled Hydrolysis of Alkoxymetal Carboxylate Precursors ☆ Richard E. Riman, Rowena R. Landham, and H. Kent Bowen 821
Structural and Thermodynamic Variation in Nickel Aluminate Spinel ☆ Krzysztof Mocala and Alexandra Navrotsky 826

Communications
Effect of Excess PbO on the Densification of PLZT Ceramics ☆ Byung-Moo Song, Doh-Yeon Kim, Shin-ichi Shirasaki, and Hiroshi Yamamura 833
Problems in the Shock Compaction of Diamond Using Fine-Particle Additives ☆ Ken-ichi Kondo and Sumiichi Sawai 837
Hot Isostatic Pressing of Silicon Nitride with Boron Nitride, Boron Carbide, and Carbon Additions ☆ Diane M. Mieskowski and William A. Sanders 840
Ionic Resistivity in Fused Silica: I, Conduction-History Effects ☆ Vijay Jain, Arun K. Varshneya, and Peter P. Bihuniak 843
Type II Magnetic Levitation on Sinter-Forged $YBa_2Cu_3O_x$ Superconductor ☆ Jenqdaw Wang, Margaret M. Yanoviak, and Rishi Raj 846
Partial Bi-Sr-Cu-O Subsolidus Diagram at 800°C with and without Lithium Carbonate ☆ J. A. Saggio, K. Sujata, J. Kahn, S. J. Hwu, K. R. Poeppelmeier, and T. O. Mason 849
Structural Changes by Compressive Stresses of 2.0-mol%-Yttria-Stabilized Tetragonal Zirconia Polycrystals ☆ Yukishige Kitano, Yuuji Mori, Akira Ishitani, and Takaki Masaki 854
Dependence of YBaCuO Superconductor Properties on Constituent Oxide Preparation: I, CuO and $BaCO_3$ Pretreatment ☆ Peter Goodman, Mark Grigg, Geoffrey Opat, Andrew Peele, John Drennan, and Patrick Rohan 856
Large-Deformation Strength Analysis of Chemically Strengthened Glass Disks ☆ Derry Connolly, Allen C. Stockton, and Timothy C. O'Sullivan 859
Solid-Phase Epitaxy of Boehmite-Derived α-Alumina on Hematite Seed Crystals ☆ James L. McArdle, Gary L. Messing, Lisa A. Tietz, and C. Barry Carter 864
Correction—Low-Temperature Crack Closure in Fluoride Glass ☆ Richard L. Lehman, Richard E. Hill, Jr., and George H. Sigel, Jr. 867

June [6]
Journal
Supercritical Fluid Technologies for Ceramic-Processing Applications ☆ Dean W. Matson and Richard D. Smith ... 871
Reaction of Zirconia with Silica at the Stoichiometry of Zircon ☆ Karen M. Trappen and Richard A. Eppler 882
Evaluation of Strut Strength in Open-Cell Ceramics ☆ Rasto Brezny, David J. Green, and Chuong Quang Dam ... 885
Adhesion of Electrolessly Deposited Nickel on Lead Zirconate Titanate Ceramic ☆ Charles E. Baumgartner 890
Role of Ceria in Enhancing the Resistance of Aluminosilicate Refractories to Attack by Molten Aluminum Alloy ☆ Michael H. O'Brien and Mufit Akinc 896
Indentation Fracture Toughness of Sintered Silicon Carbide in the Palmqvist Crack Regime ☆ Zhuang Li, Asish Ghosh, Albert S. Kobayashi, and Richard C. Bradt 904
Phases and Microstructures in Zirconia–Calcia–Titania Multiphase Ceramics ☆ Dinesh C. Agrawal, R. Gopalakrishnan, and Dipankar Chakravorty 912
Dielectric Properties of Microporous Glass in the Microwave Region ☆ Joyce K. Yamamoto, Michael T. Lanagan, Amar S. Bhalla, Robert E. Newnham, and L. Eric Cross 916
Transformation Zone Shape, Size, and Crack-Growth-Resistance (*R*-Curve) Behavior of Ceria-Partially-Stabilized Zirconia Polycrystals ☆ Cheng-Sheng Yu and Dinesh K. Shetty 921
Viscoelastic Effects in a Phosphate Glass–Metal Seal ☆ R. S. Chambers, Frank P. Gerstle, Jr., and S. L. Monroe 929
Ferroelectric-Domain Structure in Piezoelectric Ceramics ☆ Petru Grigorie Lucuta 933
Influence of Microstructure on the Dielectric and Piezoelectric Properties of Lead Zirconate Titanate–Polymer Composites ☆ Hyeung Gyu Lee and Ho Gi Kim 938
Determination of the Fe^{2+}/Fe^{3+} Ratio in Nuclear Waste Glasses ☆ R. Todd Hunter, Mark Edge, Aristotle Kalivretenos, Kathy M. Brewer, Nancy A. Brock, Alice E. Hawkes, and James C. Fanning 943
Densification of Alumina–Silicon Carbide Powder Composites: I, Effects of a Polymer Coating on Silicon Carbide Particles ☆ Hyun M. Jang, Wendell E. Rhine, and H. Kent Bowen 948
Densification of Alumina–Silicon Carbide Powder Composites: II, Microstructural Evolution and Densification ☆ Hyun M. Jang, Wendell E. Rhine, and H. Kent Bowen 954
Microstructural Coarsening During Sintering of Boron Carbide ☆ Stephen L. Dole, Svante Prochazka, and Robert H. Doremus 958
Specimen Size Effect of the Thermal Diffusivity/Conductivity of Aluminum Nitride ☆ D. P. H. Hasselman and Gregory A. Merkel 967
Plasticity and Microcracking in Shock-Loaded Alumina ☆ F. Longy and J. Cagnoux 971
Effect of Ionic Strength on Boehmite Hydrogel Formation ☆ Mary J. Gieselmann and Marc A. Anderson 980
Poling of Coprecipitated Lead Titanate–Epoxy 0-3 Piezoelectric Composites ☆ Moon-Ho Lee, Arvind Halliyal, and Robert E. Newnham 986
Effect of Residual Strain on the Electronic Structure of Alumina and Magnesia ☆ Huesup Song, Roger H. French, and Robert L. Coble 990
Characterization and Sintering Behavior of Alkoxide-Derived Aluminosilicate Powders ☆ Yoshihiro Hirata, Kazuyoshi Sakeda, Yumi Matsushita, Kinji Shimada, and Yoshimi Ishihara 995
Advanced Porous Coating for Low-Density Ceramic Insulation Materials ☆ Daniel B. Leiser, Rex Churchward, Victor Katvala, David Stewart, and Aliza Balter 1003
Gas Diffusion During Containerless Hot Isostatic Pressing of Liquid-Phase Sintered Ceramics ☆ Oh-Hun Kwon and Gary L. Messing 1011
Dielectric, Piezoelectric, and Pyroelectric Properties of Lead Zirconate–Lead Zinc Niobate Ceramics ☆ Tadashi Takenaka, Amar S. Bhalla, L. Eric Cross, and Koichiro Sakata 1016
Communications
A Machinable Calcia–Alumina–Yttria–Silica Glass-Ceramic ☆ Akio Makishima, Mitsuaki Asami, and Yoshiji Ogura 1024
Ancient Analogues of Modern Cement: Calcium Hydrosilicates in Mortars and Concretes from Gallo-Roman Thermal Baths of Western Europe ☆ Francois Rassineux, Jean Claude Petit, and Alain Meunier 1026
Valid K_{Ic} Determination via In-Test Subcritical Precracking of Chevron-Notched Bend Bars ☆ Jason Sung and Patrick S. Nicholson 1033

Electron Microscopy Study of Ordinary Portland Cement and Ordinary Portland Cement–Pulverized Fuel Ash Blended Pastes ☆ Sally A. Rodger and Geoffrey W. Groves 1037
Microstructures of Simulated Nuclear Waste ☆ Hing Wah Chan, David G. Howitt, and Alan B. Harker 1040
Strengthening of Ceria-Doped Tetragonal Zirconia Polycrystals by Reduction-Induced Phase Transformation ☆ Karl-Heinz Heussner and Nils Claussen 1044
Combustion Synthesis of the Titanium-Aluminum-Boron System ☆ Yutaka Taneoka, Osamu Odawara, and Yoshinari Kaieda 1047
Microstructure and Mechanical Properties of Mullite–Silicon Carbide Composites ☆ M. Isabel Osendi, Barry A. Bender, and David Lewis III 1049
Radiophase Development in Hot-Pressed Alkoxide-Derived Titanate Ceramics for Nuclear Waste Stabilization ☆ Fiona J. Dickson, Hisayoshi Mitamura, and Timothy J. White 1055
Fragmentation of Glass Bottles by Impact ☆ Van Derck Fréchette and Sharon L. Yates 1060
Sintering and Properties of β'-Sialon with a Nitrogen-Rich Y_2O_3 Sintering Aid ☆ Siddhartha Bandyopadhyay, Joydeb Mukerji, and Kalpana Roychoudhury 1061
Formation of Zirconia Titanate Solid Solution from Alkoxides ☆ Osamu Yamaguchi and Hiroshi Mogi 1065
Further Studies on Thermal Evoluton of Glass-Forming Gels ☆ Angelo Montenero, Franco Ugozzoli, Dino Schiroli, Guglielmina Gnappi, D. Camillo Giori, and L. David Pye 1066
Direct Determination of Grain Growth Behavior in Zinc Oxide with Added Barium Oxide ☆ Keizo Uematsu, Akihiko Terada, Tadahiko Morimoto, Nozomu Uchida, and Katsuichi Saito 1070
Mechanochemical Changes of Weinschenkite-Type $RPO_4 \cdot 2H_2O$ (R = Dy, Y, Er, or Yb) by Grinding and Thermal Reactions of the Ground Specimens ☆ Yasuo Hikichi, Toshio Sasaki, Kyouhei Murayama, Tsuyoshi Nomura, and Masaaki Miyamoto 1073
Effect of Wear Damage on the Strength of Hot Isostatically Pressed Silicon Nitride ☆ Zhiping Wang and Carlos Ruiz 1076
Temperature-Gradient-Driven Diffusion in Rapid-Rate Sintering ☆ Robert M. Young and Reginald McPherson 1080
Hot-Stage Study of Bubble Formation During Binder Burnout ☆ Chun Dong and H. Kent Bowen 1082
Observation of Poly(Vinyl Butyral)–Dibutyl Phthalate Binder Capillary Migration ☆ Michael J. Cima, Mark Dudziak, and Jennifer A. Lewis 1087
MoO_2 Diffusion in Aluminosilicate Glass ☆ Edwin Samuel and Pavel Hrma 1091
Thermal Expansion Behavior of the Si_3N_4-Whisker-Reinforced Soda–Borosilicate Glass Matrix Composite ☆ Yutaka Kagawa, Yasuo Kogo, and Hiroshi Hatta 1092
Correction—Radiation-Induced Surface Deformation in Low-Thermal-Expansion Glasses and Glass-Ceramics ☆ Mohan Rajaram, Tsung-Ein Tsai, and E. Joseph Friebele 1095

July [7]

Journal

Issues in the Processing of Cuprate Ceramic Superconductors ☆ David R. Clarke, Thomas M. Shaw, and Duane Dimos 1103
Induction Period for Oxygen Permeation through Calcia-Stabilized Zirconia Ceramic ☆ Shixue Dou, Charles R. Masson, and Philip D. Pacey 1114
Oxidation of Chemically-Vapor-Deposited Silicon Nitride and Single-Crystal Silicon ☆ Doo J. Choi, David B. Fischbach, and William D. Scott 1118
Spatially Resolved Raman Spectroscopy Study of Transformed Zones in Magnesia-Partially-Stabilized Zirconia ☆ Reinhold H. Dauskardt, D. Kirk Veirs, and Robert O. Ritchie 1124
Production of Fine Ceramic Powders from Chloromethylsilanes Using Pulsed Excimer Radiation ☆ J. A. O'Neill, M. Horsburgh, J. Tann, K. J. Grant, G. L. Paul, and W. Sinclair 1130
Surface Defects in Polished Silicon Studied by Cross-Sectional Transmission Electron Microscopy ☆ Stefan Johansson, Jan-Åke Schweitz, and K. Peter D. Lagerlöf 1136
Electrostrictive Properties of the Lead Zirconate Titanate Solid-Solution System ☆ Michael J. Haun, Z. Q. Zhuang, E. Furman, Sei-Joo Jang, and L. Eric Cross 1140
Fracture Behavior of Open-Cell Ceramics ☆ Rasto Brezny and David J. Green 1145
Oxygen Self-Diffusion in Magnesium- or Titanium-Doped Alumina Single Crystals ☆ Hajime Haneda and Claude Monty 1153
Crack Stability and Strength Distribution of Ceramics That Exhibit Rising Crack-Growth-Resistance (*R*-Curve) Behavior ☆ Dinesh K. Shetty and Jr-Sheng Wang 1158
Fracture Analysis of Chemically Strengthened Glass Disks ☆ Derry Connolly 1162
Elimination of Large Pores During Gas-Pressure Sintering of β'-Sialon ☆ Suk-Joong L. Kang, Peter Greil, Mamoru Mitomo, and Jong-Ha Moon 1166
Density Determination of Thin Coatings by X-ray Methods ☆ Zuii H. Kalman, Lois A. Johnson, and John B. Wachtman, Jr. 1170
Characterization of Fracture in Fiber-Reinforced Ceramic Composites under Shear Loading ☆ Shankar Mall, Robert P. Vozzola, and Larry P. Zawada 1175
Effect of Crack-Interface Bridging on Subcritical Crack Growth in Ferrites ☆ Edwin K. Beauchamp and S. L. Monroe 1179
Mechanisms of Improvement of Fracture Strength in Laser-Surface-Modified Ceramics ☆ Kasichainula Jagannadham and Jagdish Narayan 1185
Binder Distribution in Ceramic Greenware During Thermolysis ☆ Michael J. Cima, Jennifer A. Lewis, and Alan D. Devoe 1192
Defect Structure of Cobalt Monoxide: I, The Ideal Defect Model ☆ Janusz Nowotny and Mieczyslaw Rekas 1199
Defect Structure of Cobalt Monoxide: II, The Debye-Hückel Model ☆ Janusz Nowotny and Mieczyslaw Rekas 1207
Defect Structure of Cobalt Monoxide: III, The Cluster Model ☆ Janusz Nowotny and Mieczyslaw Rekas 1215
Defect Structure and Thermodynamic Properties of the Wustite Phase ($Fe_{1-y}O$) ☆ Janusz Nowotny and Mieczyslaw Rekas 1221

Communications

Retention of Fluorine in Silica Gels and Glass ☆ Eliezer M. Rabinovich, Denise M. Krol, Nonna A. Kopylov, and Patrick K. Gallagher 1229
High-Temperature Failure of an Alumina–Silicon Carbide Composite under Cyclic Loads: Mechanisms of Fatigue Crack-Tip Damage ☆ Lily X. Han and Subra Suresh 1233

Grain Growth During Hot Isostatic Pressing of Presintered Alumina ☆ Keizo Uematsu, Kazuhisa Itakura, Masahiko Sekiguchi, Nozomu Uchida, Katuichi Saito, and Akira Miyamoto 1239
Mechanism for the Role of Magnesia in the Sintering of Alumina Containing Small Amounts of a Liquid Phase ☆ Charles A. Bateman, Stephen J. Bennison, and Martin P. Harmer 1241
Preferential X-ray Line Broadening and Thermal Behavior of γ-Fe_2O_3 ☆ Julian Morales, José L. Tirado, and Concepción Valera 1244
Preparation of Superconductor/Polymer Composite with Resistive Transition Temperaute (T_c) above 77 K ☆ Asok K. Sarkar, Ival O. Salyer, and Binod Kumar 1247
Grain-Size and *R*-Curve Effects in the Abrasive Wear of Alumina ☆ Seong-Jai Cho, Bernard J. Hockey, Brian R. Lawn, and Stephen J. Bennison 1249
Effect of Silica and Processing Environment on the Toughness of Alumina Composites ☆ S. M. Smith, R. O. Scattergood, J. P. Singh, and K. Karasek 1252
Particle Interactions in Zirconia-Toughened Alumina ☆ Keith R. Wilfinger and W. Roger Cannon 1256
Silicon Carbide-Coated Boron Fibers ☆ Luchen Hwan, Steven Suib, and Francis Galasso 1259
Ceramic Engine Valves ☆ Roger Wills and Robert E. Southam 1261
Transformation Range Viscosity Measurements Using a Thermomechanical Analyzer ☆ John M. Jewell and James E. Shelby 1265
Precise Nondestructive Determination of the Density of Porous Ceramics ☆ Erik C. M. Pennings and Wolfgang Grellner 1268
Effect of Silicon Carbide Additions on the Crystallization Behavior of a Magnesia–Lithia–Alumina–Silica Glass ☆ Dennis N. Coon 1270
Monolithic Device with Dual Capacitor and Varistor Functions ☆ Hung C. Ling, Man F. Yan, and Warren W. Rhodes 1274
Criteria for Diffusion by a Site-Interchange Mechanism ☆ Dunbar P. Birnie III 1277
Anisotropic Ionic Conductivity Observed in Superplastically Deformed Yttria-Stabilized Zirconia/Alumina Composite ☆ John Drennan, Michael V. Swain, and Sukhvinder P. S. Badwal 1279
Ultrasonic Imaging of Porosity Variations Produced During Sintering ☆ Edward R. Generazio, Don J. Roth, and David B. Stang 1282
Hot-Gas-Jet Method and Apparatus for Thermal-Shock Testing ☆ George C. Wei and John Walsh 1286
Anisotropic Electrical Conductivity in Quartz During γ-Irradiation ☆ Tetsuo Miyazaki, Noriyuki Kato, Kenji Fueki, and Nobumitsu Ohshima 1289
Decoration of Open Pore Networks in Light-Colored Ceramics ☆ James G. Schroth and Alan P. Druschitz 1292
Microstructure Development in Mullite–Cordierite Ceramics ☆ James D. Hodge 1295
Oxidation of $Ba_2YCu_3O_x$ at High P_{O_2} ☆ Henry M. O'Bryan, Patrick K. Gallagher, Robert A. Laudise, Anthony J. Caporaso, and Richard C. Sherwood 1298
Laser–Chemical Vapor Precipitation of Submicrometer Silicon and Silicon Nitride Powders from Chlorinated Silanes ☆ Robert A. Bauer, Robert Smulders, Johanna G. M. Becht, Paul J. van der Put, and Joop Schoonman 1301
Tensile Strength of Yttria-Stabilized Tetragonal Zirconia Polycrystals ☆ Kenichi Noguchi, Michihiko Fujita, Takaki Masaki, and Masahiro Mizushina 1305

August [8]

Journal

Waveguides in Lithium Niobate ☆ Mahmoud M. Abouelleil and Fred J. Leonberger 1311
Role of Oxygen in Bonding Copper to Alumina ☆ Yuichi Yoshino 1322
Preparation and Properties of Barium Ferrite Using Hot-Rolled Mill Scale ☆ Yung-Tsen Chien, Hong-Chih Pan, and Yung-Chao Ko 1328
Pressureless Sintering of Alumina–Titanium Carbide Composites ☆ Young-Wook Kim and June-Gunn Lee 1333
Dynamic and Static Fatigue Behavior of Sintered Silicon Nitrides: II, Microstructure and Failure Analysis ☆ Mary H. Rawlins, Theodore A. Nolan, Lawrence F. Allard, and Victor J. Tennery 1338
Hardness and Depth-Dependent Microstructure of Ion-Irradiated Magnesium Aluminate Spinel ☆ S. J. Zinkle 1343
Interface Reactions between Silicon Dioxide–Lead Oxide Glass and Manganese Zinc Ferrite ☆ Atsumi Nitta, Hideyuki Nakamura, Takayuki Komatsu, and Kazumasa Matusita 1351
Low-Temperature Route to Lead Magnesium Niobate ☆ Frédéric Chaput, Jean-Pierre Boilot, Martine Lejeune, Renée Papiernik, and Liliane G. Hubert-Pfalzgraf 1355
Metastability of the Martensitic Transformation in a 12 mol% Ceria–Zirconia Alloy: II, Grinding Studies ☆ Michael V. Swain and Richard H. J. Hannink 1358
Microstructural Study of Phase Equilibria in the Fe-Ca-O System Involving $CaFe_2O_4$ ☆ Bill Bergman and Chengyi Song 1364
Synthesis of High-Purity Zirconium Fluoride for Fluoride Glass Fibers by Chemical Vapor Deposition ☆ Kazuo Fujiura, Yasutake Ohishi, Shigeki Sakaguchi, and Yukio Terunuma 1368
Comparison of Mechanical and Dielectric Strength Distributions for Variously Surface-Finished Titanium Dioxide Ceramics ☆ Akira Kishimoto, Kunihito Koumoto, and Hiroaki Yanagida 1373
Preparation of Gadolinium Gallium Garnet ($Gd_3Ga_5O_{12}$) by Solid-State Reaction of the Oxides ☆ E. E. Hellstrom, R. D. Ray II, and C. Zhang 1376
Effect of Volatilization on the Conduction Behavior of Acceptor-Doped Chromium Oxide ☆ Rong-Fong Huang and Harlan U. Anderson 1382
High-Temperature Passive Oxidation of Chemically Vapor Deposited Silicon Carbide ☆ Takayuki Narushima, Takashi Goto, and Toshio Hirai 1386
Sintering of Zinc Oxide Doped with Antimony Oxide and Bismuth Oxide ☆ Jinho Kim, Toshio Kimura, and Takashi Yamaguchi 1390
Electrical Discharge Machining of Tungsten Carbide–Cobalt Composites ☆ A. M. Gadalla and W. Tsai 1396
Brittle-to-Ductile Transition in Silicon Carbide ☆ G. H. Campbell, B. J. Dalgleish, and A. G. Evans 1402
Liquid-Phase Sintering of Aluminum Nitride by Europium Oxide Additives ☆ Nobuko S. VanDamme, Sarah M. Richard, and Stephen R. Winzer 1409
Lattice Parameters, Ionic Conductivities, and Solubility Limits in Fluorite-Structure MO_2 Oxide ($M = Hf^{4+}$, Zr^{4+}, Ce^{4+}, Th^{4+}, U^{4+}) Solid Solutions ☆ Dae-Joon Kim 1415
Spherical-Impact Damage and Strength Degradation in Silicon Nitrides for Automobile Turbocharger Rotors ☆ Yoshio Akimune, Yasushi Katano, and Kazuo Matoba 1422

Correction—Fabrication of Titanium Carbide Ceramics by High-Pressure Self-Combustion Sintering of Titanium Powder and Carbon Fiber ☆ Seiji Adachi, Takahiro Wada, Toshihiro Mihara, Yoshinari Miyamoto, Mitsue Koizumi, and Osamu Yamada

Communications

Reaction Chemistry of Crystalline Allotropes of Germania ☆ Lawrence Seibles, James W. Mitchell, and Lawrence D. Blitzer 1430

Synthesis of Sinterable β-SiC Powders by a Solid Combustion Method ☆ Roman Pampuch, Ludoslaw Stobierski, and Jerzy Lis 1434

Hot Isostatically Pressed Alumina–Silicon Carbide-Whisker Composites ☆ Lennart Björk and Leif A. G. Hermansson 1346

Volatilization of ^{137}Cs and ^{106}Ru from Borosilicate Glass Containing Actual High-Level Waste ☆ Hiroshi Kamizono, Shizuo Kikkawa, Yoshihiro Togashi, and Shingo Tashiro 1438

Reaction of Zirconium Fluoride Monohydrate and Ammonium Bifluoride: Its Effect on Fluoride Glass Preparation and Quality ☆ Kenneth J. Ewing, Jasbinder S. Sanghera, Robert E. Miklos, Maria G. Sachon, Laura Peitersen, Patricia Hart, and Ishwar Aggarwal 1441

A Study of Conductivity in the $Sr(Fe_{1-x}Ti_x)O_{3-\delta}$ System ☆ Yan Zhuang, Yanzheng Lin, Dongyan Zhu, Yufang Zheng, and Zhengfang Yu 1444

Electric Relaxation Studies of Defects and Defect Associates in Dilute Ceria–Lanthanum Oxide Solid Solutions ☆ Partho Sarkar and Patrick S. Nicholson 1447

Decoration of Dislocations by the Precipitation of Alumina in $MgO \cdot 2.9Al_2O_3$ Spinel ☆ Hisayuki Suematsu, Tetsuya Suzuki, Takayoshi Iseki, and Tsutomu Mori 1449

Analytical Electron Microscopy Investigation of the AlN–ZrO_2 System: Identification of a Quaternary Zr-Al-O-N Phase ☆ Tiziana Stoto, Jean-Claude Doukhan, and Alain Mocellin 1453

Thermomechanical Properties of β-Sialon Synthesized from Kaolin ☆ Hong-Lim Lee, Hun-Jin Lim, Shin Kim, and Hyung-Bock Lee 1458

Processing and Mechanical Properties of Dense Si_3N_4–SiC-Whisker Composites without Sintering Aids ☆ Giuseppe Pezzotti, Isao Tanaka, Taira Okamoto, Mitsue Koizumi, and Yoshinari Miyamoto 1461

Zirconia Coating on Stainless Steel Sheets from Organozirconium Compounds ☆ Keiji Izumi, Megumi Murakami, Takenori Deguchi, Arihiko Morita, Noboru Tohge, and Tsutomu Minami 1465

Dynamic Grain Growth During Superplastic Deformation of Yttria-Stabilized Tetragonal Zirconia Polycrystals ☆ Tai-Gang Nieh and Jeffrey Wadsworth 1469

Electrical Properties of Porous Titania Ceramic Humidity Sensors ☆ Yuan-Chang Yeh, Tseung-Yuen Tseng, and Deh-An Chang 1472

Transparent Hydroxyapatite Prepared by Hot Isostatic Pressing of Filter Cake ☆ Keizo Uematsu, Masaki Takagi, Tsunehiro Honda, Nozomu Uchida, and Katsuichi Saito 1476

Formation of Acicular Monoclinic Zirconia Particles under Hydrothermal Conditions ☆ Chunting Li, Iwao Yamai, Yoshio Murase, and Etsuro Kato 1479

Sintering of the Mechanochemically Activated Powders of Hexagonal Boron Nitride ☆ Tsuyoshi Hagio, Kazuo Kobayashi, Hisayoshi Yoshida, Hiroaki Yasunaga, and Hiroshi Nishikawa 1482

Thermodynamic Properties of Nonstoichiometric Yttria-Stabilized Zirconia at Low Oxygen Pressures ☆ Jong-Hee Park and Robert N. Blumenthal 1485

Effect of Additives on the Pressureless Sintering of Aluminum Nitride between 1500° and 1800°C ☆ Thomas B. Troczynski and Patrick S. Nicholson 1488

Tensile Strengths of Se, As_2S_3, As_2Se_3, and $Ge_{30}As_{15}Se_{55}$ Glass Fibers ☆ David J. McEnroe and William C. LaCourse 1491

Synthesis and Microstructure of Highly Oriented Lead Titanate Thin Films Prepared by a Sol–Gel Method ☆ Chiahong Chen, Daniel F. Ryder, Jr., and William A. Spurgeon 1495

Preparation of Void-Free Calcium Phosphate Glass-Ceramics ☆ Akira Watanabe, Makoto Mitsudou, Seiji Kihara, and Yoshihiro Abe 1499

Low-Temperature Ionic Conductivity of 9.4-mol%-Yttria-Stabilized Zirconia Single Crystals ☆ Juan de Dios Solier, Miguel A. Pérez-Jubindo, Arturo Dominguez-Rodriguez, and Arthur H. Heuer 1500

Thermal Conversion of Preceramic Polyiminoalane Precursors to Aluminum Nitride: Characterization of Pyrolysis Products ☆ Michael M. Seibold and Christian Rüssel 1503

Extension of Glass-Forming Region in a ZrF_4-Based System by Rapid Melt Quenching ☆ Dierk Ahlf and Guenther H. Frischat 1506

Effect of Oxygen Loss on Densification When Hot Isostatic Pressing $YBa_2Cu_3O_{7-\delta}$ ☆ John Niska, Bengt Loberg, and Kenneth Easterling 1508

Alumina and Alumina/Zirconia Multilayer Composites Obtained by Slip Casting ☆ Joaquin Requena, Rodrigo Moreno, and Jose S. Moya 1511

Comparison of Sizes of Magnesia Crystals Calculated from X-ray Diffraction Line-Broadening and Transmission Electron Microscopy Observations ☆ Mun Gyu Kim, Michael J. Cima, and Alan W. Searcy 1514

Effects of Material Transfer by Liquid and Vapor on the Structure of Sintered Y-Ba-Cu-O Superconductors ☆ Seog-Hyun Cho, Doh-Yeon Kim, and Zheong-G Khim 1516

Preparation, Structure, and Dielectric Properties of the System $Ba_{1-x}La_xTi_{1-x}Ni_xO_3$ ☆ Om Parkash, Hari Shanker Tewari, Lakshman Pandey, Ravindra Kumar, and Devendra Kumar 1520

Molybdenum Oxycarbide and Tungsten Oxycarbide Coatings on Silicon Carbide Fibers ☆ Michael Kmetz, Steven L. Suib, and Francis S. Galasso 1523

Structural Investigation of a Rapidly Quenched $20Li_4SiO_4 \cdot 80Li_2WO_4$ Glass ☆ Masanari Takahashi, Hiroshi Toyuki, Masahiro Tatsumisago, Tsutomu Minami, Norimasa Umesaki, and Nobuya Iwamoto 1524

Effect of Lead Zirconate on Positive-Temperature-Coefficient Materials ☆ James W. Smith 1527

Reversible Transformation and Elastic Anisotropy in Mg-ZrO_2 ☆ David B. Marshall and Michael V. Swain 1530

Effect of Manganese Oxide Additive on the Dielectric Properties of Mixed-Sintering Ceramics ☆ Hideyuki Takahara 1532

Thermodynamic Benefit of Abnormal Grain Growth in Pore Elimination During Sintering ☆ Liang A. Xue 1536

Ball-on-Ring Test Revisited ☆ Gijsbertus de With and Harrie H. M. Wagemans 1538

Effect of Bismuth Oxide Content on the Sintering of Zinc Oxide ☆ Jinho Kim, Toshio Kimura, and Takashi Yamaguchi 1541

Phase Equilibria of the System SrO–CaO–CuO ☆ Robert S. Roth, Claudia J. Rawn, Joseph J. Ritter, and Benjamin P. Burton 1545

Interplay of Sintering Microstructures, Driving Forces, and Mass Transportation Mechanisms ☆ Rowland M. Cannon and W. Craig Carter 1550
Dependence of the Crystal Structure on Particle Size in Barium Titanate ☆ Kenji Uchino, Eiji Sadanaga, and Terukiyo Hirose 1555
Fourier Transform Infrared Microspectroscopy Method to Determine Stress in Sapphire ☆ James W. Rydzak and W. Roger Cannon 1559
Effect of Nonstoichiometry on Fracture Toughness and Hardness of Yttrium Oxide Ceramics ☆ Gilbert Fantozzi, Gilles Orange, Kaiming Liang, Martine Gautier, Jean-Paul Duraud, Philippe Maire, Claude Le Gressus, and E. Gillet 1562
Sintering and Crystallization of Glass at Constant Heating Rates ☆ Prakash C. Panda and Rishi Raj 1564
Stabilization of Cubic Zirconia by Aluminum Nitride ☆ Joydeb Mukerji 1567
Comment on "Spinel Phase Formation During 980°C Exothermic Reaction in the Kaolinite-to-Mullite Reaction Series" ☆ Akshoy Kumar Chakraborty and Dilip Kumar Ghosh 1569
Reply ☆ Ilhan A. Aksay, Mehmet Sarikaya, and Birol Sonuparlak 1571

September [9]

Journal

Segregation Isotherms at the Surfaces of Oxides ☆ William C. Mackrodt and Philip W. Tasker 1575
Use of Crack Branching Data for Measuring Near-Surface Residual Stresses in Tempered Glass ☆ Joseph C. Conway, Jr., and John J. Mecholsky, Jr. 1584
Porous Glass-Ceramic in the $CaO–TiO_2–P_2O_5$ System ☆ Hideo Hosono, Zhibo Zhang, and Yoshihiro Abe 1587
Hot Isostatic Pressing of a Presintered Yttria-Stabilized Zirconia Ceramic ☆ Alan P. Druschitz and James G. Schroth 1591
Continuous Processing of Monodispersed Titania Powders ☆ Takashi Ogihara, Masaki Ikeda, Masanori Kato, and Nobuyasu Mizutani 1598
Preparation and Properties of Oxynitride Glasses Made from Potassium Metaphosphate ☆ Xingye Lei and Delbert E. Day 1601
High-Temperature Microstructure of a Hot-Pressed Silicon Nitride ☆ David R. Clarke 1604
Technique for Tensile Creep Testing of Ceramics ☆ Daniel F. Carroll, Sheldon M. Wiederhorn, and D. E. Roberts 1610
Decomposition Chemistry of Tetraethoxysilane ☆ Seshu B. Desu 1615
Effect of Dispersants on the Rheological Properties and Slip Casting of Concentrated Alumina Slurry ☆ Kan-Sen Chou and Li-Jun Lee 1622
Effects of Sodium Silicate Exposure at High Temperature on Sintered α-Silicon Carbide and Siliconized Silicon Carbide ☆ Darryl P. Butt, J. J. Mecholsky, Jr., and Victor Goldfarb 1628
Mechanical Properties and Microstructure of Whisker-Reinforced Alumina–30 vol% Glass Matrix Composite ☆ Rachman Chaim, Laura Baum, and David G. Brandon 1636
Mechanical Properties of Polycrystalline Lithium Orthosilicate ☆ Cha-Yang Chu, Kai Bär, Jitendra P. Singh, Kenneth C. Goretta, Michael C. Billone, Roger B. Poeppel, and Jules L. Routbort 1643
Flaw Generation During Constrained Sintering of Metal–Ceramic and Metal–Glass Multilayer Films ☆ Tsungnan Cheng and Rishi Raj 1649
Hot Isostatic Press Sintering and Properties of Silicon Nitride without Additives ☆ Isao Tanaka, Giuseppe Pezzotti, Taira Okamoto, Yoshinari Miyamoto, and Mitue Koizumi 1656
Synthesis and Characterizaton of Lead-Titanium Complex Alkoxide ☆ Kayo Kezuka, Yoshihiro Hayashi, and Takashi Yamaguchi 1660
Structural and Microstructural Changes in Zirconia in Dilute Chlorine Atmosphere ☆ Daniel M. Pasquevich, Francisco Lovey, and Alberto Caneiro 1664
Selective Cation Exchange in Substituted Tobermorites ☆ Sridhar Komarneni and Masamichi Tsuji 1668
Oxidation and Fracture Strength of High-Purity Reaction-Bonded Silicon Nitride ☆ John S. Haggerty, A. Lightfoot, John E. Ritter, Paul A. Gennari, and S. V. Nair 1675
Equilibrium and Transport Properties of Gases in E-Glass Melts ☆ Henry D. Schreiber, Samuel J. Kozak, G. Bryan Balazs, Ann L. Fritchman, and Charlotte W. Schreiber 1680
Surface Chemistry and Structure of Ultrafine Silicon Carbide: An FT-IR Study ☆ G. Ramis, P. Quintard, M. Cauchetier, G. Busca, and V. Lorenzelli 1692
Basic Phosphate-Bonded Castables from Dolomitic-Magnesite Clinkers ☆ Claude Allaire, Michael A. Rigaud, and Serge Dallaire

Communications

High-Temperature Behavior of the Aluminum Oxycarbide Al_2OC in the System $Al_2O_3–Al_4C_3$ and with Additions of Aluminum Nitride ☆ Jean Marc Lihrmann, Theofilos Zambetakis, and Marc Daire 1704
Wetting Reaction between Lithium Fluoride and Barium Titanate ☆ Jiu-Nun Lin and Tai-Bor Wu 1709
Secondary Ion Mass Spectrometer Analysis of Potash–Lime–Silica Glasses Leached in Hydrochloric and Sulfuric Acids ☆ Manfred Schreiner 1713
Laser-Sintered Barium Titanate ☆ Toshihiro Kasai, Yoshiharu Ozaki, Hideki Noda, Kenji Kawasaki, and Kei Tanemoto 1716
Alumina Monolith Formation by Flocculation of Boehmite Sols ☆ Debra S. Horn and Gary L. Messing 1719
β-Sialon Ceramics Prepared at 1700°C by Hot Isostatic Pressing ☆ Thommy Ekström and Per-Olof Olsson 1722
Hybrid Gels for Homoepitactic Nucleation of Mullite ☆ Jeffrey C. Huling and Gary L. Messing 1725
Intrinsic Disorder in Aluminum Nitride ☆ Alastair N. Cormack 1730
High-T_c Superconductor Coating on Metal Substrates by an Electrophoretic Technique ☆ H. S. Maiti, S. Datta, and R. N. Basu 1733
Combustion Synthesis of Silicon Carbide in Nitrogen Atmosphere ☆ Osamu Yamada, Kiyoshi Hirao, Mitsue Koizumi, and Yoshinari Miyamoto 1735
Microhardness of Mullite at Temperatures to 1000°C ☆ Wolfgang Kollenberg and Hartmut Schneider 1739
Carbon Inclusions in Sintered Silicon Carbide ☆ Rainer Hamminger 1741
Flow Microcalorimetric Estimation of Energy Changes During Surface Reactions of Glass Powders with Aqueous Media ☆ Joseph P. Fletcher, Guy F. Hudson, Srini Raghavan, and Subhash H. Risbud 1744
Chemical Vapor Deposition for Silicon Cladding on Advanced Ceramics ☆ Jitendra S. Goela and Raymond L. Taylor 1747

Mixed Intermediate Effect in Calcium Alumino/Galliosilicate Glasses ☆ Laura Ann Balewick and James E. Shelby 1751
Solubility of Ruthenium Dioxide in Lead Borosilicate Glasses ☆ Ponnusamy Palanisamy, Dwadasi H. R. Sarma, and Robert W. Vest 1755
Crystal Structure of Orthorhombic Zirconia in Partially Stabilized Zirconia ☆ Erich H. Kisi, Christopher J. Howard, and Roderick J. Hill 1757
Cyclic Fatigue Behavior of an Alumina Ceramic with Crack-Resistance Characteristics ☆ Srinivasarao Lathabai, Yiu-Wing Mai, and Brian R. Lawn 1760
Fiber–Matrix Interfacial Characteristics in a Fiber-Reinforced Ceramic-Matrix Composite ☆ Raj N. Singh 1764

October [10]

Journal

Experimental and Thermodynamic Study of Nonstoichiometry in $\langle YBa_2Cu_3O_{7-x}\rangle$ ☆ Terrence B. Lindemer, John F. Huntley, Jacques E. Gates, Alfred L. Sutton, Jr., Jorulf Brynestad, Camden R. Hubbard, and Patrick K. Gallagher 1775
Synthesis of Ultrafine Grain Ferrites ☆ Abraham Clearfield, Ahmed M. Gadalla, William H. Marlow, and Terry W. Livingston 1789
Superplastic Deformation of Zinc Sulfide Near Its Transformation Temperature (1020°C) ☆ Liang A. Xue and Rishi Raj 1792
Binder Evolution from Powder Compacts: Thermal Profile for Injection-Molded Articles ☆ Vishwa N. Shukla and David C. Hill 1797
Thermodynamic and Experimental Study of High-Purity Aluminum Nitride Formation from Aluminum Chloride by Chemical Vapor Deposition ☆ Klaus G. Nickel, Ralf Riedel, and Günter Petzow 1804
Characterization of Mixed Cobalt-Molybdenum Oxides Prepared by Evaporative Decomposition of Solutions ☆ George A. Rossetti, Jr., Joseph L. Burger, and Richard D. Sisson, Jr. 1811
Drying Behavior of Colloidal Silica Gels ☆ Peter G. Simpkins, David W. Johnson, Jr., and Debra A. Fleming 1816
Degradation of Polyolefin Blends Used for Ceramic Injection Molding ☆ Judith K. Wright, Julian R. G. Evans, and Mohan J. Edirisinghe 1822
Effects of Particle Size Distribution on the Kinetics of Hydration of Tricalcium Silicate ☆ Paul Wencil Brown 1829
New Aqueous Injection Molding Process for Ceramic Powders ☆ Anthony J. Fanelli, Robert D. Silvers, William S. Frei, Joan V. Burlew, and Gary B. Marsh 1833
Mechanism of Mechanical Strength Increase of Soda–Lime Glass by Aging ☆ Won-Taek Han and Minoru Tomozawa 1837
Viscoelastic Analysis of Concentric Cylinders for Composite Materials and Seals ☆ Lalit K. Jain and Robert C. Wetherhold 1844
Diffusion of Water into Silica Glass at Low Temperature ☆ Hajimu Wakabayashi and Minoru Tomozawa 1850
Calculations of Solution Energies of Fission Products in Uranium Dioxide ☆ Robin W. Grimes, C. Richard A. Catlow, and A. Marshall Stoneham 1856
Characterization of Material for Low-Temperature Sintered Multilayer Ceramic Substrates ☆ Jen-Yan Hsu, Nan-Chung Wu, and Shu-Cheng Yu 1861
Effect of Iron and Boron Carbide on the Densification and Mechanical Properties of Titanium Diboride Ceramics ☆ Eul Son Kang, Cheol Woo Jang, Chae Hyun Lee, Chong Hee Kim, and Do Kyung Kim 1868
Sinterable β-Spodumene Glass-Ceramics ☆ Sarah Knickerbocker, Michelle R. Tuzzolo, and Samuel Lawhorne 1873
Mechanical Properties of Alumina/Silicon Carbide Whisker Composites ☆ Satoshi Iio, Masakazu Watanabe, Masaru Matsubara, and Yasushi Matsuo 1880
Effect of Residual Surface Stress on the Strength Distribution of Brittle Materials ☆ Monica M. Tojek and David J. Green 1885
Interfacial Bonding and Friction in Silicon Carbide (Filament)-Reinforced Ceramic- and Glass-Matrix Composites ☆ Jeffrey D. Bright, Dinesh K. Shetty, Curtis W. Griffin, and Santosh Y. Limaye 1891
Factors Affecting the Preparation of Barium Titanyl Oxalate Tetrahydrate ☆ Tsang-Tse Fang and Horng-Bin Lin 1899
Characterization of Silicon Carbide Whiskers ☆ Keith R. Karasek, Steven A. Bradley, Jeffrey T. Donner, Harry C. Yeh, James L. Schienle, and Ho T. Fang 1907
Preparation of Alkoxy-Derived Tantalum Vanadate ☆ Osamu Yamaguchi, Yasumichi Mukaida, and Hiroyasu Shigeta 1914
Dispersion of Silicon Carbide Powders in Nonaqueous Solvent ☆ Masahiko Okuyama, Gary J. Garvey, Terry A. Ring, and John S. Haggerty 1918
Fabrication of Metal-Layer (Nickel) Silicate Microcomposite Particles by a Surface-Nucleated Precipitation Route ☆ Kunio Ohtsuka, Johji Koga, Mitsuru Suda, and Mikiya Ono 1924
Microstructural Changes in β-Silicon Nitride Grains upon Crystallizing the Grain-Boundary Glass ☆ William E. Lee and Gregory E. Hilmas 1931
Incorporation of Cesium by Hydrating Calcium Aluminosilicates ☆ Susan L. Hoyle and Michael W. Grutzeck 1938
Interaction of Titanium with Silica After Rapid Thermal Annealing in Argon, Nitrogen, and Oxygen ☆ J. Ashley Taylor and Seshu B. Desu 1947
Microwave Characteristics of $A(B^{3+}_{1/2}B^{5+}_{1/2})O_3$ Ceramics (A = Ba, Ca, Sr; B^{3+} = La, Nd, Sm, Yb; B^{5+} = Nb, Ta) ☆ Mitsuhiro Takata and Keisuke Kageyama 1955
Effect of Residual Stresses on the Fracture of Ground Ceramics ☆ Robert Samuel, Srinivasan Chandrasekar, Thomas N. Farris, and Robert H. Licht 1960
Equivalent Circuit Model in Grain-Boundary Barrier Layer Capacitors ☆ Bi-Shiou Chiou, Sin-Tah Lin, Jenq-Gong Duh, and Peng-Heng Chang 1967
Correction—Fracture Behavior of Open-Cell Ceramics ☆ Rasto Brezny and David J. Green 1976
Correction—Binder Distribution in Ceramic Greenware During Thermolysis ☆ Michael J. Cima, Jennifer A. Lewis, and Alan D. Devoe 1976

Communications

Reaction Sequencing During Processing of the 123 Superconductor ☆ William J. Thomson, Hong Wang, David B. Parkman, Dong X. Li, Michael Strasik, Thomas S. Luhman, Chan Han, and Ilhan A. Aksay 1977
Fluoride Glass Fibers with Improved Mechanical Strength ☆ Pablo C. Pureza, Daniel T. Brower, and Ishwar D. Aggarwal 1980
Effect of Powder Characteristics on Compounding and Green Microstructure in the Injection-Molding Process ☆ Vimal K. Pujari 1981

High-Resolution Electron Microscopy Observations of Stacking Faults in β-SiC ☆ Kunihito Koumoto, Shunji Takeda, Chul Hoon Pai, Takayori Sato, and Hiroaki Yanagida 1985
Strengthening of Zirconia–Alumina During Cyclic Fatigue Testing ☆ Georg Grathwohl and Tianshun Liu 1988
Nucleation in ZBLAN Glasses ☆ Gerard de Leede, Henk de Waal, and Frank Hakkens 1991
Thermomechanical Properties of Chemically Vapor Deposited Silicon Carbide Filaments ☆ Milivoj K. Brun and Marcus P. Borom 1993
Formation of Grain-Boundary Carbon-Containing Phase During Annealing of $YBa_2Cu_3O_{6+x}$ ☆ Lijie Zhang, Jie Chen, Helen M. Chan, and Martin P. Harmer 1997
Preparation of the High-Quality Superconductor $La_1Ba_2Cu_3O_y$ ☆ Takahiro Wada, Nobuo Suzuki, Hisao Yamauchi, Shoji Tanaka, Atsutaka Maeda, and Kunimitsu Uchinokura 2000
Aqueous Precipitation of Spherical Zinc Oxide Powders for Varistor Applications ☆ Sossina M. Haile, David W. Johnson, Jr., Gary H. Wiseman, and H. Kent Bowen 2004
Characterization of Lead Scandium Tantalate Ceramics Prepared by Precipitation Method ☆ Chude Feng and Walter A. Schulze 2008
Optical Basicity of Titanium(IV) Oxide and Zirconium(IV) Oxide ☆ John A. Duffy 2012
Grain-Boundary Phase Crystallization of Silicon Nitride with Material Loss During Heat Treatment ☆ Akihiko Tsuge, Hiroshi Inoue, and Katsutoshi Komeya 2014
Measurement of Interfacial Shear Strength in SiC-Fiber/Si_3N_4 Composites ☆ James W. Laughner and Rham T. Bhatt 2017
Water Corrosion of $YBa_2Cu_3O_{7-\delta}$ Superconductors ☆ Lawrence D. Fitch and Vernon L. Burdick 2020
Investigation of Plasma-Sprayed Dysprosia Coatings ☆ Koththavasal R. Venkatachari and Waltraud M. Kriven 2023

November [11]

Journal

Thermodynamic and Kinetic Effects of Oxygen Removal on the Thermal Conductivity of Aluminum Nitride ☆ Anil V. Virkar, T. Barrett Jackson, and Raymond A. Cutler 2031
Mullite/Alumina Particulate Composites by Infiltration Processing ☆ Basil R. Marple and David J. Green 2043
Corrosion Behavior of Silicon Carbide in 290°C Water ☆ Hideo Hirayama, Takashi Kawakubo, Akira Goto, and Tadashi Kaneko 2049
"Nose Method" of Calculating Critical Cooling Rates for Glass Formation ☆ Michael C. Weinberg, Donald R. Uhlmann, and Edgar D. Zanotto 2054
Longitudinal Electrooptic Effects and Photosensitivities of Lead Zirconate Titanate Thin Films ☆ Cecil E. Land 2059
Structure and Properties of Long-Wavelength-Transmitting Halide Glasses ☆ Rui M. Almeida and Luis F. Santos ... 2065
In Situ Polysilane-Derived Silicon Carbide Particulates Dispersed in Silicon Nitride Composite ☆ Ralf Riedel, Kurt Strecker, and Günter Petzow 2071
Anomalous Birefringence in Discretely Phase-Separated Glasses ☆ Arun K. Varshneya and Kevin Hosmer 2078
Characterization of Gold–Aluminum Nitride and Gold–Silicon Carbide Interfaces ☆ Wieslaw A. Zdaniewski and Cheryl A. Houser 2084
Preparation, Sintering, and Properties of Translucent Er_2O_3-Doped Tetragonal Zirconia ☆ Pedro Durán, Paloma Recio, José R. Jurado, Carmen Pascual, and Carlos Moure 2088
Viscoelastic Effect of Heat Treatment on the Fracture Toughness of Metal-Particulate/Glass-Matrix Composites ☆ Todd L. Jessen and John J. Mecholsky, Jr. 2094
Ferroelastic Domain Switching in Polydomain Tetragonal Zirconia Single Crystals ☆ Gajawalli V. Srinivasan, Jan-Fong Jue, Shih-Yee Kuo, and Anil V. Virkar 2098
Construction of Chemical Potential Diagrams for Metal-Metal-Nonmetal Systems: Applications to the Decomposition of Double Oxides ☆ Harumi Yokokawa, Tatsuya Kawada, and Masayuki Dokiya 2104
Radio-Frequency Plasma Spraying of Ceramics ☆ Tomohisa Okada, Hideki Hamatani, and Toyonobu Yoshida 2111
Fracture of Brittle Materials under a Simulated Wear Stress System ☆ Alan R. Rosenfield 2117
Cation Interdiffusion in Polycrystalline Cubic C-Type Yttria–Zirconia–Hafnia Solid Solutions ☆ Yoshio Sakka, Yasumichi Oishi, Ken Ando, and Masaaki Masuda 2121
Internal Structure of Porous Silica: A Model System for Characterization by Nuclear Magnetic Resonance ☆ Sankar Bhattacharja, F. D'Orazio, J. C. Tarczon, W. P. Halperin, and Rosario Gerhardt 2126
Microstructure and Optical Properties of $Cd_{1-x}Zn_xS$ Films Sintered with Cadmium Chloride ☆ Yeo Song Seol and Ho Bin Im 2131
In Situ ^{27}Al NMR Studies of Cement Hydration: The Effect of Lithium-Containing Setting Accelerators ☆ Tim Luong, Hermann Mayer, Hellmut Eckert, and Thomas I. Novinson 2136
Fabrication and Microstructure of Composite Metal-Clad Ceramic Superconducting Wire ☆ Min-Seok Oh, Qin Fang Liu, Wojciech Misiolek, Alex Rodrigues, Betzalel Avitzur, and Michael R. Notis 2142
Nucleation of Flocs in Dilute Colloidal Suspensions ☆ Dinesh C. Agrawal, Rishi Raj, and Claude Cohen 2148
Processing and Characterization of $BaTi_4O_9$ ☆ S. G. Mhaisalkar, W. E. Lee, and D. W. Readey 2154
Lattice Diffusion Kinetics in Undoped and Impurity-Doped Sapphire (α-Al_2O_3): A Dislocation Loop Annealing Study ☆ K. Peter D. Lagerlof, Terence E. Mitchell, and Arthur H. Heuer 2159
Correction—Spherical-Impact Damage and Strength Degradation in Silicon Nitrides for Automobile Turbocharger Rotors ☆ Yoshio Akimune, Yasushi Katano, and Kazuo Matoba 2172

Communications

Attenuated Total Reflectance Fourier-Transform Infrared Spectra of a Hydrated Sodium Silicate Glass ☆ Takashi Uchino, Tetsuo Sakka, Koukichi Hotta, and Matae Iwasaki 2173
Sintering of a Ceramic at Very Low Temperatures ☆ Himanshu Jain, Om Parkash, and M. Y. Xu 2176
Novel Composite Microstructure and Mechanical Behavior of Mollusk Shell ☆ Vincent J. Laraia and Arthur H. Heuer 2177
Subsolidus Phase Relations in the Pseudoternary System $SrO \cdot 6M_2O_3$ (M = Fe, Cr, Al) in Air ☆ Felip Sandiumenge and Salvador Gali 2180
Yttrium-Silicon-Aluminum Oxynitride Glass Fibers ☆ Donald R. Messier, Robert P. Gleisner, and Ronald E. Rich 2183
Estimating the Viscosity of Viscoelastic Solids Based on a Three-Parameter Model ☆ Gunnar Berg and Peter Grau .. 2187
Healing of Glass in Humid Environments ☆ Mary Kay Clark Holden and Van Derck Frechette 2189
Environmentally Enhanced Fracture of Gallium Arsenide ☆ Grady S. White, Stephen W. Freiman, and Anne M. Wilson 2193

Modified Specimen Preparation for Applied-Moment Double-Cantilever-Beam Testing ☆ Todd L. Jessen and David Lewis III 2196
Aluminum in Rutile (TiO_2): Characterization by Single-Crystal and Magic-Angle-Spinning Nuclear Magnetic Resonance ☆ Jonathan F. Stebbins, Ian Farnan, and Ulrich Klabunde 2198
Doping of Pb Ions into Bi-Sr-Ca-Cu-O Thin Films from PbO Vapor ☆ Hirotoshi Nagata, Shoichi Hashiguchi, and Eungi Min 2201
Transitional Phase of Ca_2SiO_4 Solid Solution with Incommensurate Superstructure ☆ Koichiro Fukuda and Iwao Maki 2204
Thermal Behavior of Alumina–Silica Xerogels During Calcination ☆ Chi-Shiung Hsi, Hong-Yang Lu, and Fu-Su Yen 2208
SiC Crystals Derived from β-SiC Powder Using a Conically Converging Shock-Wave Technique ☆ Kenjiro Yamada and Shotaro Tobisawa 2211

December [12]

Journal

First Symposium for Reliability in Multilayer Ceramic Capacitors ☆ Gordon O. Dayton 2221
Infant Mortality, Freaks, and Wear-Out: Application of Modern Semiconductor Reliability Methods to Ceramic Multilayer Capacitors ☆ Stewart K. Kurtz, Solomon Levinson, and Dexiang Shi 2223
Electrochemical Boundary Conditions for Resistance Degradation of Doped Alkaline-Earth Titanates ☆ Rainer M. Waser 2234
Fractography of Thermal-Shock-Cracked Multilayer Capacitors ☆ Chowdary R. Koripella and Henry V. DeMatos 2241
Designing Cofired Multilayer Electrostrictive Actuators for Reliability ☆ Stephen R. Winzer, Natarajan Shankar, and Andrew P. Ritter 2246
Review of Mechanically Related Failures of Ceramic Capacitors and Capacitor Materials ☆ Stephen W. Freiman and Robert C. Pohanka 2258
Improving Thermal Shock Test Reliability ☆ Oliver Kenneth Power III 2264
Characterization of the Microstructure of Ceramics Used in Multilayer Ceramic Capacitors by Means of the Scanning Laser Acoustic Microscope ☆ Lawrence W. Kessler and Janet E. Semmens 2271
Defect Chemistry of Relaxor Ferroelectrics and the Implications for Dielectric Degradation ☆ Donald M. Smyth, Martin P. Harmer, and Ping Peng 2276
Statistical Determination of Plating Process Variables for Multilayer Ceramic Chip Capacitors ☆ Doug A. Behm, Carol J. Feltz, Richard Haynes, and Steven C. Pinault 2279
Electromechanical Resonances in Ceramic Capacitors and Their Use for Rapid Nondestructive Testing ☆ Otmar Boser, Paulette Kellawon, and Richard Geyer 2282
Electrode-Based Causes of Delaminations in Multilayer Ceramic Capacitors ☆ John G. Pepin, William Borland, Patrick O'Callaghan, and Richard J. S. Young 2287
Cracking of Surface Mount Capacitors: Crack Susceptibility by Vickers Indentation Techniques ☆ Richard Haynes 2292
Microstructural Aspects of the Fracture of Hardened Cement Paste ☆ Leslie J. Struble, Paul E. Stutzman, and Edwin R. Fuller, Jr. 2295
Interface Debonding and Fiber Cracking in Brittle Matrix Composites ☆ Anthony G. Evans, Ming Y. He, and John W. Hutchinson 2300
Formation, Defect Structure, and Electrical Properties of La^{3+}-Doped M-Type Calcium Ferrite Prepared by Coprecipitation ☆ Tsang-Tse Fang and Kuo-Tong Lee 2304
Preparation and Characterization of Superconducting B1-Type $Mo_{1-x}Nb_xN$ Thin Films ☆ Gao-Chao Lai, Masao Takahashi, Kohji Nobugai, and Fumikazu Kanamaru 2310
Influence of Crystalline Secondary Phases on the Densification Behavior of Reaction-Bonded Silicon Nitride During Postsintering under Increased Nitrogen Pressure ☆ Hans-Joachim Kleebe and Günter Ziegler 2314
Kinetics of Combustion Synthesis in the Ti-C and Ti-C-Ni Systems ☆ Stephen D. Dunmead, Dennis W. Readey, Charles E. Semler, and J. Birch Holt 2318
Analysis of Heat Transfer in the Corroding Sidewall of a Furnace ☆ Manoj K. Choudhary 2325
Comparison of the Effects of Titania and Tantalum Oxide Nucleating Agents on Crystallization of $Li_2O \cdot Al_2O_3 \cdot 6SiO_2$ Glasses ☆ Jen-Yan Hsu and Robert F. Speyer 2334

Communications

Retrograde Densification in $Bi_2Sr_2CaCu_2O_8$ Superconductors ☆ David W. Johnson, Jr., and Warren W. Rhodes 2346
Phase Stability of Ln_2BaCuO_5 (Ln = Dy, Er, Eu, Gd, Ho, Sm, Yb) ☆ Kiyotaka Nakahigashi, Tomokazu Tsuboi, Mineo Kogachi, Shigemitsu Nakanishi, Shinnosuke Minamigawa, Hiroyuki Sasakura, Nobuo Fukuoka, Akira Yanase, and Kiichi Yoshiara 2351
Anomalously Low Surface Area and Density in the Silica–Alumina Gel System ☆ Susan L. Hietala, Douglas M. Smith, Johnny L. Golden, and C. Jeffrey Brinker 2354
Change in Oxygen Content of Y_2O_3-Nd_2O_3-Doped Silicon Nitride During Firing ☆ Naoto Hirosaki and Akira Okada 2359
Effect of the Heating Rate on the Relative Rates of Sintering and Crystallization in Glass ☆ Prakash C. Panda, W. Morris Mobley, and Rishi Raj 2361
Correlation between Grain Size and Thermal Expansion for Aluminum Titanate Materials ☆ Fred J. Parker and Roy W. Rice 2364
Preparation of Semiconducting Barium Titanate by Excimer Laser Irradiation ☆ Kaoru Igarashi, Hideaki Saito, Tomoo Fujioka, Satoru Fujitsu, Kunihito Koumoto, and Hiroaki Yanagid 2367
Microstructure and Fracture Toughness of Yttria-Doped Tetragonal Zirconia Polycrystal/Mullite Composites Prepared by an in Situ Method ☆ Kiyoshi Okada, Nozomu Otsuka, Richard J. Brook, and A. J. Moulson 2369
Coarsening Kinetics of the Tetragonal Phase in a Magnesia-Partially-Stabilized Zirconia ☆ Charles A. Bateman, Michael R. Notis, and David B. Williams 2372
Electrical Conductivity of Cadmium Oxide–Antimony Oxide System Ceramics ☆ Biaorong Li and Jingli Zhang 2377
Sol-Gel Processing of SiC-Whisker-Reinforced Silica-Based Ceramic Composites ☆ Burtrand I. Lee and Seung-Yong Park 2381
Novel Solution-Soaking Method for Adding Dopants to $YBa_2Cu_3O_{7-x}$ to Achieve Higher Sintered Densities ☆ Pottail Umadevi, K. Ravindran Nair, and Alathur D. Damodaran 2386
Vickers Crack Nucleation of Glass Sheets Coated by Thin Silica-Gel Layers ☆ Roberto Dal Maschio, Alessandro Pegoretti, Caterina Rizzo, Gian D. Soraru, and Giovanni Carturan 2388